Yoshiharu Tokita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4921013/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Postprandial lipoprotein metabolism: VLDL vs chylomicrons. Clinica Chimica Acta, 2011, 412, 1306-1318.	1.1	124
2	Development of a Fucoidan-Specific Antibody and Measurement of Fucoidan in Serum and Urine by Sandwich ELISA. Bioscience, Biotechnology and Biochemistry, 2010, 74, 350-357.	1.3	92
3	The characteristics of remnant lipoproteins in the fasting and postprandial plasma. Clinica Chimica Acta, 2012, 413, 1077-1086.	1.1	33
4	Particle size of apoB-48 carrying lipoproteins in remnant lipoproteins isolated from postprandial plasma. Annals of Clinical Biochemistry, 2011, 48, 57-64.	1.6	28
5	Development of an enzyme-linked immunosorbent assay for metallothionein-I and -II in plasma of humans and experimental animals. Clinica Chimica Acta, 2010, 411, 758-761.	1.1	27
6	Non-alcoholic Fatty Liver Disease Is a Risk Factor for Type 2 Diabetes in Middle-aged Japanese Men and Women. Internal Medicine, 2017, 56, 763-771.	0.7	25
7	Detection of Fucoidan in Urine after Oral Intake of Traditional Japanese Seaweed, <i>Okinawa mozuku</i> (<i>Cladosiphon okamuranus</i> Tokida). Journal of Nutritional Science and Vitaminology, 2017, 63, 419-421.	0.6	24
8	Small dense LDL cholesterol measured by homogeneous assay in Japanese healthy controls, metabolic syndrome and diabetes patients with or without a fatty liver. Clinica Chimica Acta, 2015, 438, 70-79.	1.1	22
9	The VLDL receptor plays a key role in the metabolism of postprandial remnant lipoproteins. Clinica Chimica Acta, 2019, 495, 382-393.	1.1	19
10	Repeated cross-sectional study of the longitudinal changes in attitudes toward interprofessional health care teams amongst undergraduate students. Journal of Interprofessional Care, 2014, 28, 285-291.	1.7	17
11	Triglyceride content in remnant lipoproteins is significantly increased after food intake and is associated with plasma lipoprotein lipase. Clinica Chimica Acta, 2017, 465, 45-52.	1.1	15
12	Measurement of serum remnant-like lipoprotein particle-triglyceride (RLP-TG) and RLP-TG/total TG ratio using highly sensitive triglyceride assay reagent. Clinica Chimica Acta, 2011, 412, 71-78.	1.1	13
13	Impact of the Visceral Fat Area Measured by Dual Impedance Method on the Diagnostic Components of Metabolic Diseases in a Middle-aged Japanese Population. Internal Medicine, 2016, 55, 1691-1696.	0.7	11
14	Lipoprotein lipase does not increase significantly in the postprandial plasma. Clinica Chimica Acta, 2017, 464, 204-210.	1.1	11
15	Attitudes of nursing school deans toward interprofessional education in Western Pacific Region countries. Journal of Interprofessional Care, 2015, 29, 518-519.	1.7	10
16	Hypothesis: Postprandial remnant lipoproteins are the causal factors that induce the insulin resistance associated with obesity. Clinica Chimica Acta, 2018, 485, 126-132.	1.1	10
17	Plasma adiponectin is a more specific marker of fatty liver than a marker of metabolic syndrome in Japanese men. Annals of Clinical Biochemistry, 2014, 51, 68-79.	1.6	9
18	Professional identity acquisition process model in interprofessional education using structural equation modelling: 10-year initiative survey. Journal of Interprofessional Care, 2016, 30, 175-183.	1.7	8

Yoshiharu Tokita

#	Article	IF	CITATIONS
19	A plan for embedding an interprofessional education initiative into an existing programme in a Southeast Asian university. Journal of Interprofessional Care, 2016, 30, 401-403.	1.7	8
20	The effect of combined diet and exercise intervention on body weight and the serum GPIHBP1 concentration in overweight/obese middle-aged women. Clinica Chimica Acta, 2017, 475, 109-115.	1.1	8
21	Determination of metallothionein-3 by a competitive enzyme-linked immunosorbent assay in experimental animals. Journal of Toxicological Sciences, 2013, 38, 83-91.	1.5	7
22	Hypothesis II: The majority of VLDL-apoB48 remnants in postprandial plasma are derived from the liver, not from the intestine. Clinica Chimica Acta, 2019, 490, 12-16.	1.1	6
23	Identification of Alkylbenzene Sulfonate Surfactants Leaching from an Acrylonitrile Butadiene Rubber as Novel Inhibitors of Calcineurin Activity. Bioscience, Biotechnology and Biochemistry, 2013, 77, 954-960.	1.3	4
24	Changes in attitudes of undergraduate students learning interprofessional education in the absence of patient safety modules: evaluation with a modified T-TAQ instrument. Journal of Interprofessional Care, 2019, 33, 689-696.	1.7	4
25	ESTABLISHMENT OF ERYTHROCYTE SAMPLES FOR IN-AIR MICRO-PIXE ANALYSIS AND ITS APPLICATION TO ERYTHROCYTES IN HEMODIALYSIS PATIENTS. International Journal of PIXE, 2012, 22, 249-258.	0.4	3
26	Health science students' attitudes towards healthcare teams: A comparison between two universities. Journal of Interprofessional Care, 2018, 32, 196-202.	1.7	3
27	Key factors affecting the integration of interprofessional education into human resources for health reform: a Lao People's Democratic Republic case study. Journal of Interprofessional Care, 2019, 33, 356-360.	1.7	1
28	Comparison of the International Federation of Clinical Chemistry and Japan Diabetes Society reference methods for conversion to the National Glycohemoglobin Standardization Program values. Annals of Clinical Biochemistry, 2019, 56, 508-514.	1.6	0
29	First-year Medical Students' Attitudes toward Health Care Teams:. Kitakanto Medical Journal, 2021, 71, 115-121.	0.0	0
30	Characterization of Alkylbenzene Sulfonate Inhibitors of Rat Brain Calcineurin Activity. Kitakanto Medical Journal, 2014, 64, 23-29.	0.0	0
31	The Characteristics of Remnant Lipoproteins in the Postprandial Plasma. Kitakanto Medical Journal, 2019, 69, 69-70.	0.0	0