

Fabrizio Petrucci

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4922746/fabrizio-petrucci-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

573
papers

19,379
citations

65
h-index

105
g-index

605
ext. papers

22,527
ext. citations

4.5
avg, IF

4.38
L-index

#	Paper	IF	Citations
573	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817
572	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
571	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
570	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
569	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
568	A new measurement of direct CP violation in two pion decays of the neutral kaon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 465, 335-348	4.2	220
567	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
566	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	209
565	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
564	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
563	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
562	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
561	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
560	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
559	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167
558	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
557	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160

556	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
555	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
554	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
553	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
552	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}}$) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
551	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at (\sqrt{s}) = 7 TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
550	Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC. <i>Nature Physics</i> , 2017 , 13, 852-858	16.2	130
549	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
548	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
547	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	120
546	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 173-191	4.2	118
545	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at \sqrt{s} = 13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	116
544	Search for charged Higgs bosons decaying via $H \rightarrow \tau \nu$ ($\tau \rightarrow e \nu$) events using pp collision data at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
543	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
542	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using (\sqrt{s}) = 8 TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
541	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
540	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
539	Search for doubly charged Higgs bosons in like-sign dilepton final states at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104

538	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
537	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
536	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
535	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016 , 117, 182002	7.4	92
534	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92
533	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
532	Search for new phenomena in dijet events using 37 fb ⁻¹ of pp collision data collected at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	89
531	Observation of $H\rightarrow b\bar{b}$ decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 59-86	4.2	87
530	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
529	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1236	4.2	82
528	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
527	Measurement of the $Z/\bar{\nu}$ boson transverse momentum distribution in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
526	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
525	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
524	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
523	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
522	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	74
521	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73

520	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	72
519	Precision measurement of the ratio of the charged kaon leptonic decay rates. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 326-336	4-2	72
518	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4-2	71
517	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7$ mbox{~TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	70
516	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4-2	70
515	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4-2	68
514	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	67
513	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7$; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	67
512	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4-2	66
511	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5-4	66
510	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4-2	66
509	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	65
508	Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	64
507	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	64
506	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4-2	63
505	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4-2	62
504	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4-2	61
503	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4-2	60

502	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (\sqrt{s}) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
501	Measurement of the γ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
500	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
499	Measurement of the W and Z production cross sections in proton-proton collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
498	A search for χ_{\pm}^0 resonances using lepton-plus-jets events in proton-proton collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
497	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
496	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
495	Precision measurement and interpretation of inclusive γ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
494	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
493	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
492	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at (\sqrt{s}) = 7 TeV. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
491	Summary of the searches for squarks and gluinos using (\sqrt{s}) = 8 TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	55
490	Measurements of the χ_{\pm}^0 production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
489	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	54
488	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
487	Measurement of W + Z production in proton-proton collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
486	Search for squarks and gluinos in final states with jets and missing transverse momentum at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
485	Search for new phenomena in events with at least three photons collected in collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53

484	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	53
483	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ($\sqrt{s}=7\text{mbox{\sim}TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4-2	53
482	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4-2	53
481	Search for new phenomena in high-mass diphoton final states using 37 fb of proton-proton collisions collected at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 105-125	4-2	52
480	Search for direct top-squark pair production in final states with two leptons in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	52
479	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4-2	52
478	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4-2	52
477	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4-2	52
476	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	52
475	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4-2	51
474	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4-2	51
473	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	50
472	Evidence for the ($H \rightarrow \overline{b}b$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	50
471	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4-2	50
470	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4-2	49
469	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	49
468	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	49
467	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	49

466	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
465	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
464	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
463	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
462	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of ($\sqrt{s} = 7$;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
461	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 211801	7.4	48
460	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
459	Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
458	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
457	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
456	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
455	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
454	Search for lepton-flavour-violating H - γ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46
453	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ($\sqrt{s}=8$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
452	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
451	Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
450	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
449	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s}=7$;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45

448	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 108-128	4.2	44
447	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
446	Charged-particle distributions in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 67-88	4.2	44
445	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
444	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
443	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
442	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
441	Angular analysis of $B \rightarrow D^* \ell \bar{\nu}_\ell$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
440	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
439	Measurement of the cross section for top-quark pair production in pp collisions at ($\sqrt{s} = 7$;TeV) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
438	ATLAS b-jet identification performance and efficiency measurement with ($t\bar{t}$) events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
437	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
436	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
435	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
434	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
433	Search for heavy resonances in the and final states using proton-proton collisions at [] with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
432	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
431	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41

430	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ($\sqrt{s}=7\sim\text{mbox{TeV}}$) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
429	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
428	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow \tau\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 345-366	4.2	41
427	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
426	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39
425	Search for supersymmetry at (\sqrt{s}) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39
424	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39
423	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
422	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38
421	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
420	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
419	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 318-337	4.2	38
418	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ($\sqrt{s} = 13$) (text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
417	Measurement of the production of a W boson in association with a charm quark in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
416	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	37
415	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in ($\sqrt{s} = 7, \text{mathrm{TeV}}$) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
414	Limits on the production of the standard model Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
413	Search for massive colored scalars in four-jet final states in ($\sqrt{s}=7\sim\text{mbox{TeV}}$) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37

4 ¹²	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
4 ¹¹	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
4 ¹⁰	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
4 ⁰⁹	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
4 ⁰⁸	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
4 ⁰⁷	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
4 ⁰⁶	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
4 ⁰⁵	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7\sim\text{mbox{TeV}}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
4 ⁰⁴	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $s=5.02$ and 13 TeV and p+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2017 , 96,	2.7	34
4 ⁰³	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
4 ⁰²	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34
4 ⁰¹	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = \{7\};\text{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
4 ⁰⁰	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4.2	34
399	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
398	Search for charged Higgs bosons in the $H \rightarrow \tau b$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
397	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
396	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in the τ jets and τ lepton final states with 36 fb of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
395	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32

394	Search for dark matter produced in association with bottom or top quarks in \sqrt{s} TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	3 ²
393	Search for pair production of Higgs bosons in the ($\overline{b}b$) final state using proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3 ¹
392	Constraints on mediator-based dark matter and scalar dark energy models using (\sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3 ¹
391	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7$ mbox{TeV}) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	3 ¹
390	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	3 ¹
389	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	3 ¹
388	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] \sqrt{s} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	3 ¹
387	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ($\sqrt{s} = 8$) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ¹
386	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3 ¹
385	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7$ mathrm{TeV}) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	3 ¹
384	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	3 ¹
383	Measurements of b-jet tagging efficiency with the ATLAS detector using ($\overline{t}t$) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3 ¹
382	Search for third generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	3 ⁰
381	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 191803	7.4	3 ⁰
380	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3 ⁰
379	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ($\sqrt{s}=8$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ⁰
378	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	3 ⁰
377	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	3 ⁰

376	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
375	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	29
374	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	29
373	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
372	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 051802	7.4	29
371	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
370	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
369	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
368	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the H \rightarrow b \bar{b} decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 69-85	4.2	29
367	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
366	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
365	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
364	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
363	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
362	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
361	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ \rightarrow 4 ℓ and ZZ \rightarrow 2 ℓ 2 ν final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 223-244	4.2	28
360	Fiducial, total and differential cross-section measurements of γ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
359	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27

358	Measurement of the exclusive $B \rightarrow D^* \ell \bar{\nu}_\ell$ process in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 303-323	4.2	27
357	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 91-113	4.2	27
356	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 285-305	4.2	27
355	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
354	Study of the rare decays of $[Formula: see text]$ and $[Formula: see text]$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
353	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow \ell\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 508-529	4.2	27
352	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
351	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
350	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV measured with the ATLAS detector. <i>Physical Review C</i> , 2016 , 93,	2.7	26
349	Measurement of $t\bar{t}$ and $t\bar{t} + 2\ell$ production with ($\sqrt{s} = 7$) TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
348	Measurements of the production cross section of a $[Formula: see text]$ boson in association with jets in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
347	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
346	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
345	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
344	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
343	Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in pp and p+Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	25
342	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 228-246	4.2	25
341	Multi-channel search for squarks and gluinos in $[Formula: see text]$ collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25

340	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 473-493	4.2	25
339	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using 36 fb^{-1} of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 181804	7.4	25
338	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
337	Search for $[B_s]$ decays in $[pp]$ collisions at $[13]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4.2	25
336	Search for bottom squark pair production in proton-proton collisions at $[13]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
335	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
334	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24
333	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
332	Measurement of the production cross section of prompt J/ψ mesons in association with a W boson in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
331	Measurement of the differential cross-section of B^+ meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24
330	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
329	Search for single production of vector-like quarks decaying into in collisions at $[13]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
328	Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 092001	7.4	24
327	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 11-31	4.2	23
326	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
325	Measurement of exclusive W^+W^- production and search for exclusive Higgs boson production in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	23
324	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
323	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23

322	Dijet production in $\sqrt{s}=7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 214-234	4.2	23
321	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 316-335	4.2	23
320	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
319	Search for Higgs boson pair production in the $(\gamma\gamma\gamma\gamma)$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
318	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	23
317	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
316	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
315	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
314	Search for heavy long-lived multi-charged particles in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
313	Search for W W/W Z resonance production in qq final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
312	A search for prompt lepton-jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22
311	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of $(\sqrt{s}=13)$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
310	A search for high-mass resonances decaying to qq in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
309	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
308	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
307	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
306	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
305	Measurements of fiducial cross-sections for tt production with one or two additional jets in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21

304	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
303	Study of hard double-parton scattering in four-jet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
302	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
301	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
300	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
299	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
298	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
297	Searches for heavy diboson resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
296	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}(\gamma)bb$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 494-515	4.2	20
295	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
294	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
293	Search for Higgs boson decays into a pair of light bosons in the bb final state in pp collision at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 1-21	4.2	20
292	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
291	Performance of top-quark and (\vec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
290	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
289	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017 , 12, P12009-P12009	1	19
288	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
287	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19

286	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
285	Measurement of jet charge in dijet events from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	18
284	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
283	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
282	Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
281	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
280	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
279	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5.4	18
278	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
277	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $(\sqrt{\mathbf{p}_T^2})=7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18
276	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $(\sqrt{s}=7)$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
275	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
274	Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\mu\mu b\bar{b}$, $b\bar{b}b\bar{b}$, and $b\bar{b}b\bar{b}$ channels with pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 32-52	4.2	17
273	Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	17
272	Searches for heavy ZZ and ZW resonances in the μq and $\bar{\mu} q$ final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
271	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
270	Measurement of polarization in τ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
269	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	17

268	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
267	Test of the first BIL tracking chamber for the ATLAS muon spectrometer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 523, 309-322	1.2	17
266	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
265	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
264	Measurement of the $W\bar{W}$ boson pair-production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 1-22	4.2	17
263	Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 96-116	4.2	17
262	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 11-30	4.2	16
261	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
260	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
259	Search for the Standard Model Higgs boson decaying into ($b\bar{b}$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
258	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
257	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
256	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
255	Measurement of the ($\overline{t}W$) and ($\overline{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
254	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
253	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
252	Measurement of the production cross-section of $(\tau\bar{\tau}) \rightarrow J/\psi + \tau\bar{\tau}$ in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
251	Search for anomalous production of prompt like-sign lepton pairs at ($\sqrt{s}=7$; TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16

250	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
249	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
248	Search for the Higgs boson produced in association with a boson and decaying to four q -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
247	Search for flavour-changing neutral current top-quark decays to $[Formula: see text]$ in $[Formula: see text]$ collision data collected with the ATLAS detector at $[Formula: see text]$ TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
246	Measurement of fiducial and differential (W^+W^-) production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
245	Search for pair production of heavy vector-like quarks decaying into high- p_T W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
244	Determination of spin and parity of the Higgs boson in the $[Formula: see text]$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
243	Measurement of the top quark charge in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
242	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $(\sqrt{s}=7; \text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
241	Measurement of jet p_T correlations in Pb + Pb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 379-402	4.2	15
240	Measurements of (ZS) and $X(3872) \rightarrow J/\psi \gamma$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
239	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
238	Determination of the top-quark pole mass using $(\overline{t}) + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	15
237	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
236	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
235	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 167-190	4.2	15
234	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
233	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15

232	Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb [Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
231	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
230	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 444-471	4.2	14
229	Measurement of the (\overline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
228	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 557-577	4.2	14
227	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
226	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , 2018 , 978, 65-106	1.3	14
225	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (\sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
224	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
223	Search for charged Higgs bosons through the violation of lepton universality in (\overline{t}) events using pp collision data at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
222	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
221	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
220	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
219	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
218	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
217	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow \gamma\gamma$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
216	Combined measurement of differential and total cross sections in the $H \rightarrow \gamma\gamma$ and the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 114-133	4.2	14
215	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13

214	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2017 , 918, 257-316	2.8	13
213	Search for triboson [Formula: see text] production in collisions at [Formula: see text][Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
212	Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	13
211	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\bar{\nu}$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
210	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
209	Identification of high transverse momentum top quarks in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
208	Addendum to Measurement of the $(t\bar{t})$ production cross-section using $(e\mu)$ events with b-tagged jets in pp collisions at $(\sqrt{s}) = 7$ and 8 (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
207	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
206	Measurement of $W\Box W\Box$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	13
205	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. <i>Physical Review C</i> , 2017 , 95,	2.7	13
204	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
203	Search for R-parity-violating supersymmetry in events with four or more leptons in $(\sqrt{s}=7;\text{TeV})$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
202	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $(\sqrt{s}) = 7\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
201	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
200	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
199	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
198	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
197	Measurements of top-quark pair differential and double-differential cross-sections in the $(e\ell)+\text{jets}$ channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13

196	Operation and performance of the ATLAS Tile Calorimeter in Run I. <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13
195	Measurements of W and Z boson production in pp collisions at ($\sqrt{s}=5.02$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
194	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
193	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
192	Search for new phenomena with photon+jet events in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
191	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
190	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
189	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
188	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
187	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
186	Measurements of $t\bar{t}$ differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	12
185	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
184	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 206-228	4.2	12
183	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
182	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
181	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
180	Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
179	Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12

178	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12
177	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	12
176	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
175	Measurement of lepton differential distributions and the top quark mass in production in collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
174	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
173	Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	11
172	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
171	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ($\sqrt{s}=7$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
170	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
169	Measurement of W and Z production in proton-proton collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
168	Jet energy scale and resolution measured in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
167	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	10
166	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
165	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 295-317	4.2	10
164	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 578-602	4.2	10
163	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
162	Measurement of the CP-violating phase ϕ_s and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
161	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10

160	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
159	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
158	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	10
157	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ZZ $\rightarrow \ell\ell^+\ell\ell^-$ and (ZZto $\ell\ell^+\ell\ell^+\nu\overline{\nu}$) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
156	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
155	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
154	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
153	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at (\sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
152	Search for squarks and gluinos in final states with hadronically decaying ℓ leptons, jets, and missing transverse momentum using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	9
151	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
150	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 152002	7.4	9
149	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 132-153	4.2	8
148	Measurement of VH, (\mathbf{H})to $\overline{\mathbf{b}}\mathbf{b}$) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
147	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
146	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
145	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
144	Measurement of splitting scales in \rightarrow events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4.2	8
143	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8

142	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
141	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
140	System test of the ATLAS muon spectrometer in the H8 beam at the CERN SPS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 593, 232-254	1.2	8
139	Evidence for ($t\bar{t}$) production in the multilepton final state in proton-proton collisions at ($\sqrt{s}=13$) (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
138	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
137	Measurements of top-quark pair spin correlations in the ($e\mu$) channel at ($\sqrt{s} = 13$) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
136	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
135	Search for heavy resonances decaying into a pair of Z bosons in the ($e^+e^-e^+e^-$) and ($e^+e^-e^+\nu_{\bar{\nu}}$) final states using 139 (fb^{-1}) of proton-proton collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
134	Search for charged Higgs bosons decaying into a top quark and a bottom quark at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
133	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
132	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of ($\sqrt{s} = 13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
131	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
130	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
129	Measurement of the $W+W\bar{\nu}$ production cross section in pp collisions at a centre-of-mass energy of $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 354-374	4.2	7
128	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 347-370	4.2	7
127	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 595-614	4.2	7
126	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016 , 11, P11020-P11020	1	7
125	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $= 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7

124	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 55-76	4.2	7
123	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
122	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
121	Measurement of the $(\overline{t}t\gamma)$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
120	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s}=13$, 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
119	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
118	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s}=13$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
117	Studies of $Z\bar{\nu}\nu$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
116	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
115	Assembly and test of the BIL tracking chambers for the ATLAS Muon spectrometer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006 , 557, 421-435	1.2	7
114	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017 , 12, P05002-P05002	1	7
113	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
112	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(\ell\ell b\bar{b})$ and $(\ell\ell WW)$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
111	Measurement of the dijet cross section in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
110	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
109	Search for direct top squark pair production in final states with two tau leptons in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
108	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
107	A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow b\bar{b}$ final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 24-45	4.2	6

106	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
105	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
104	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
103	Small-pads resistive micromegas. <i>Journal of Instrumentation</i> , 2017 , 12, C03077-C03077	1	6
102	Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
101	Study of the ATLAS MDT spectrometer using high energy CERN combined test beam data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 598, 400-415	1.2	6
100	Charge-dependent corrections to the time response of ATLAS muon chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 533, 344-352	1.2	6
99	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
98	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
97	Search for new phenomena in final states with b-jets and missing transverse momentum in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
96	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
95	Measurement of the ($Z \rightarrow \nu \overline{\nu}$) production cross section in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
94	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
93	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
92	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
91	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
90	Measurement of four-jet differential cross sections in (\sqrt{s}) = 8 TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
89	Monitored Drift Tubes aging under intensive gamma irradiation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006 , 568, 624-633	1.2	5

88	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
87	Search for the $HH \rightarrow \overline{b}b$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
86	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
85	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	5
84	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4-2	5
83	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4-2	5
82	Measurement of the relative width difference of the (\overline{B}^0) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
81	Search for pairs of highly collimated photon-jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4-9	5
80	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4-2	5
79	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	5
78	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4-2	5
77	Construction and test of a small-pad resistive Micromegas prototype. <i>Journal of Instrumentation</i> , 2018 , 13, P11019-P11019	1	5
76	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4-2	5
75	Measurement of jet activity in top quark events using the e final state with two b-tagged jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	4
74	Combination of inclusive and differential $(\overline{\mathit{t}})$ charge asymmetry measurements using ATLAS and CMS data at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
73	Global Time Fit for Tracking in an Array of Drift Cells: The Drift Tubes of the ATLAS Experiment. <i>IEEE Transactions on Nuclear Science</i> , 2008 , 55, 620-627	1-7	4
72	Study of the drift properties of high-pressure drift tubes for the ATLAS muon spectrometer. <i>IEEE Transactions on Nuclear Science</i> , 2006 , 53, 317-321	1-7	4
71	Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4-2	4

70	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
69	Small-pad Resistive Micromegas: Comparison of patterned embedded resistors and DLC based spark protection systems.. <i>Journal of Physics: Conference Series</i> , 2020 , 1498, 012028	0.3	4
68	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
67	Measurement of dijet azimuthal decorrelations in pp collisions at $s=8$ TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , 2018 , 98,	4.9	4
66	Search for dark matter produced in association with a single top quark in ($\sqrt{s}=13$) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
65	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
64	Measurement of the k_t splitting scales in $Z \rightarrow e^+e^-$ events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
63	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1		3
62	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1		3
61	Determination of jet calibration and energy resolution in proton-proton collisions at ($\sqrt{s} = 8$ - $\sqrt{s} = 13$ TeV) using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
60	Reconstruction and identification of boosted di-jet systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
59	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s} = 13$ TeV). <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
58	Measurement of $W+W$ production in association with one jet in proton-proton collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 114-133	4.2	3
57	Measurement of hadronic event shapes in high- p_T multijet final states at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
56	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
55	The ATLAS MDT remote calibration centers. <i>Journal of Physics: Conference Series</i> , 2010 , 219, 022028	0.3	2
54	Neutron irradiation test on ATLAS MDT chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 574, 57-64	1.2	2
53	The barrel-inner-large tracking chambers for the ATLAS muon spectrometer: Ready for installation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 573, 340-360	1.2	2

52	Calibration software for the ATLAS monitored drift tube chambers		2
51	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ($\sqrt{s} = 13 \text{ TeV}$) proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
50	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ($\sqrt{s} = 13 \text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
49	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
48	Search for supersymmetry in events with four or more charged leptons in 139 fb ⁻¹ of ($\sqrt{s} = 13 \text{ TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
47	Measurement of (W^{\pm})-boson and Z-boson production cross-sections in pp collisions at ($\sqrt{s} = 2.76$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
46	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at E _{beam} =4 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P12006-P12006	1	2
45	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ($\sqrt{s} = 13 \text{ TeV}$) using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
44	A search for an excited muon decaying to a muon and two jets in pp collisions at ($\sqrt{s} = 8 \text{ TeV}$) with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
43	Small-pad resistive Micromegas for high rate environment: Performance of different resistive protection concepts. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 936, 408-411	1.2	1
42	Measurement of the tt production cross section in the 0-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	1
41	Femtoscopia with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with ATLAS. <i>Physical Review C</i> , 2017 , 96,	2.7	1
40	Conditions database and calibration software framework for ATLAS monitored drift tube chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 572, 38-39	1.2	1
39	ATLAS MDT chamber behaviour after neutron irradiation and in a high rate background. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 581, 171-174	1.2	1
38	Neutron intensive irradiation test on ATLAS MDT chambers at TAPIRO nuclear reactor. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2007 , 172, 183-186		1
37	Study of the drift properties of high pressure drift tubes for the ATLAS muon spectrometer		1
36			
35	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s} = 8 \text{ TeV}$) with the ATLAS detector 2016 , 76, 1		1

34	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁽⁻¹⁾ of pp collision data at (\sqrt{s} =13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
33	Pixelated resistive bulk micromegas for tracking systems in high rate environment. <i>Journal of Instrumentation</i> , 2020 , 15, C06035-C06035	1	1
32	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
31	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W [±] and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
30	A search for the decays of stopped long-lived particles at ($\sqrt{\text{mathrm{s}}}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
29	Development of a novel micro pattern gaseous detector for cosmic ray muon tomography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 824, 220-222	1.2	1
28	Measurement of single top-quark production in association with a W boson in the single-lepton channel at (\sqrt{s} = 8, text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
27	Measurements of the inclusive and differential production cross sections of a top-quark \bar{t} quark pair in association with a Z boson at (\sqrt{s} = 13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
26	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
25	Search for chargino $\bar{\nu}$ neutralino pair production in final states with three leptons and missing transverse momentum in \sqrt{s} = 13 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
24	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
23	Intensive Irradiation Study on Monitored Drift Tubes Chambers. <i>IEEE Transactions on Nuclear Science</i> , 2007 , 54, 648-653	1.7	0
22	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
21	Search for exotic decays of the Higgs boson into b \bar{b} and missing transverse momentum in pp collisions at \sqrt{s} = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
20	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
19	Small-Pad Resistive Micromegas: rate capability for different spark protection resistive schemes. <i>Journal of Instrumentation</i> , 2020 , 15, C09043-C09043	1	0
18	Measurement of the t(\bar{t})t(\bar{t}) production cross section in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
17	Measurements of W+W [±] \bar{t} jet production cross-sections in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0

16	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	○
15	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	○
14	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	○
13	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	○
12	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	○
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	○
10	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	○
9	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	○
8	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	○
7	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	○
6	Commissioning with cosmic rays of the muon spectrometer of the ATLAS experiment at the large hadron collider. <i>Journal of Physics: Conference Series</i> , 2008 , 110, 092024	0.3	
5	Gamma and neutron massive irradiation tests of the ATLAS MDT chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 572, 187-188	1.2	
4	Performance of BIL tracking chambers for the ATLAS muon spectrometer. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2006 , 150, 132-135		
3	Small-Pad Resistive Micromegas for Operation at Very High Rates. <i>Springer Proceedings in Physics</i> , 2018 , 138-142	0.2	
2	Small-pads resistive Micromegas prototype. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 958, 162799	1.2	
1	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	