

# Ronald J Cohen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4923780/publications.pdf>

Version: 2024-02-01

41  
papers

1,798  
citations

411340

20  
h-index

371746

37  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1992  
citing authors

#	ARTICLE	IF	CITATIONS
1	Redefining the Concept of Clinically Insignificant Prostate Cancer. <i>Urology</i> , 2020, 136, 176-179.	0.5	8
2	Fifteen-year analysis of prostate biopsies in Western Australia including recent impact of multiparametric magnetic resonance imaging. <i>ANZ Journal of Surgery</i> , 2019, 89, 1605-1609.	0.3	1
3	ETS1 induces transforming growth factor $\beta^2$ signaling and promotes epithelial-to-mesenchymal transition in prostate cancer cells. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 848-860.	1.2	22
4	The Impact of Prostate Cancer Zonal Origin on Pathological Parameters at Radical Prostatectomy and Subsequent Biochemical Failure. <i>Journal of Urology</i> , 2017, 198, 1316-1323.	0.2	20
5	The Australian laparoscopic non robotic radical prostatectomy experience – analysis of 2943 cases (<sc>USANZ</sc> supplement). <i>BJU International</i> , 2016, 118, 43-48.	1.3	13
6	Prediction of bladder neck invasion and tumor extension to bladder neck margin by prostatic adenocarcinoma: a nomogram using biopsy data including transition zone tumor morphology. <i>Human Pathology</i> , 2016, 57, 85-90.	1.1	1
7	Active surveillance is suitable for intermediate term follow-up of renal oncocytoma diagnosed by percutaneous core biopsy. <i>BJU International</i> , 2016, 118, 30-34.	1.3	37
8	Prostate carcinoma with positive margins at radical prostatectomy: role of tumour zonal origin in biochemical recurrence. <i>BJU International</i> , 2015, 116, 42-48.	1.3	14
9	Percutaneous core biopsy of small renal mass lesions: a diagnostic tool to better stratify patients for surgical intervention. <i>BJU International</i> , 2013, 111, E146-51.	1.3	75
10	Reliable identification of transition zone prostatic adenocarcinoma in preoperative needle core biopsy. <i>Human Pathology</i> , 2013, 44, 2331-2337.	1.1	4
11	Intraductal carcinoma of the prostate: Precursor or aggressive phenotype of prostate cancer?. <i>Prostate</i> , 2013, 73, 442-448.	1.2	29
12	Regulation of Expression of Deoxyhypusine Hydroxylase (DOHH), the Enzyme That Catalyzes the Activation of eIF5A, by miR-331-3p and miR-642-5p in Prostate Cancer Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 35251-35259.	1.6	47
13	Ductal adenocarcinoma of the prostate. <i>Human Pathology</i> , 2011, 42, 605-606.	1.1	5
14	Desquamating apoptotic variant of high-grade prostatic intraepithelial neoplasia: a possible precursor of intraductal prostatic carcinoma. <i>Human Pathology</i> , 2011, 42, 892-895.	1.1	2
15	A New Preoperative Nomogram to Predict Minimal Prostate Cancer: Accuracy and Error Rates Compared to Other Tools to Select Patients for Active Surveillance. <i>Journal of Urology</i> , 2011, 186, 1811-1817.	0.2	20
16	A post-radical prostatectomy nomogram incorporating new pathological variables and interaction terms for improved prognosis. <i>BJU International</i> , 2011, 107, 389-395.	1.3	54
17	Inverted papilloma of the urinary tract. <i>BJU International</i> , 2011, 107, 24-26.	1.3	24
18	COMPARATIVE ANALYSIS OF THREE RISK ASSESSMENT TOOLS IN AUSTRALIAN PATIENTS WITH PROSTATE CANCER. <i>BJU International</i> , 2011, 108, 56-57.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Cytoprotective Mitochondrial Chaperone TRAP-1 As a Novel Molecular Target in Localized and Metastatic Prostate Cancer. <i>American Journal of Pathology</i> , 2010, 176, 393-401.	1.9	113
20	Clear cell renal cell carcinoma with smooth muscle stroma. <i>Human Pathology</i> , 2009, 40, 425-429.	1.1	57
21	Influence of 16S rDNA primer sequence mismatches on the spectrum of bacterial genera detected in prostate tissue by universal eubacterial PCR. <i>Prostate</i> , 2008, 68, 1487-1491.	1.2	8
22	Central Zone Carcinoma of the Prostate Gland: A Distinct Tumor Type With Poor Prognostic Features. <i>Journal of Urology</i> , 2008, 179, 1762-1767.	0.2	72
23	The Value of Preoperative Needle Core Biopsy for Diagnosing Benign Lesions Among Small, Incidentally Detected Renal Masses. <i>Journal of Urology</i> , 2008, 180, 1257-1261.	0.2	177
24	Asymptomatic giant renal oncocytoma presenting with hypertension. <i>Pathology</i> , 2008, 40, 723-724.	0.3	6
25	Direct Visualization of <i>Propionibacterium acnes</i> in Prostate Tissue by Multicolor Fluorescent In Situ Hybridization Assay. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3721-3728.	1.8	78
26	The antibody response to <i>Propionibacterium acnes</i> is an independent predictor of serum prostate-specific antigen levels in biopsy-negative men. <i>BJU International</i> , 2007, 101, 070915222359007-???	1.3	11
27	A Proposal on the Identification, Histologic Reporting, and Implications of Intraductal Prostatic Carcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 1103-1109.	1.2	118
28	Intraductal Carcinoma of the Prostate Gland With Transmucosal Spread to the Seminal Vesicle: A Lesion Distinct From High-Grade Prostatic Intraepithelial Neoplasia. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 1122-1125.	1.2	31
29	Incidental renal tumours: the frequency of benign lesions and the role of preoperative core biopsy. <i>BJU International</i> , 2006, 97, 946-949.	1.3	124
30	Polymerase chain reaction-based identification of <i>Propionibacterium acnes</i> types isolated from the male urinary tract: evaluation of adolescents, normal adults and men with prostatic pathology. <i>BJU International</i> , 2006, 98, 388-392.	1.3	37
31	Links between <i>Propionibacterium acnes</i> and prostate cancer. <i>Future Oncology</i> , 2006, 2, 225-232.	1.1	35
32	PROPIONIBACTERIUM ACNES ASSOCIATED WITH INFLAMMATION IN RADICAL PROSTATECTOMY SPECIMENS: A POSSIBLE LINK TO CANCER EVOLUTION?. <i>Journal of Urology</i> , 2005, 173, 1969-1974.	0.2	210
33	Transition zone carcinoma of the prostate gland: a common indolent tumour type that occasionally manifests aggressive behaviour. <i>Pathology</i> , 2003, 35, 467-471.	0.3	73
34	Advanced renal cell carcinoma in the absence of a mass. <i>ANZ Journal of Surgery</i> , 2001, 71, 388-390.	0.3	0
35	Patterns of differentiation and proliferation in intraductal carcinoma of the prostate: Significance for cancer progression. , 2000, 43, 11-19.		100
36	Identification of the glycosaminoglycan keratan sulfate in the prostatic secretory cell. <i>Prostate</i> , 2000, 44, 204-209.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Distinction between intraductal carcinoma of the prostate (IDC-P), high-grade dysplasia (PIN), and invasive prostatic adenocarcinoma, using molecular markers of cancer progression. <i>Prostate</i> , 2000, 44, 265-270.	1.2	110
38	Prostate secretory granules in normal and neoplastic prostate glands: A diagnostic aid to needle biopsy. <i>Human Pathology</i> , 2000, 31, 1515-1519.	1.1	18
39	Variant Chromophobe Renal Cell Carcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 904-906.	1.2	14
40	Intraductal carcinoma of the prostate metastatic to the penile urethra: A rare demonstration of two morphologic patterns of tumor growth. <i>Pathology</i> , 1998, 30, 218-221.	0.3	18
41	Therapeutic value of pelvic lymph node dissection in high-grade prostate cancer. <i>Journal of Clinical Urology</i> , 0, , 205141582110205.	0.1	0