

# Ann D King Frcr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4924008/publications.pdf>

Version: 2024-02-01

197  
papers

9,661  
citations

39113

52  
h-index

54771

88  
g-index

203  
all docs

203  
docs citations

203  
times ranked

8488  
citing authors

#	ARTICLE	IF	CITATIONS
1	MR Imaging of Nasopharyngeal Carcinoma. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2022, 30, 19-33.	0.6	17
2	Automatic detection and segmentation of morphological changes of the maxillary sinus mucosa on cone-beam computed tomography images using a three-dimensional convolutional neural network. <i>Clinical Oral Investigations</i> , 2022, 26, 3987-3998.	1.4	23
3	Utility of Epstein-Barr Virus DNA in Nasopharynx Swabs as a Reflex Test to Triage Seropositive Individuals in Nasopharyngeal Carcinoma Screening Programs. <i>Clinical Chemistry</i> , 2022, 68, 953-962.	1.5	7
4	Prognostic value of cervical nodal necrosis on staging imaging of nasopharyngeal carcinoma in era of intensity-modulated radiotherapy: a systematic review and meta-analysis. <i>Cancer Imaging</i> , 2022, 22, .	1.2	5
5	Radiomics for Discrimination between Early-Stage Nasopharyngeal Carcinoma and Benign Hyperplasia with Stable Feature Selection on MRI. <i>Cancers</i> , 2022, 14, 3433.	1.7	7
6	Addressing intimate partner violence during the COVID-19 pandemic and beyond: how radiologists can make a difference. <i>European Radiology</i> , 2021, 31, 2126-2131.	2.3	14
7	Convolutional neural network for discriminating nasopharyngeal carcinoma and benign hyperplasia on MRI. <i>European Radiology</i> , 2021, 31, 3856-3863.	2.3	27
8	Test-retest repeatability of T1rho (T1 $\rho$ ) MR imaging in the head and neck. <i>European Journal of Radiology</i> , 2021, 135, 109489.	1.2	5
9	Dynamic Changes of Post-Radiotherapy Plasma Epstein-Barr Virus DNA in a Randomized Trial of Adjuvant Chemotherapy Versus Observation in Nasopharyngeal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 2827-2836.	3.2	13
10	Nasopharyngeal carcinoma: an evolving paradigm. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 679-695.	12.5	207
11	Comparison of new magnetic resonance imaging grading system with conventional endoscopy for the early detection of nasopharyngeal carcinoma. <i>Cancer</i> , 2021, 127, 3403-3412.	2.0	9
12	A convolutional neural network combined with positional and textural attention for the fully automatic delineation of primary nasopharyngeal carcinoma on non-contrast-enhanced MRI. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 3932-3944.	1.1	4
13	Imaging of head and neck mucosa-associated lymphoid tissue lymphoma (MALToma). <i>Cancer Imaging</i> , 2021, 21, 10.	1.2	8
14	Convolutional neural network in nasopharyngeal carcinoma: how good is automatic delineation for primary tumor on a non-contrast-enhanced fat-suppressed T2-weighted MRI?. <i>Japanese Journal of Radiology</i> , 2021, 39, 571-579.	1.0	18
15	Intravoxel incoherent motion diffusion-weighted imaging for discrimination of benign and malignant retropharyngeal nodes. <i>Neuroradiology</i> , 2020, 62, 1667-1676.	1.1	10
16	MRI of benign hyperplasia in the nasopharynx: is there an association with Epstein-Barr virus?. <i>Clinical Radiology</i> , 2020, 75, 711.e13-711.e18.	0.5	1
17	Quantitative T1 $\rho$ -MRI of the Head and Neck Discriminates Carcinoma and Benign Hyperplasia in the Nasopharynx. <i>American Journal of Neuroradiology</i> , 2020, 41, 2339-2344.	1.2	6
18	Neck Nodal Disease. <i>Medical Radiology</i> , 2020, , 405-440.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Pre-treatment intravoxel incoherent motion diffusion-weighted imaging predicts treatment outcome in nasopharyngeal carcinoma. <i>European Journal of Radiology</i> , 2020, 129, 109127.	1.2	18
20	Pre-treatment amide proton transfer imaging predicts treatment outcome in nasopharyngeal carcinoma. <i>European Radiology</i> , 2020, 30, 6339-6347.	2.3	17
21	Integrating postradiotherapy plasma Epstein-Barr virus DNA and TNM stage for risk stratification of nasopharyngeal carcinoma to adjuvant therapy. <i>Annals of Oncology</i> , 2020, 31, 769-779.	0.6	60
22	Early Detection of Cancer: Evaluation of MR Imaging Grading Systems in Patients with Suspected Nasopharyngeal Carcinoma. <i>American Journal of Neuroradiology</i> , 2020, 41, 515-521.	1.2	20
23	Complementary roles of MRI and endoscopic examination in the early detection of nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2019, 30, 977-982.	0.6	52
24	Distinguishing early-stage nasopharyngeal carcinoma from benign hyperplasia using intravoxel incoherent motion diffusion-weighted MRI. <i>European Radiology</i> , 2019, 29, 5627-5634.	2.3	35
25	Extranodal extension is a criterion for poor outcome in patients with metastatic nodes from cancer of the nasopharynx. <i>Oral Oncology</i> , 2019, 88, 124-130.	0.8	46
26	Amide proton transfer MRI detects early changes in nasopharyngeal carcinoma: providing a potential imaging marker for treatment response. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 505-512.	0.8	13
27	Development and validation of a risk model integrating plasma Epstein-Barr virus DNA (EBV DNA) level and TNM stage for stratification of nasopharyngeal cancer (NPC) to adjuvant therapy. <i>Annals of Oncology</i> , 2019, 30, ix97-ix98.	0.6	2
28	Staging nodal metastases in nasopharyngeal carcinoma: which method should be used to measure nodal dimension on MRI?. <i>Clinical Radiology</i> , 2018, 73, 640-646.	0.5	15
29	MR Imaging Criteria for the Detection of Nasopharyngeal Carcinoma: Discrimination of Early-Stage Primary Tumors from Benign Hyperplasia. <i>American Journal of Neuroradiology</i> , 2018, 39, 515-523.	1.2	37
30	Efficacy, Safety, and Pharmacokinetics of Axitinib in Nasopharyngeal Carcinoma: A Preclinical and Phase II Correlative Study. <i>Clinical Cancer Research</i> , 2018, 24, 1030-1037.	3.2	41
31	Prospective evaluation of plasma Epstein-Barr virus DNA clearance and fluorodeoxyglucose positron emission scan in assessing early response to chemotherapy in patients with advanced or recurrent nasopharyngeal carcinoma. <i>British Journal of Cancer</i> , 2018, 118, 1051-1055.	2.9	24
32	State of the art MRI in head and neck cancer. <i>Clinical Radiology</i> , 2018, 73, 45-59.	0.5	57
33	Nasopharyngeal carcinoma: relationship between invasion of the prevertebral space and distant metastases. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 497-505.	0.8	7
34	Antitumor Activity of Nivolumab in Recurrent and Metastatic Nasopharyngeal Carcinoma: An International, Multicenter Study of the Mayo Clinic Phase 2 Consortium (NCI-9742). <i>Journal of Clinical Oncology</i> , 2018, 36, 1412-1418.	0.8	324
35	Analysis of Plasma Epstein-Barr Virus DNA in Nasopharyngeal Cancer After Chemoradiation to Identify High-Risk Patients for Adjuvant Chemotherapy: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 3091-3100.	0.8	147
36	Head and Neck Tumors: Amide Proton Transfer MRI. <i>Radiology</i> , 2018, 288, 782-790.	3.6	47

#	ARTICLE	IF	CITATIONS
37	Prediction of distant metastases from nasopharyngeal carcinoma: Improved diagnostic performance of MRI using nodal volume in N1 and N2 stage disease. <i>Oral Oncology</i> , 2017, 69, 74-79.	0.8	18
38	Identifying an early indicator of drug efficacy in patients with metastatic colorectal cancer—a prospective evaluation of circulating tumor cells, 18F-fluorodeoxyglucose positron-emission tomography and the RECIST criteria. <i>Annals of Oncology</i> , 2017, 28, 1576-1581.	0.6	17
39	Cervical nodal volume for prognostication and risk stratification of patients with nasopharyngeal carcinoma, and implications on the TNM-staging system. <i>Scientific Reports</i> , 2017, 7, 10387.	1.6	24
40	Analysis of Plasma Epstein-Barr Virus DNA to Screen for Nasopharyngeal Cancer. <i>New England Journal of Medicine</i> , 2017, 377, 513-522.	13.9	531
41	MRI of diffuse large B-cell non-Hodgkin's lymphoma of the head and neck: comparison of Waldeyer's ring and sinonasal lymphoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 1079-1087.	0.8	4
42	Diffusion-weighted imaging of nasopharyngeal carcinoma to predict distant metastases. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 1045-1051.	0.8	12
43	A multicenter randomized controlled trial (RCT) of adjuvant chemotherapy (CT) in nasopharyngeal carcinoma (NPC) with residual plasma EBV DNA (EBV DNA) following primary radiotherapy (RT) or chemoradiation (CRT).. <i>Journal of Clinical Oncology</i> , 2017, 35, 6002-6002.	0.8	13
44	Functional magnetic resonance imaging techniques and their development for radiation therapy planning and monitoring in the head and neck cancers. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016, 6, 430-448.	1.1	14
45	Functional MRI for the prediction of treatment response in head and neck squamous cell carcinoma: potential and limitations. <i>Cancer Imaging</i> , 2016, 16, 23.	1.2	86
46	Axitinib in recurrent or metastatic nasopharyngeal carcinoma (NPC): final result of a phase 2 clinical trial with pharmacokinetic (PK) correlation. <i>Annals of Oncology</i> , 2016, 27, vi332.	0.6	0
47	Diffusion-Weighted Imaging of Nasopharyngeal Carcinoma: Can Pretreatment DWI Predict Local Failure Based on Long-Term Outcome?. <i>American Journal of Neuroradiology</i> , 2016, 37, 1706-1712.	1.2	34
48	Cervical nodal metastases from head and neck squamous cell carcinoma: MRI criteria for treatment assessment. <i>Head and Neck</i> , 2016, 38, E1598-604.	0.9	12
49	Narrow band imaging endoscopy of the nasopharynx is not more useful than white light endoscopy for suspected nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3363-3369.	0.8	11
50	2870 Prospective evaluation of both plasma Epstein Barr Virus (EBV) DNA clearance and fludeoxyglucose-positron emission tomography (PET-CT) as a dual-endpoint in predicting early response and survival of patients undergoing chemotherapy (chemo) for advanced nasopharyngeal carcinoma (NPC) (NCT01365208). <i>European Journal of Cancer</i> , 2015, 51, S580.	1.3	0
51	DCE-MRI for Pre-Treatment Prediction and Post-Treatment Assessment of Treatment Response in Sites of Squamous Cell Carcinoma in the Head and Neck. <i>PLoS ONE</i> , 2015, 10, e0144770.	1.1	21
52	Multicenter phase II study of the AKT inhibitor MK-2206 in recurrent or metastatic nasopharyngeal carcinoma from patients in the mayo phase II consortium and the cancer therapeutics research group (MC1079). <i>Investigational New Drugs</i> , 2015, 33, 985-991.	1.2	31
53	Detection of Nasopharyngeal Carcinoma by MR Imaging: Diagnostic Accuracy of MRI Compared with Endoscopy and Endoscopic Biopsy Based on Long-Term Follow-Up. <i>American Journal of Neuroradiology</i> , 2015, 36, 2380-2385.	1.2	51
54	A phase II study of axitinib in patients with recurrent or metastatic nasopharyngeal carcinoma (NPC).. <i>Journal of Clinical Oncology</i> , 2015, 33, 6031-6031.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Non-Gaussian Analysis of Diffusion Weighted Imaging in Head and Neck at 3T: A Pilot Study in Patients with Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2014, 9, e87024.	1.1	72
56	Automatic detection of arterial input function in dynamic contrast enhanced MRI based on affinity propagation clustering. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, spcone-spcone.	1.9	1
57	Amide proton transfer-weighted imaging of the head and neck at 3T: a feasibility study on healthy human subjects and patients with head and neck cancer. <i>NMR in Biomedicine</i> , 2014, 27, 1239-1247.	1.6	57
58	Automatic detection of arterial input function in dynamic contrast enhanced MRI based on affinity propagation clustering. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1327-1337.	1.9	23
59	Improving intra-voxel incoherent motion MRI quantification using wild bootstrap. , 2014, , .		1
60	Identifying an early indicator of drug efficacy in patients (pts) with metastatic colorectal cancer (mCRC): A prospective evaluation of circulating tumor cells (CTC), 18F-fluorodeoxyglucose positron-emission tomography (PET), and the RECIST criteria.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3582-3582.	0.8	0
61	Early detection of nasopharyngeal carcinoma by plasma Epstein-Barr virus DNA analysis in a surveillance program. <i>Cancer</i> , 2013, 119, 1838-1844.	2.0	137
62	MR elastography of the head and neck: Driver design and initial results. <i>Magnetic Resonance Imaging</i> , 2013, 31, 624-629.	1.0	15
63	Head and Neck Squamous Cell Carcinoma: Diagnostic Performance of Diffusion-weighted MR Imaging for the Prediction of Treatment Response. <i>Radiology</i> , 2013, 266, 531-538.	3.6	198
64	Intermittent versus continuous erlotinib with concomitant modified XELOX (q3W) in first-line treatment of metastatic colorectal cancer. <i>Cancer</i> , 2013, 119, 4145-4153.	2.0	11
65	T2-Weighted MR Imaging Early after Chemoradiotherapy to Evaluate Treatment Response in Head and Neck Squamous Cell Carcinoma. <i>American Journal of Neuroradiology</i> , 2013, 34, 1237-1241.	1.2	30
66	The Use of Dynamic Tracer Concentration in Veins for Quantitative DCE-MRI Kinetic Analysis in Head and Neck. <i>PLoS ONE</i> , 2013, 8, e59885.	1.1	7
67	Randomized phase II study of erlotinib (ERL) in two different schedules with concomitant modified XELOX in the first-line treatment of metastatic colorectal cancer (mCRC): Correlation with serial serum levels of amphiregulin (AMR) and transforming growth factor receptor-alpha (TGFA).. <i>Journal of Clinical Oncology</i> , 2013, 31, 425-425.	0.8	1
68	Abstract B273: Multicenter Phase II study of MK-2206 in previously treated patients (pts) with recurrent and metastatic nasopharyngeal carcinoma (NPC): Mayo Clinic Phase II Consortium (Protocol: MC1079).. , 2013, , .		0
69	A phase II study of concurrent cetuximab-cisplatin and intensity-modulated radiotherapy in locoregionally advanced nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2012, 23, 1287-1292.	0.6	111
70	Diffusion-weighted MR Imaging in the Head and Neck. <i>Radiology</i> , 2012, 263, 19-32.	3.6	253
71	Heuristic linear mapping of physiological parameters in dynamic contrast-enhanced MRI without T <sub>1</sub> measurement and contrast agent concentration. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 916-925.	1.9	3
72	A five-colour colour-coded mapping method for DCE-MRI analysis of head and neck tumours. <i>Clinical Radiology</i> , 2012, 67, 216-223.	0.5	17

#	ARTICLE	IF	CITATIONS
73	Dynamic contrast enhancement magnetic resonance imaging (DCE-MRI) for differential diagnosis in head and neck cancers. <i>European Journal of Radiology</i> , 2012, 81, 784-788.	1.2	58
74	Nasopharyngeal Mucosa and Adenoids: Appearance at MR Imaging. <i>Radiology</i> , 2012, 263, 437-443.	3.6	45
75	MRI and CT of Nasopharyngeal Carcinoma. <i>American Journal of Roentgenology</i> , 2012, 198, 11-18.	1.0	139
76	Towards fast and accurate temperature mapping with proton resonance frequency-based MR thermometry. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012, 2, 21-32.	1.1	61
77	Quantitative evaluation of dual-flip-angle T1 mapping on DCE-MRI kinetic parameter estimation in head and neck. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012, 2, 245-53.	1.1	31
78	Radiation Injury of the Parotid Glands During Treatment for Head and Neck Cancer: Assessment Using Dynamic Contrast-Enhanced MR Imaging. <i>Radiation Research</i> , 2011, 175, 291-296.	0.7	25
79	Cystic change in thyroid nodules: A confounding factor for real-time qualitative thyroid ultrasound elastography. <i>Clinical Radiology</i> , 2011, 66, 799-807.	0.5	69
80	Neck Nodal Disease. <i>Medical Radiology</i> , 2011, , 315-340.	0.0	0
81	Primary Nasopharyngeal Carcinoma: Diagnostic Accuracy of MR Imaging versus that of Endoscopy and Endoscopic Biopsy. <i>Radiology</i> , 2011, 258, 531-537.	3.6	112
82	Hemorrhagic complications in a phase II study of sunitinib in patients of nasopharyngeal carcinoma who has previously received high-dose radiation. <i>Annals of Oncology</i> , 2011, 22, 1280-1287.	0.6	102
83	Magnetic resonance imaging staging of nasopharyngeal carcinoma in the head and neck. <i>World Journal of Radiology</i> , 2010, 2, 159.	0.5	58
84	Monitoring of treatment response after chemoradiotherapy for head and neck cancer using in vivo 1H MR spectroscopy. <i>European Radiology</i> , 2010, 20, 165-172.	2.3	27
85	Evaluation of real-time qualitative sonoelastography of focal lesions in the parotid and submandibular glands: applications and limitations. <i>European Radiology</i> , 2010, 20, 1958-1964.	2.3	81
86	Squamous cell carcinoma of the head and neck: diffusion-weighted MR imaging for prediction and monitoring of treatment response. <i>European Radiology</i> , 2010, 20, 2213-2220.	2.3	144
87	Diagnostic accuracy of diffusion-weighted MR imaging for nasopharyngeal carcinoma, head and neck lymphoma and squamous cell carcinoma at the primary site. <i>Oral Oncology</i> , 2010, 46, 603-606.	0.8	63
88	Correlation of biomarkers in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2010, 143, 795-800.	1.1	16
89	Pretreatment and early intratreatment prediction of clinicopathologic response of head and neck cancer to chemoradiotherapy using <sup>1</sup> H-MRS. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 199-203.	1.9	19
90	Chemical shift imaging in the head and neck at 3T: Initial results. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 1248-1254.	1.9	12

#	ARTICLE	IF	CITATIONS
91	Concatenated and parallel optimization for the estimation of $T_1$ map in FLASH MRI with multiple flip angles. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1431-1436.	1.9	8
92	Real-Time Qualitative Ultrasound Elastography of Miscellaneous Non-Nodal Neck Masses: Applications and Limitations. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1644-1652.	0.7	42
93	Real-Time Qualitative Ultrasound Elastography of Cervical Lymph Nodes in Routine Clinical Practice: Interobserver Agreement and Correlation with Malignancy. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1990-1997.	0.7	66
94	Can diffusion-weighted imaging distinguish between normal and squamous cell carcinoma of the palatine tonsil?. <i>British Journal of Radiology</i> , 2010, 83, 753-758.	1.0	13
95	Intracellular free magnesium of brain and cerebral phosphorus-containing metabolites after subarachnoid hemorrhage and hypermagnesemic treatment: a $^{31}\text{P}$ magnetic resonance spectroscopy study. <i>Journal of Neurosurgery</i> , 2010, 113, 763-769.	0.9	11
96	Does primary tumour volumetry performed early in the course of definitive concomitant chemoradiotherapy for head and neck squamous cell carcinoma improve prediction of primary site outcome?. <i>British Journal of Radiology</i> , 2010, 83, 964-970.	1.0	16
97	Evolution of Radiation-induced Brain Injury: MR Imaging-based Study. <i>Radiology</i> , 2010, 254, 210-218.	3.6	113
98	Comparisons of DSA and MR angiography with digital subtraction angiography in 151 patients with subacute spontaneous intracerebral hemorrhage. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 601-605.	0.8	13
99	Osteoradionecrosis of the upper cervical spine: MR imaging following radiotherapy for nasopharyngeal carcinoma. <i>European Journal of Radiology</i> , 2010, 73, 629-635.	1.2	47
100	Effects of Magnesium Sulfate Infusion on Cerebral Perfusion in Patients After Aneurysmal SAH. <i>Acta Neurochirurgica Supplementum</i> , 2010, 106, 133-135.	0.5	8
101	Long-term treatment outcome of nasopharyngeal carcinoma (NPC) using intensity-modulated radiotherapy (IMRT).. <i>Journal of Clinical Oncology</i> , 2010, 28, 5582-5582.	0.8	3
102	Randomized Phase II Trial of Concurrent Cisplatin-Radiotherapy With or Without Neoadjuvant Docetaxel and Cisplatin in Advanced Nasopharyngeal Carcinoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 242-249.	0.8	487
103	Multicenter phase II study of gemcitabine and oxaliplatin in advanced nasopharyngeal carcinoma correlation with excision repair cross-complementing-1 polymorphisms. <i>Annals of Oncology</i> , 2009, 20, 1854-1859.	0.6	55
104	MRI of radiation-induced tumors of the head and neck in post-radiation nasopharyngeal carcinoma. <i>European Radiology</i> , 2009, 19, 1197-1205.	2.3	31
105	MRI findings in patients with severe trismus following radiotherapy for nasopharyngeal carcinoma. <i>European Radiology</i> , 2009, 19, 2586-2593.	2.3	31
106	HER2 Expression Predicts Improved Survival in Patients with Cervical Node-Positive Head and Neck Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 141, 467-473.	1.1	15
107	A phase II study of patients with metastatic or locoregionally recurrent nasopharyngeal carcinoma and evaluation of plasma Epstein-Barr virus DNA as a biomarker of efficacy. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 62, 59-64.	1.1	82
108	The prognostic significance of tumor vascular invasion and its association with plasma Epstein-Barr virus DNA, tumor volume and metabolic activity in locoregionally advanced nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2008, 44, 1067-1072.	0.8	19

#	ARTICLE	IF	CITATIONS
109	Nasopharyngectomy: Does the approach to the nasopharynx influence survival?. Otolaryngology - Head and Neck Surgery, 2008, 139, 40-46.	1.1	27
110	Imaging of salivary gland tumours. European Journal of Radiology, 2008, 66, 419-436.	1.2	303
111	Imaging of cystic or cyst-like neck masses. Clinical Radiology, 2008, 63, 613-622.	0.5	59
112	The impact of <sup>18</sup> F-FDG PET/CT on assessment of nasopharyngeal carcinoma at diagnosis. British Journal of Radiology, 2008, 81, 291-298.	1.0	82
113	MR Imaging of Nonmalignant Polyps and Masses of the Nasopharynx and Sphenoid Sinus after Radiotherapy for Nasopharyngeal Carcinoma. American Journal of Neuroradiology, 2008, 29, 1209-1214.	1.2	11
114	The Roles and Limitations of Computed Tomography in the Preoperative Assessment of Sinonasal Inverted Papillomas. American Journal of Rhinology & Allergy, 2008, 22, 144-150.	2.3	42
115	Neck and distant disease spread. , 2008, , 114-134.		0
116	Ultrasound of malignant cervical lymph nodes. Cancer Imaging, 2008, 8, 48-56.	1.2	225
117	Imaging for staging and management of thyroid cancer. Cancer Imaging, 2008, 8, 57-69.	1.2	43
118	A phase II study of concurrent cetuximab-cisplatin and intensity-modulated radiotherapy (IMRT) in locoregionally advanced nasopharyngeal carcinoma (NPC) with correlation using dynamic contrast-enhanced magnetic resonance imaging (DCE-MRI). Journal of Clinical Oncology, 2008, 26, 6055-6055.	0.8	12
119	Malignant Cervical Lymphadenopathy: Diagnostic Accuracy of Diffusion-weighted MR Imaging. Radiology, 2007, 245, 806-813.	3.6	195
120	Delayed complications of radiotherapy treatment for nasopharyngeal carcinoma: imaging findings. Clinical Radiology, 2007, 62, 195-203.	0.5	41
121	Multimodality imaging of head and neck cancer. Cancer Imaging, 2007, 7, S37-S46.	1.2	13
122	Nasopharyngeal Cancers: Which Method Should be Used to Measure these Irregularly Shaped Tumors on Cross-Sectional Imaging?. International Journal of Radiation Oncology Biology Physics, 2007, 69, 148-154.	0.4	31
123	Strong Immunohistochemical Expression of Vascular Endothelial Growth Factor Predicts Overall Survival in Head and Neck Squamous Cell Carcinoma. Annals of Surgical Oncology, 2007, 14, 3558-3565.	0.7	47
124	In vivo proton magnetic resonance spectroscopy of breast lesions: an update. Breast Cancer Research and Treatment, 2007, 104, 249-255.	1.1	53
125	SU-FFJ-121: MRI of Nasopharyngeal Carcinoma (NPC) Patients in Radiation Treatment Position to Improve the Delineation of the Tumour and Cervical Lymph Nodes. Medical Physics, 2007, 34, 2396-2396.	1.6	1
126	Efficacy of neoadjuvant docetaxel and cisplatin followed by concurrent cisplatin-radiotherapy in locally advanced nasopharyngeal carcinoma (NPC): A randomized phase II study. Journal of Clinical Oncology, 2007, 25, 6037-6037.	0.8	4



#	ARTICLE	IF	CITATIONS
127	A phase I study of intra-arterial (IA) cisplatin (C) and accelerated fractionation (AF) radiotherapy (RT) for locally advanced head and neck squamous cell carcinoma (HNSCC). <i>Journal of Clinical Oncology</i> , 2007, 25, 16512-16512.	0.8	0
128	Relationship between pretreatment level of plasma Epstein-Barr virus DNA, tumor burden, and metabolic activity in advanced nasopharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 714-720.	0.4	105
129	Segmentation of nasopharyngeal carcinoma (NPC) lesions in MR images. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 61, 608-620.	0.4	32
130	Liver Resection after Irinotecan, 5-Fluorouracil, and Folinic Acid for Patients with Unresectable Colorectal Liver Metastases: A Multicenter Phase II Study by the Cancer Therapeutic Research Group. <i>Medical Oncology</i> , 2005, 22, 303-312.	1.2	53
131	Imaging for thyroglossal duct cyst: the bare essentials. <i>Clinical Radiology</i> , 2005, 60, 141-148.	0.5	89
132	Human cervical lymphadenopathy: evaluation with in vivo <sup>1</sup> H-MRS at 1.5T. <i>Clinical Radiology</i> , 2005, 60, 592-598.	0.5	24
133	In vivo <sup>1</sup> H MR spectroscopy of thyroid carcinoma. <i>European Journal of Radiology</i> , 2005, 54, 112-117.	1.2	39
134	MR mimics of recurrent nasopharyngeal carcinoma. <i>European Journal of Radiology Extra</i> , 2005, 55, 23-27.	0.1	4
135	Salivary Gland Tumors at in Vivo Proton MR Spectroscopy. <i>Radiology</i> , 2005, 237, 563-569.	3.6	61
136	A randomized phase II study of concurrent cisplatin-radiotherapy (RT) with or without neoadjuvant chemotherapy using docetaxel and cisplatin in advanced nasopharyngeal carcinoma (NPC). <i>Journal of Clinical Oncology</i> , 2005, 23, 5544-5544.	0.8	2
137	Phase II Study of Neoadjuvant Carboplatin and Paclitaxel Followed by Radiotherapy and Concurrent Cisplatin in Patients With Locoregionally Advanced Nasopharyngeal Carcinoma: Therapeutic Monitoring With Plasma Epstein-Barr Virus DNA. <i>Journal of Clinical Oncology</i> , 2004, 22, 3053-3060.	0.8	125
138	MRI of neck nodes in non-Hodgkin's lymphoma of the head and neck. <i>British Journal of Radiology</i> , 2004, 77, 111-115.	1.0	30
139	Necrosis in Metastatic Neck Nodes: Diagnostic Accuracy of CT, MR Imaging, and US. <i>Radiology</i> , 2004, 230, 720-726.	3.6	254
140	Imaging for primary hyperparathyroidism – what beginners should know. <i>Clinical Radiology</i> , 2004, 59, 967-976.	0.5	60
141	Comparison of CT and MR imaging for the detection of extranodal neoplastic spread in metastatic neck nodes. <i>European Journal of Radiology</i> , 2004, 52, 264-270.	1.2	114
142	Nasopharyngeal Granulomatous Inflammation and Tuberculosis Complicating Undifferentiated Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2004, 130, 125-130.	1.1	16
143	Contrast enhancement of the spinal cord in a patient with cervical spondylotic myelopathy. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 512-514.	0.8	20
144	Vascular lesions of parotid gland in adult patients: diagnosis with high-resolution ultrasound and MRI. <i>British Journal of Radiology</i> , 2004, 77, 600-606.	1.0	27

#	ARTICLE	IF	CITATIONS
145	Non-Hodgkin lymphoma of the larynx: CT and MR imaging findings. American Journal of Neuroradiology, 2004, 25, 12-5.	1.2	36
146	In vivo proton MR spectroscopy of primary and nodal nasopharyngeal carcinoma. American Journal of Neuroradiology, 2004, 25, 484-90.	1.2	31
147	Kuttner tumour (chronic sclerosing sialadenitis) of the submandibular gland: sonographic appearances. Ultrasound in Medicine and Biology, 2003, 29, 913-919.	0.7	54
148	Tuberculosis of the Nasopharynx: A Rare Entity Revisited. Laryngoscope, 2003, 113, 737-740.	1.1	42
149	Non-Hodgkin's Lymphoma of the Nasopharynx: CT and MR Imaging. Clinical Radiology, 2003, 58, 621-625.	0.5	70
150	Accuracy of High-resolution Sonography Compared with Magnetic Resonance Imaging in the Diagnosis of Head and Neck Venous Vascular Malformations. Clinical Radiology, 2003, 58, 869-875.	0.5	28
151	A case of big bad bones. British Journal of Radiology, 2003, 76, 503-504.	1.0	1
152	Severe Acute Respiratory Syndrome: Avoiding the Spread of Infection in a Radiology Department. American Journal of Roentgenology, 2003, 181, 25-27.	1.0	20
153	MR imaging features of nasopharyngeal tuberculosis: report of three cases and literature review. American Journal of Neuroradiology, 2003, 24, 279-82.	1.2	28
154	Pitfalls in diagnosis of early stage malignant peritoneal mesothelioma. Clinical Imaging, 2002, 26, 263-266.	0.8	7
155	Thyrotoxic Periodic Paralysis: Sonographic appearances of the thyroid. Journal of Clinical Ultrasound, 2002, 30, 544-547.	0.4	6
156	Fibromatosis of the Head and Neck Region. Otolaryngology - Head and Neck Surgery, 2001, 125, 516-519.	1.1	18
157	Lymph node hilus: gray scale and power Doppler sonography of cervical nodes.. Journal of Ultrasound in Medicine, 2001, 20, 987-992.	0.8	73
158	Comparison of the sonographic features of acalculous and calculous submandibular sialadenitis. Journal of Clinical Ultrasound, 2001, 29, 332-338.	0.4	26
159	MRI of primary non-Hodgkin's lymphoma of the palatine tonsil. British Journal of Radiology, 2001, 74, 226-229.	1.0	18
160	Neck node metastases from nasopharyngeal carcinoma: MR imaging of patterns of disease. , 2000, 22, 275-281.		204
161	Sonographic findings in masseter-muscle metastases. Journal of Clinical Ultrasound, 2000, 28, 299-302.	0.4	12
162	Paranasopharyngeal Space Involvement in Nasopharyngeal Cancer: Detection by CT and MRI. Clinical Oncology, 2000, 12, 397-402.	0.6	57

#	ARTICLE	IF	CITATIONS
163	MR Imaging of Nasal T-Cell/Natural Killer Cell Lymphoma. American Journal of Roentgenology, 2000, 174, 209-211.	1.0	60
164	Spontaneous necrosis of parathyroid adenoma: biochemical and imaging follow-up for two years. Postgraduate Medical Journal, 2000, 76, 96-98.	0.9	5
165	Correspondence: Ultrasound, CT and MRI in Patients with Multiple Symmetric Lipomatosis. Clinical Radiology, 2000, 55, 79.	0.5	7
166	Staging Papillary Carcinoma of the Thyroid: Magnetic Resonance Imaging vs Ultrasound of the Neck. Clinical Radiology, 2000, 55, 222-226.	0.5	92
167	Sonographic Appearances of Preauricular Sinus. Clinical Radiology, 2000, 55, 528-532.	0.5	18
168	Radiation Induced Sarcomas of the Head and Neck Following Radiotherapy for Nasopharyngeal Carcinoma. Clinical Radiology, 2000, 55, 684-689.	0.5	50
169	Sonographic Evaluation of Thyroglossal Duct Cysts in Children. Clinical Radiology, 2000, 55, 770-774.	0.5	57
170	Neck node metastases from nasopharyngeal carcinoma: MR imaging of patterns of disease. Head and Neck, 2000, 22, 275.	0.9	2
171	Late Radiation Injury to the Temporal Lobes: Morphologic Evaluation at MR Imaging. Radiology, 1999, 213, 800-807.	3.6	113
172	MR features of the denervated tongue in radiation induced neuropathy.. British Journal of Radiology, 1999, 72, 349-353.	1.0	23
173	Carcinosarcoma of the parotid gland: Ultrasound and computed tomography findings. Journal of Medical Imaging and Radiation Oncology, 1999, 43, 520-522.	0.6	8
174	MRI evaluation of multifidus muscles in adolescent idiopathic scoliosis. Pediatric Radiology, 1999, 29, 360-363.	1.1	48
175	Head and Neck Cancers Associated With Madelung's Disease. Annals of Surgical Oncology, 1999, 6, 395-397.	0.7	22
176	Hypoglossal nerve palsy in nasopharyngeal carcinoma. , 1999, 21, 614-619.		29
177	Palatal lymphoepitheliomas and a review of head and neck lymphoepitheliomas. Clinical Radiology, 1999, 54, 289-293.	0.5	9
178	MR Imaging of thyroglossal duct cysts in adults. Clinical Radiology, 1999, 54, 304-308.	0.5	28
179	MRI of local disease in nasopharyngeal carcinoma: tumour extent vs tumour stage.. British Journal of Radiology, 1999, 72, 734-741.	1.0	69
180	MRI of Tuberculous Cervical Lymphadenopathy. Journal of Computer Assisted Tomography, 1999, 23, 244-247.	0.5	20

#	ARTICLE	IF	CITATIONS
181	Dual phase spiral CT in the detection of small insulinomas of the pancreas.. British Journal of Radiology, 1998, 71, 20-23.	1.0	108
182	Sclerosis and Swelling of the Clavicle in a 44-Year-Old Woman. Clinical Orthopaedics and Related Research, 1998, 346, 279-283.	0.7	4
183	Reply to Reith et al. Clinical Orthopaedics and Related Research, 1998, 355, 329-332.	0.7	0
184	Comparison of T2 weighted fat suppressed turbo spin echo and contrast enhanced T1 weighted spin echo MRI in nasopharyngeal carcinoma.. British Journal of Radiology, 1997, 70, 1208-1214.	1.0	12
185	Sonography of peripheral nerve tumors of the neck.. American Journal of Roentgenology, 1997, 169, 1695-1698.	1.0	68
186	Lone cryptogenic fibrosing alveolitis: a functional-morphologic correlation based on extent of disease on thin-section computed tomography.. American Journal of Respiratory and Critical Care Medicine, 1997, 155, 1367-1375.	2.5	147
187	Measurement of synovial lining volume by magnetic resonance imaging of the knee in chronic synovitis. Annals of the Rheumatic Diseases, 1997, 56, 526-534.	0.5	25
188	The role of ultrasound in the diagnosis of a large, rapidly growing, thyroid mass. Postgraduate Medical Journal, 1997, 73, 412-414.	0.9	19
189	Fibrosing alveolitis in systemic sclerosis. Indices of lung function in relation to extent of disease on computed tomography. Arthritis and Rheumatism, 1997, 40, 1229-1236.	6.7	10
190	Cranial MR imaging in Wilson's disease.. American Journal of Roentgenology, 1996, 167, 1579-1584.	1.0	181
191	Posterior urethral valves in male infants and newborns: detection with US of the urethra before and during voiding.. Radiology, 1996, 198, 387-391.	3.6	37
192	Twin-to-twin blood transfusion in a dichorionic pregnancy without the oligohydramniotic-polyhydramniotic sequence. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 334-335.	1.1	26
193	The ultrasound appearance of the normal psoas muscle. Clinical Radiology, 1993, 48, 316-318.	0.5	16
194	Platelet Imaging of Thromboembolism. Chest, 1992, 101, 1597-1600.	0.4	6
195	The third dimension. British Journal of Radiology, 1992, 65, 831-832.	1.0	0
196	Imaging of bone infection with labelled white blood cells role of contemporaneous bone marrow imaging. European Journal of Nuclear Medicine and Molecular Imaging, 1990, 17, 148-151.	2.2	53
197	Management of severe haemoptysis by bronchial artery embolisation in a patient with cystic fibrosis.. Thorax, 1989, 44, 523-524.	2.7	4