## Susana Redondo-Gómez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4924056/publications.pdf

Version: 2024-02-01

100 papers 3,601 citations

34 h-index 55 g-index

100 all docs

100 docs citations

100 times ranked

3223 citing authors

#	Article	IF	CITATIONS
1	Growth and Photosynthetic Responses to Salinity of the Salt-marsh Shrub Atriplex portulacoides. Annals of Botany, 2007, 100, 555-563.	1.4	216
2	Salt stimulation of growth and photosynthesis in an extreme halophyte, Arthrocnemum macrostachyum. Plant Biology, 2010, 12, 79-87.	1.8	166
3	Arbuscular mycorrhizal symbiosis ameliorates the optimum quantum yield of photosystem II and reduces non-photochemical quenching in rice plants subjected to salt stress. Journal of Plant Physiology, 2015, 185, 75-83.	1.6	151
4	Growth and photosynthetic responses to salinity in an extreme halophyte, Sarcocornia fruticosa. Physiologia Plantarum, 2006, 128, 116-124.	2.6	139
5	Comparison of the role of two Spartina species in terms of phytostabilization and bioaccumulation of metals in the estuarine sediment. Marine Pollution Bulletin, 2008, 56, 2037-2042.	2.3	112
6	Accumulation and tolerance characteristics of cadmium in a halophytic Cd-hyperaccumulator, Arthrocnemum macrostachyum. Journal of Hazardous Materials, 2010, 184, 299-307.	6.5	106
7	Accumulation and tolerance characteristics of chromium in a cordgrass Cr-hyperaccumulator, Spartina argentinensis. Journal of Hazardous Materials, 2011, 185, 862-869.	6.5	97
8	Endophytic Cultivable Bacteria of the Metal Bioaccumulator Spartina maritima Improve Plant Growth but Not Metal Uptake in Polluted Marshes Soils. Frontiers in Microbiology, 2015, 6, 1450.	1.5	97
9	Facilitated invasion by hybridization of Sarcocornia species in a salt-marsh succession. Journal of Ecology, 2003, 91, 616-626.	1.9	84
10	Influences of salinity and light on germination of three Sarcocornia taxa with contrasted habitats. Aquatic Botany, 2004, 78, 255-264.	0.8	84
11	Assessing the role of endophytic bacteria in the halophyte <i>Arthrocnemum macrostachyum</i> salt tolerance. Plant Biology, 2017, 19, 249-256.	1.8	83
12	Growth and photosynthetic responses to zinc stress of an invasive cordgrass, <i>Spartina densiflora</i> . Plant Biology, 2008, 10, 754-762.	1.8	78
13	Scouting contaminated estuaries: Heavy metal resistant and plant growth promoting rhizobacteria in the native metal rhizoaccumulator Spartina maritima. Marine Pollution Bulletin, 2015, 90, 150-159.	2.3	70
14	Biological Flora of the British Isles:Sarcocornia perennis(Miller) A.J. Scott. Journal of Ecology, 2006, 94, 1035-1048.	1.9	69
15	Moving closer towards restoration of contaminated estuaries: Bioaugmentation with autochthonous rhizobacteria improves metal rhizoaccumulation in native Spartina maritima. Journal of Hazardous Materials, 2015, 300, 263-271.	6.5	69
16	Bioaccumulation of heavy metals in Spartina. Functional Plant Biology, 2013, 40, 913.	1.1	67
17	Growth and photosynthetic responses to copper stress of an invasive cordgrass, Spartina densiflora.  Marine Environmental Research, 2008, 66, 459-465.	1.1	66
18	PGPR Reduce Root Respiration and Oxidative Stress Enhancing Spartina maritima Root Growth and Heavy Metal Rhizoaccumulation. Frontiers in Plant Science, 2018, 9, 1500.	1.7	61

#	Article	IF	CITATIONS
19	Safe Cultivation of Medicago sativa in Metal-Polluted Soils from Semi-Arid Regions Assisted by Heatand Metallo-Resistant PGPR. Microorganisms, 2019, 7, 212.	1.6	61
20	Growth, reproductive and photosynthetic responses to copper in the yellow-horned poppy, Glaucium flavum Crantz Environmental and Experimental Botany, 2011, 71, 57-64.	2.0	57
21	Synergic effect of salinity and zinc stress on growth and photosynthetic responses of the cordgrass, Spartina densiflora. Journal of Experimental Botany, 2011, 62, 5521-5530.	2.4	54
22	Synergic effect of salinity and CO2 enrichment on growth and photosynthetic responses of the invasive cordgrass Spartina densiflora. Journal of Experimental Botany, 2010, 61, 1643-1654.	2.4	53
23	Carry-over of Differential Salt Tolerance in Plants Grown from Dimorphic Seeds of Suaeda splendens. Annals of Botany, 2008, 102, 103-112.	1.4	52
24	Prospecting metal-resistant plant-growth promoting rhizobacteria for rhizoremediation of metal contaminated estuaries using Spartina densiflora. Environmental Science and Pollution Research, 2014, 21, 3713-3721.	2.7	50
25	Physiological and biochemical mechanisms preventing Cd-toxicity in the hyperaccumulator Atriplex halimus L Plant Physiology and Biochemistry, 2016, 106, 30-38.	2.8	48
26	Effectiveness of glyphosate and imazamox on the control of the invasive cordgrass Spartina densiflora. Ecotoxicology and Environmental Safety, 2009, 72, 1694-1700.	2.9	47
27	Impact of Plant Growth Promoting Bacteria on Salicornia ramosissima Ecophysiology and Heavy Metal Phytoremediation Capacity in Estuarine Soils. Frontiers in Microbiology, 2020, 11, 553018.	1.5	47
28	Investigating the mechanisms underlying phytoprotection by plant growthâ€promoting rhizobacteria in <i>Spartina densiflora ⟨i⟩ under metal stress. Plant Biology, 2018, 20, 497-506.</i>	1.8	44
29	Short-term responses to salinity of an invasive cordgrass. Biological Invasions, 2005, 7, 29-35.	1.2	43
30	Comparison of germination, growth, photosynthetic responses and metal uptake between three populations of Spartina densiflora under different soil pollution conditions. Ecotoxicology and Environmental Safety, 2011, 74, 2040-2049.	2.9	42
31	Growth and photosynthetic limitation analysis of the Cd-accumulator Salicornia ramosissima under excessive cadmium concentrations and optimum salinity conditions. Plant Physiology and Biochemistry, 2016, 109, 103-113.	2.8	42
32	Growth and photosynthetic responses of the cordgrass Spartina maritima to CO2 enrichment and salinity. Chemosphere, 2010, 81, 725-731.	4.2	41
33	Halophyte fatty acids as biomarkers of anthropogenic-driven contamination in Mediterranean marshes: Sentinel species survey and development of an integrated biomarker response (IBR) index. Ecological Indicators, 2018, 87, 86-96.	2.6	41
34	Supporting <i>Spartina</i> : Interdisciplinary perspective shows <i>Spartina</i> as a distinct solid genus. Ecology, 2019, 100, e02863.	1.5	39
35	Effect of Plant Growth-Promoting Rhizobacteria on Salicornia ramosissima Seed Germination under Salinity, CO2 and Temperature Stress. Agronomy, 2019, 9, 655.	1.3	38
36	Bioaugmentation with bacteria selected from the microbiome enhances Arthrocnemum macrostachyum metal accumulation and tolerance. Marine Pollution Bulletin, 2017, 117, 340-347.	2.3	35

#	Article	IF	CITATIONS
37	Response of Holm oak (Quercus ilex subsp. ballota) and mastic shrub (Pistacia lentiscus L.) seedlings to high concentrations of Cd and Tl in the rhizosphere. Chemosphere, 2011, 83, 1166-1174.	4.2	33
38	Tolerance to and accumulation of arsenic in the cordgrass Spartina densiflora Brongn. Bioresource Technology, 2012, 104, 187-194.	4.8	33
39	Environmental limitations on recruitment from seed in invasive Spartina densiflora on a southern European salt marsh. Estuarine, Coastal and Shelf Science, 2008, 79, 727-732.	0.9	32
40	Effects of Salinity on Germination and Seedling Establishment of Endangered Limonium emarginatum (Willd.) O. Kuntze. Journal of Coastal Research, 2008, 1, 201-205.	0.1	29
41	The role of two Spartina species in phytostabilization and bioaccumulation of Co, Cr, and Ni in the Tinto–Odiel estuary (SW Spain). Hydrobiologia, 2011, 671, 95-103.	1.0	29
42	Labrenzia salina sp. nov., isolated from the rhizosphere of the halophyte Arthrocnemum macrostachyum. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5173-5180.	0.8	29
43	Chloroplast ultrastructure and thylakoid polypeptide composition are affected by different salt concentrations in the halophytic plant Arthrocnemum macrostachyum. Journal of Plant Physiology, 2012, 169, 111-116.	1.6	28
44	Improving legume nodulation and Cu rhizostabilization using a genetically modified rhizobia. Environmental Technology (United Kingdom), 2015, 36, 1237-1245.	1.2	27
45	Disentangling the effect of atmospheric CO2 enrichment on the halophyte Salicornia ramosissima J. Woods physiological performance under optimal and suboptimal saline conditions. Plant Physiology and Biochemistry, 2018, 127, 617-629.	2.8	27
46	Consortia of Plant-Growth-Promoting Rhizobacteria Isolated from Halophytes Improve Response of Eight Crops to Soil Salinization and Climate Change Conditions. Agronomy, 2021, 11, 1609.	1.3	27
47	Contrasting strategies to cope with drought by invasive and endemic species of Lantana in Galapagos. Biodiversity and Conservation, 2007, 16, 2123-2136.	1.2	25
48	Physiological responses to salinity in the yellow-horned poppy, Glaucium flavum. Plant Physiology and Biochemistry, 2011, 49, 186-194.	2.8	25
49	Modulation of Spartina densiflora plant growth and metal accumulation upon selective inoculation treatments: A comparison of gram negative and gram positive rhizobacteria. Marine Pollution Bulletin, 2017, 125, 77-85.	2.3	24
50	Bracteoles affect germination and seedling establishment in a Mediterranean population of Atriplex portulacoides. Aquatic Botany, 2007, 86, 93-96.	0.8	22
51	Growth, nutrient status, and photosynthetic response to diesel-contaminated soil of a cordgrass, Spartina argentinensis. Marine Pollution Bulletin, 2014, 79, 34-38.	2.3	22
52	Investigating the physiological mechanisms underlying Salicornia ramosissima response to atmospheric CO2 enrichment under coexistence of prolonged soil flooding and saline excess. Plant Physiology and Biochemistry, 2019, 135, 149-159.	2.8	21
53	Factors influencing seed germination of Cyperus capitatus, inhabiting the moving sand dunes in southern Europe. Journal of Arid Environments, 2011, 75, 309-312.	1.2	20
54	Spartina densiflora demonstrates high tolerance to phenanthrene in soil and reduces it concentration. Marine Pollution Bulletin, 2011, 62, 1800-1808.	2.3	20

#	Article	IF	Citations
55	Impact of short-term extreme temperature events on physiological performance of Salicornia ramosissima J. Woods under optimal and sub-optimal saline conditions. Scientific Reports, 2019, 9, 659.	1.6	19
56	Microbulbifer rhizosphaerae sp. nov., isolated from the rhizosphere of the halophyte Arthrocnemum macrostachyum. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1844-1850.	0.8	19
57	Fundamental niche differentiation in subspecies of Sarcocornia perennis on a salt marsh elevational gradient. Marine Ecology - Progress Series, 2007, 347, 15-20.	0.9	19
58	Presence of internal photosynthetic cylinder surrounding the stele in stems of the tribe Salicornieae (Chenopodiaceae) from SW Iberian Peninsula. Photosynthetica, 2005, 43, 157-159.	0.9	18
59	Salinity alleviates zinc toxicity in the saltmarsh zinc-accumulator Juncus acutus. Ecotoxicology and Environmental Safety, 2018, 163, 478-485.	2.9	18
60	Effect of prior salt experience on desalination capacity of the halophyte Arthrocnemum macrostachyum. Desalination, 2019, 463, 50-54.	4.0	18
61	Kushneria phyllosphaerae sp. nov. and Kushneria endophytica sp. nov., plant growth promoting endophytes isolated from the halophyte plant Arthrocnemum macrostachyum. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2800-2806.	0.8	18
62	The effect of heavy metal contamination pre-conditioning in the heat stress tolerance of native and invasive Mediterranean halophytes. Ecological Indicators, 2020, 111, 106045.	2.6	17
63	Invasion and Extirpation Potential of Native and Invasive Spartina Species Under Climate Change. Frontiers in Marine Science, 2021, 8, .	1.2	17
64	Improved Medicago sativa Nodulation under Stress Assisted by Variovorax sp. Endophytes. Plants, 2022, 11, 1091.	1.6	17
65	Effect of the Herbicides Terbuthylazine and Glyphosate on Photosystem II Photochemistry of Young Olive ( <i>Olea europaea</i> ) Plants. Journal of Agricultural and Food Chemistry, 2011, 59, 5528-5534.	2.4	16
66	Highlighting the differential role of leaf paraheliotropism in two Mediterranean Cistus species under drought stress and well-watered conditions. Journal of Plant Physiology, 2017, 213, 199-208.	1.6	16
67	The ACC-Deaminase Producing Bacterium Variovorax sp. CT7.15 as a Tool for Improving Calicotome villosa Nodulation and Growth in Arid Regions of Tunisia. Microorganisms, 2020, 8, 541.	1.6	16
68	Consortia of Plant-Growth-Promoting Rhizobacteria Isolated from Halophytes Improve the Response of Swiss Chard to Soil Salinization. Agronomy, 2022, 12, 468.	1.3	16
69	Abiotic and Biotic Stress Tolerance in Plants. , 2013, , 1-20.		15
70	Kocuria salina sp. nov., an actinobacterium isolated from the rhizosphere of the halophyte Arthrocnemum macrostachyum and emended description of Kocuria turfanensis. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5006-5012.	0.8	15
71	Heavy Metals and Trace Element Concentrations in Intertidal Soils of Four Estuaries of SW Iberian Peninsula. Soil and Sediment Contamination, 2009, 18, 320-327.	1.1	12
72	Physiological characterization of photosynthesis, chloroplast ultrastructure, and nutrient content in bracts and rosette leaves from Glaucium flavum. Photosynthetica, 2010, 48, 488-493.	0.9	12

#	Article	IF	CITATIONS
73	Interpopulation Differences in Salinity Tolerance of the Invasive Cordgrass Spartina densiflora: Implications for Invasion Process. Estuaries and Coasts, 2016, 39, 98-107.	1.0	12
74	Importance of Physiological Traits Vulnerability in Determine Halophytes Tolerance to Salinity Excess: A Comparative Assessment in Atriplex halimus. Plants, 2020, 9, 690.	1.6	12
75	Caprella penantisLeach, 1814 andCaprella dilatataKroyer, 1843 (Crustacea: Amphipoda) from the Strait of Gibraltar: a molecular approach to explore intra- and interspecific variation. Marine Biology Research, 2006, 2, 100-108.	0.3	11
76	Exploring molecular variation in the cosmopolitan <i>Caprella penantis</i> (Crustacea: Amphipoda): results from RAPD analysis. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 617-622.	0.4	10
77	Soil phenanthrene phytoremediation capacity in bacteria-assisted Spartina densiflora. Ecotoxicology and Environmental Safety, 2019, 182, 109382.	2.9	10
78	Assessing the Biofortification of Wheat Plants by Combining a Plant Growth-Promoting Rhizobacterium (PGPR) and Polymeric Fe-Nanoparticles: Allies or Enemies?. Agronomy, 2022, 12, 228.	1.3	10
79	Role of Nodulation-Enhancing Rhizobacteria in the Promotion of Medicago sativa Development in Nutrient-Poor Soils. Plants, 2022, 11, 1164.	1.6	10
80	Atmospheric CO 2 enrichment effect on the Cu-tolerance of the C 4 cordgrass Spartina densiflora. Journal of Plant Physiology, 2018, 220, 155-166.	1.6	9
81	Synergic effect of salinity and light-chilling on photosystem II photochemistry of the halophyte, Sarcocornia fruticosa. Journal of Arid Environments, 2009, 73, 586-589.	1.2	8
82	Differential photosynthetic performance of three Mediterranean shrubs under grazing by domestic goats. Photosynthetica, 2010, 48, 348-354.	0.9	8
83	Dissipation and effects of tricyclazole on soil microbial communities and rice growth as affected by amendment with alperujo compost. Science of the Total Environment, 2016, 550, 637-644.	3.9	8
84	Uncovering PGPB Vibrio spartinae inoculation-triggered physiological mechanisms involved in the tolerance of Halimione portulacoides to NaCl excess. Plant Physiology and Biochemistry, 2020, 154, 151-159.	2.8	8
85	Coastal Ecosystems as Sources of Biofertilizers in Agriculture: From Genomics to Application in an Urban Orchard. Frontiers in Marine Science, 2021, 8, .	1.2	8
86	Combined effect of Cr-toxicity and temperature rise on physiological and biochemical responses of Atriplex halimus L Plant Physiology and Biochemistry, 2018, 132, 675-682.	2.8	7
87	Inter-population differences tolerance to Cu excess during the initials phases of <i>Juncus acutus</i> life cycle: implications for the design of metal restoration strategies. International Journal of Phytoremediation, 2019, 21, 550-555.	1.7	7
88	Mediterranean seasonality and the halophyte Arthrocnemum macrostachyum determine the bacterial community in salt marsh soils in Southwest Spain. Applied Soil Ecology, 2020, 151, 103532.	2.1	7
89	Combined effect of diuron and simazine on photosystem II photochemistry in a sandy soil and soil amended with solid olive-mill waste. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2007, 42, 249-254.	0.7	6
90	Microbial strategies in non-target invasive Spartina densiflora for heavy metal clean up in polluted saltmarshes. Estuarine, Coastal and Shelf Science, 2020, 238, 106730.	0.9	6

#	Article	IF	CITATIONS
91	Heavy Metal Pre-Conditioning History Modulates Spartina patens Physiological Tolerance along a Salinity Gradient. Plants, 2021, 10, 2072.	1.6	5
92	Sarcocornia fruticosa photosynthetic response to short-term extreme temperature events in combination with optimal and sub-optimal salinity concentrations. Plant Physiology and Biochemistry, 2020, 148, 45-52.	2.8	4
93	Salinity Modulates Juncus acutus L. Tolerance to Diesel Fuel Pollution. Plants, 2022, 11, 758.	1.6	4
94	Effect of herbicide and soil amendment on growth and photosynthetic responses in olive crops. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2007, 42, 523-528.	0.7	3
95	Understanding the impact of a complex environmental matrix associated with climate change on the European marshes engineer species Spartina martima. Environmental and Experimental Botany, 2021, 182, 104304.	2.0	3
96	Modular response to salinity in the annual halophyte, Salicornia ramosissima. Photosynthetica, 2010, 48, 157-160.	0.9	2
97	Photosynthetic responses to light intensity of Sarcocornia taxa (Chenopodiaceae). Russian Journal of Plant Physiology, 2010, 57, 887-891.	0.5	1
98	Identification of a 2-cys peroxiredoxin as a tetramethyl benzidine-hydrogen peroxide stained protein from the thylakoids of the extreme halophyte Arthrocnemum macrostachyum L Plant Physiology and Biochemistry, 2012, 57, 59-66.	2.8	1
99	Seasonal ecophysiology of an endangered coastal species, the yellow-horned poppy (Glaucium flavum) Tj ETQq1	1 8.78431	4 <sub>.f</sub> gBT /Over
100	Identification of a 2-cys peroxiredoxin in the extreme halophyte Arthrocnemum macrostachyum. Comparative Biochemistry and Physiology Part A, Molecular & D, Integrative Physiology, 2010, 157, S47.	0.8	0