

# Anna Stahl-Pehe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4924385/publications.pdf>

Version: 2024-02-01

24  
papers

390  
citations

840585

11  
h-index

752573

20  
g-index

25  
all docs

25  
docs citations

25  
times ranked

646  
citing authors

#	ARTICLE	IF	CITATIONS
1	Course of screening-based depression in young adults with a long type 1 diabetes duration: Prevalence and transition probabilities – A cohort study. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109220.	1.1	0
2	Screening for generalized anxiety disorder (GAD) and associated factors in adolescents and young adults with type 1 diabetes: Cross-sectional results of a Germany-wide population-based study. <i>Diabetes Research and Clinical Practice</i> , 2022, 184, 109197.	1.1	4
3	Overestimation and underestimation of youths' health-related quality of life are associated with youth and caregiver positive screens for depression: results of a population-based study among youths with longstanding type 1 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 40.	1.2	4
4	Family Structure is Associated with Mental Health and Attention Deficit (Hyperactivity) Disorders in Adolescents with Type 1 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, , .	0.6	0
5	Association of family structure with type 1 diabetes management and outcomes in adolescents: A population-based cross-sectional survey. <i>Pediatric Diabetes</i> , 2021, 22, 482-494.	1.2	4
6	Increased risk of impaired treatment satisfaction among girls/women and young people with suboptimal HbA1c: Results of a nationwide type 1 diabetes study. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 55.	1.2	1
7	Family and household structure are associated with acute type 1 diabetes complications: results of cross-sectional analyses. <i>Diabetic Medicine</i> , 2020, 37, 2075-2080.	1.2	1
8	Associations of area deprivation and urban/rural traits with the incidence of type 1 diabetes: analysis at the municipality level in North Rhine-Westphalia, Germany. <i>Diabetic Medicine</i> , 2020, 37, 2089-2097.	1.2	13
9	Course of Disordered Eating Behavior in Young People With Early-Onset Type 1 Diabetes: Prevalence, Symptoms, and Transition Probabilities. <i>Journal of Adolescent Health</i> , 2019, 65, 681-689.	1.2	6
10	Diabetic nephropathy and quality of life among youths with long-duration type 1 diabetes: A population-based cross-sectional study. <i>Pediatric Diabetes</i> , 2019, 20, 613-621.	1.2	8
11	Diabetes distress in young adults with early-onset Type 1 diabetes and its prospective relationship with HbA <sub>1c</sub> and health status. <i>Diabetic Medicine</i> , 2019, 36, 836-846.	1.2	23
12	Severe hypoglycemia and diabetic ketoacidosis in young persons with preschool onset of type 1 diabetes mellitus: An analysis of three nationwide population-based surveys. <i>Pediatric Diabetes</i> , 2018, 19, 713-720.	1.2	6
13	Eating Frequency and Carbohydrate Intake in Adolescents with Type 1 Diabetes Differ from Those in Their Peers and are Associated with Glycemic Control. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 277-286.	0.6	8
14	Risk of Microvascular Complications and Macrovascular Risk Factors in Early-Onset Type 1 Diabetes after at Least 10 Years Duration: An Analysis of Three Population-Based Cross-Sectional Surveys in Germany between 2009 and 2016. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-11.	0.6	18
15	Association of individual and area-level socioeconomic conditions with quality of life and glycaemic control in 11- to 21-year-old adolescents with early-onset type 1 diabetes: a cross-sectional study. <i>Quality of Life Research</i> , 2018, 27, 3131-3136.	1.5	2
16	Impact of quality of life (QoL) on glycemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study. <i>Pediatric Diabetes</i> , 2017, 18, 808-816.	1.2	23
17	Disordered eating and insulin restriction in youths receiving intensified insulin treatment: Results from a nationwide population-based study. <i>International Journal of Eating Disorders</i> , 2016, 49, 191-196.	2.1	41
18	No adverse effect of outdoor air pollution on HbA1c in children and young adults with type 1 diabetes. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 349-355.	2.1	21

#	ARTICLE	IF	CITATIONS
19	Associations between HbA1c and depressive symptoms in young adults with early-onset type 1 diabetes. <i>Psychoneuroendocrinology</i> , 2015, 55, 48-58.	1.3	31
20	Symptoms of Eating Disorders and Depression in Emerging Adults with Early-Onset, Long-Duration Type 1 Diabetes and Their Association with Metabolic Control. <i>PLoS ONE</i> , 2015, 10, e0131027.	1.1	27
21	Trends in Incidence Rates during 1999-2008 and Prevalence in 2008 of Childhood Type 1 Diabetes Mellitus in GERMANY – Model-Based National Estimates. <i>PLoS ONE</i> , 2015, 10, e0132716.	1.1	65
22	Quality of life in intensively treated youths with early-onset type 1 diabetes: a population-based survey. <i>Pediatric Diabetes</i> , 2014, 15, 436-443.	1.2	43
23	Mental Health Problems among Adolescents with Early-Onset and Long-Duration Type 1 Diabetes and Their Association with Quality of Life: A Population-Based Survey. <i>PLoS ONE</i> , 2014, 9, e92473.	1.1	16
24	Direct Diabetes-Related Costs in Young Patients with Early-Onset, Long-Lasting Type 1 Diabetes. <i>PLoS ONE</i> , 2013, 8, e70567.	1.1	22