Yanina Lorena Idaszkin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4924402/publications.pdf

Version: 2024-02-01

28 papers

417 citations

687363 13 h-index 752698 20 g-index

28 all docs 28 docs citations

28 times ranked

396 citing authors

#	Article	IF	CITATIONS
1	A characterization of Patagonian salt marshes. Wetlands, 2009, 29, 772-780.	1.5	51
2	Trace metal concentrations in Spartina densiflora and associated soil from a Patagonian salt marsh. Marine Pollution Bulletin, 2014, 89, 444-450.	5.0	30
3	Comparison of phytoremediation potential capacity of Spartina densiflora and Sarcocornia perennis for metal polluted soils. Marine Pollution Bulletin, 2017, 118, 297-306.	5.0	30
4	Does low temperature prevent Spartina alterniflora from expanding toward the austral-most salt marshes?. Plant Ecology, 2011, 212, 553-561.	1.6	28
5	Disentangling the effect of atmospheric CO2 enrichment on the halophyte Salicornia ramosissima J. Woods physiological performance under optimal and suboptimal saline conditions. Plant Physiology and Biochemistry, 2018, 127, 617-629.	5.8	27
6	Accumulation and distribution of trace metals within soils and the austral cordgrass Spartina densiflora in a Patagonian salt marsh. Marine Pollution Bulletin, 2015, 101, 457-465.	5.0	23
7	Mechanism of removal and retention of heavy metals from the acid mine drainage to coastal wetland in the Patagonian marsh. Chemosphere, 2017, 183, 361-370.	8.2	22
8	Salt marsh colonization by a rocky shore invader: Balanus glandula Darwin (1854) spreads along the Patagonian coast. Biological Invasions, 2009, 11, 1259-1265.	2.4	19
9	Habitatâ€specific shape variation in the carapace of the crab <i><scp>C</scp>yrtograpsus angulatus</i> Journal of Zoology, 2013, 290, 117-126.	1.7	19
10	Use of shell-shape to discriminate between <i>Brachidontes rodriguezii</i> and <i>Brachidontes purpuratus</i> species (Mytilidae) in the transition zone of their distributions (south-western) Tj ETQq0 0 0 rgBT	/Ooeslock	1 0. 5f 50 377
11	Ecological processes shaping Central Patagonian salt marsh landscapes. Austral Ecology, 2011, 36, 59-67.	1.5	18
12	Geochemical processes controlling the distribution and concentration of metals in soils from a Patagonian (Argentina) salt marsh affected by mining residues. Science of the Total Environment, 2017, 596-597, 230-235.	8.0	16
13	Leaf shape variation as a potential biomarker of soil pollution. Ecotoxicology and Environmental Safety, 2018, 164, 69-74.	6.0	16
14	Composting of seaweed waste: Evaluation on the growth of Sarcocornia perennis. Journal of Environmental Management, 2020, 274, 111193.	7.8	13
15	Multidimensional approach to evaluate Limonium brasiliense as source of early biomarkers for lead pollution monitoring under different saline conditions. Ecological Indicators, 2019, 104, 567-575.	6.3	12
16	Assessing the use of two halophytes species and seaweed composting in Cu-pollution remediation strategies. Marine Pollution Bulletin, 2022, 176, 113413.	5 . 0	11
17	Flooding Effect on the Distribution of Native Austral Cordgrass Spartina densiflora in Patagonian Salt Marshes. Journal of Coastal Research, 2014, 30, 59.	0.3	9
18	Atmospheric CO 2 enrichment effect on the Cu-tolerance of the C 4 cordgrass Spartina densiflora. Journal of Plant Physiology, 2018, 220, 155-166.	3.5	9

#	Article	IF	CITATIONS
19	Salinization and plant zonation in Argentinian salt marshes: Natural vs. anthropic factors. Journal of Marine Systems, 2019, 193, 74-83.	2.1	8
20	Soil metal pollution assessment in Sarcocornia salt marshes in a South American estuary. Marine Pollution Bulletin, 2021, 166, 112224.	5.0	8
21	Trace metal concentrations in soil-plant complex in rocky shore salt marshes of Central Patagonia. Continental Shelf Research, 2020, 211, 104280.	1.8	7
22	Vegetation of Pen \tilde{A} nsula Vald \tilde{A} ©s: Priority Sites for Conservation. Springer Earth System Sciences, 2017, , 131-159.	0.2	5
23	Isolation of Plant Growth Promoting Rhizobacteria from Spartina densiflora and Sarcocornia perennis in San Antonio polluted salt marsh, Patagonian Argentina. Estuarine, Coastal and Shelf Science, 2021, 260, 107488.	2.1	5
24	Patagonian salt marsh soils and oxidizable pedogenic pyrite: solid phases controlling aluminum and iron contents in acidic soil solutions. Environmental Earth Sciences, 2019, 78, 1.	2.7	4
25	<i>Cannabis</i> Varieties Can Be Distinguished by Achene Shape Using Geometric Morphometrics. Cannabis and Cannabinoid Research, 2022, 7, 409-414.	2.9	3
26	Assessment of anthropogenic pollution using multiple hydrogeochemical tools and statistical analysis in rural plain basins of the Argentinian Pampean Plain. River Research and Applications, 2021, 37, 826-842.	1.7	2
27	Crab carapace shape as a biomarker of salt marsh metals pollution. Chemosphere, 2021, 276, 130195.	8.2	2
28	The role of Sarcocornia perennis in the interstitial water salinization process. Continental Shelf Research, 2020, 199, 104113.	1.8	1