
## Yanina Lorena Idaszkin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4924402/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | <i>Cannabis</i> Varieties Can Be Distinguished by Achene Shape Using Geometric Morphometrics.<br>Cannabis and Cannabinoid Research, 2022, 7, 409-414.  | 2.9 | 3         |
| 2  | Assessing the use of two halophytes species and seaweed composting in Cu-pollution remediation strategies. Marine Pollution Bulletin, 2022, 176, 113413.   | 5.0 | 11        |
| 3  | Soil metal pollution assessment in Sarcocornia salt marshes in a South American estuary. Marine<br>Pollution Bulletin, 2021, 166, 112224.  | 5.0 | 8         |
| 4  | Assessment of anthropogenic pollution using multiple hydrogeochemical tools and statistical<br>analysis in rural plain basins of the Argentinian Pampean Plain. River Research and Applications, 2021,<br>37, 826-842.                         | 1.7 | 2         |
| 5  | Crab carapace shape as a biomarker of salt marsh metals pollution. Chemosphere, 2021, 276, 130195.   | 8.2 | 2         |
| 6  | Isolation of Plant Growth Promoting Rhizobacteria from Spartina densiflora and Sarcocornia<br>perennis in San Antonio polluted salt marsh, Patagonian Argentina. Estuarine, Coastal and Shelf<br>Science, 2021, 260, 107488.                   | 2.1 | 5         |
| 7  | Composting of seaweed waste: Evaluation on the growth of Sarcocornia perennis. Journal of<br>Environmental Management, 2020, 274, 111193.  | 7.8 | 13        |
| 8  | The role of Sarcocornia perennis in the interstitial water salinization process. Continental Shelf Research, 2020, 199, 104113.  | 1.8 | 1         |
| 9  | Trace metal concentrations in soil-plant complex in rocky shore salt marshes of Central Patagonia.<br>Continental Shelf Research, 2020, 211, 104280.   | 1.8 | 7         |
| 10 | Salinization and plant zonation in Argentinian salt marshes: Natural vs. anthropic factors. Journal of<br>Marine Systems, 2019, 193, 74-83.  | 2.1 | 8         |
| 11 | Multidimensional approach to evaluate Limonium brasiliense as source of early biomarkers for lead pollution monitoring under different saline conditions. Ecological Indicators, 2019, 104, 567-575.   | 6.3 | 12        |
| 12 | Patagonian salt marsh soils and oxidizable pedogenic pyrite: solid phases controlling aluminum and iron contents in acidic soil solutions. Environmental Earth Sciences, 2019, 78, 1.  | 2.7 | 4         |
| 13 | Disentangling the effect of atmospheric CO2 enrichment on the halophyte Salicornia ramosissima J.<br>Woods physiological performance under optimal and suboptimal saline conditions. Plant Physiology<br>and Biochemistry, 2018, 127, 617-629. | 5.8 | 27        |
| 14 | Leaf shape variation as a potential biomarker of soil pollution. Ecotoxicology and Environmental Safety, 2018, 164, 69-74.   | 6.0 | 16        |
| 15 | Atmospheric CO 2 enrichment effect on the Cu-tolerance of the C 4 cordgrass Spartina densiflora.<br>Journal of Plant Physiology, 2018, 220, 155-166.   | 3.5 | 9         |
| 16 | Vegetation of PenÃnsula Valdés: Priority Sites for Conservation. Springer Earth System Sciences, 2017, ,<br>131-159.   | 0.2 | 5         |
| 17 | Geochemical processes controlling the distribution and concentration of metals in soils from a<br>Patagonian (Argentina) salt marsh affected by mining residues. Science of the Total Environment, 2017,<br>596-597, 230-235.                  | 8.0 | 16        |
| 18 | Mechanism of removal and retention of heavy metals from the acid mine drainage to coastal wetland<br>in the Patagonian marsh. Chemosphere, 2017, 183, 361-370.   | 8.2 | 22        |

| #  | Article   | IF        | CITATIONS             |
|----|---|-----------|-----------------------|
| 19 | Comparison of phytoremediation potential capacity of Spartina densiflora and Sarcocornia perennis for metal polluted soils. Marine Pollution Bulletin, 2017, 118, 297-306.  | 5.0       | 30                    |
| 20 | Accumulation and distribution of trace metals within soils and the austral cordgrass Spartina densiflora in a Patagonian salt marsh. Marine Pollution Bulletin, 2015, 101, 457-465.                                   | 5.0       | 23                    |
| 21 | Trace metal concentrations in Spartina densiflora and associated soil from a Patagonian salt marsh.<br>Marine Pollution Bulletin, 2014, 89, 444-450.  | 5.0       | 30                    |
| 22 | Flooding Effect on the Distribution of Native Austral Cordgrass Spartina densiflora in Patagonian<br>Salt Marshes. Journal of Coastal Research, 2014, 30, 59.   | 0.3       | 9                     |
| 23 | Habitatâ€specific shape variation in the carapace of the crab <i><scp>C</scp>yrtograpsus angulatus</i> .<br>Journal of Zoology, 2013, 290, 117-126.   | 1.7       | 19                    |
| 24 | Use of shell-shape to discriminate between <i>Brachidontes rodriguezii</i> and <i>Brachidontes<br/>purpuratus</i> species (Mytilidae) in the transition zone of their distributions (south-western) Tj ETQq0 0 0 rgBT | /Ooeslock | 10 <b>.9</b> f 50 537 |
| 25 | Ecological processes shaping Central Patagonian salt marsh landscapes. Austral Ecology, 2011, 36,<br>59-67.   | 1.5       | 18                    |
| 26 | Does low temperature prevent Spartina alterniflora from expanding toward the austral-most salt marshes?. Plant Ecology, 2011, 212, 553-561.   | 1.6       | 28                    |
| 27 | Salt marsh colonization by a rocky shore invader: Balanus glandula Darwin (1854) spreads along the<br>Patagonian coast. Biological Invasions, 2009, 11, 1259-1265.  | 2.4       | 19                    |
| 28 | A characterization of Patagonian salt marshes. Wetlands, 2009, 29, 772-780.   | 1.5       | 51                    |