

Naomi Sakamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4926696/publications.pdf>

Version: 2024-02-01

11
papers

312
citations

1039406

9
h-index

1281420

11
g-index

11
all docs

11
docs citations

11
times ranked

342
citing authors

#	ARTICLE	IF	CITATIONS
1	Early Results of an Endoscopic Nipple-Sparing Mastectomy for Breast Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 3406-3413.	0.7	79
2	Categorization of non-mass-like breast lesions detected by MRI. <i>Breast Cancer</i> , 2008, 15, 241-246.	1.3	62
3	Magnetic resonance-guided vacuum-assisted breast biopsy: results in 100 Japanese women. <i>Japanese Journal of Radiology</i> , 2010, 28, 527-533.	1.0	42
4	Is MRI useful for the prediction of nipple involvement?. <i>Breast Cancer</i> , 2013, 20, 316-322.	1.3	31
5	False-negative ultrasound-guided vacuum-assisted biopsy of the breast: difference with US-detected and MRI-detected lesions. <i>Breast Cancer</i> , 2010, 17, 110-117.	1.3	20
6	MR-guided vacuum-assisted breast biopsy: is it an essential technique?. <i>Breast Cancer</i> , 2009, 16, 121-125.	1.3	18
7	Early Results of an Endoscopic Nipple-Sparing Mastectomy for Breast Cancer. <i>Indian Journal of Surgical Oncology</i> , 2010, 1, 232-239.	0.3	17
8	Local recurrence following treatment for breast cancer with an endoscopic nipple-sparing mastectomy. <i>Breast Cancer</i> , 2016, 23, 552-560.	1.3	16
9	Evaluation of the sonographic visibility and sonographic appearance of the breast biopsy marker (UltraClip®) placed in phantoms and patients. <i>Breast Cancer</i> , 2017, 24, 585-592.	1.3	14
10	Evaluation of the dislocation and long-term sonographic detectability of a hydrogel-based breast biopsy site marker. <i>Breast Cancer</i> , 2018, 25, 575-582.	1.3	9
11	Skin grafting utilizing a skin of lateral thoracic area for chest wall reconstruction in patient who underwent mastectomy for locally advanced breast cancer. <i>Breast Cancer</i> , 2021, 28, 533-537.	1.3	4