

G William Wong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4926765/g-william-wong-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	7,295 citations	32 h-index	85 g-index
88 ext. papers	8,460 ext. citations	5.5 avg, IF	5.38 L-index

#	Paper	IF	Citations
82	CTRP11 contributes modestly to systemic metabolism and energy balance.. <i>FASEB Journal</i> , 2022 , 36, e22347	0.9	1
81	CTRP4 ablation impairs associative learning and memory. <i>FASEB Journal</i> , 2021 , 35, e21910	0.9	2
80	Inhibition of phosphodiesterase type 9 reduces obesity and cardiometabolic syndrome in mice. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	2
79	CTRP6 rapidly responds to acute nutritional changes, regulating adipose tissue expansion and inflammation in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 321, E702-E713	6.6	1
78	Altered adipokines in obese adolescents: a cross-sectional and longitudinal analysis across the spectrum of glycemia. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E1044-E1052	6.6	
77	Obesity alters Ace2 and Tmprss2 expression in lung, trachea, and esophagus in a sex-dependent manner: Implications for COVID-19. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 538, 92-96	3.4	10
76	Aging and chronic high-fat feeding negatively affect kidney size, function, and gene expression in CTRP1-deficient mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R19-R35	3.2	1
75	FAM19A (TAFA): An Emerging Family of Neurokinins with Diverse Functions in the Central and Peripheral Nervous System. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 945-958	5.7	2
74	Adaptation of fuel selection to acute decrease in voluntary energy expenditure is governed by dietary macronutrient composition in mice. <i>Physiological Reports</i> , 2021 , 9, e15044	2.6	1
73	CTRP12 ablation differentially affects energy expenditure, body weight, and insulin sensitivity in male and female mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 319, E146-E162	6.6	7
72	Protein Modifications Critical for Myonectin/Erythroferrone Secretion and Oligomer Assembly. <i>Biochemistry</i> , 2020 , 59, 2684-2697	3.2	2
71	Late-onset renal hypertrophy and dysfunction in mice lacking CTRP1. <i>FASEB Journal</i> , 2020 , 34, 2657-2676	6.9	4
70	Obesity alters and expression in lung, trachea, and esophagus in a sex-dependent manner: Implications for COVID-19 2020 ,		2
69	CTRP3 Regulates Endochondral Ossification and Bone Remodeling During Fracture Healing. <i>Journal of Orthopaedic Research</i> , 2020 , 38, 996-1006	3.8	3
68	Loss of CTRP4 alters adiposity and food intake behaviors in obese mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 319, E1084-E1100	6	7
67	CTRP12 inhibits triglyceride synthesis and export in hepatocytes by suppressing HNF-4 α and DGAT2 expression. <i>FEBS Letters</i> , 2020 , 594, 3227-3239	3.8	4
66	Glucose transporter expression and regulation following a fast in the ruby-throated hummingbird,. <i>Journal of Experimental Biology</i> , 2020 , 223,	3	1

65	C1q/TNF-related protein 2 (CTRP2) deletion promotes adipose tissue lipolysis and hepatic triglyceride secretion. <i>Journal of Biological Chemistry</i> , 2019 , 294, 15638-15649	5.4	10
64	Myonectin deletion promotes adipose fat storage and reduces liver steatosis. <i>FASEB Journal</i> , 2019 , 33, 8666-8687	0.9	29
63	Cytokine, Chemokine, and Cytokine Receptor Changes Are Associated With Metabolic Improvements After Bariatric Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 947-956	5.6	13
62	Modulation of Glucose Metabolism in Hippocampal Neurons by Adiponectin and Resistin. <i>Molecular Neurobiology</i> , 2019 , 56, 3024-3037	6.2	18
61	Obesity is associated with copper elevation in serum and tissues. <i>Metallomics</i> , 2019 , 11, 1363-1371	4.5	29
60	Muscle regulates mTOR dependent axonal local translation in motor neurons via CTRP3 secretion: implications for a neuromuscular disorder, spinal muscular atrophy. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 154	7.3	11
59	FAM19A1, a brain-enriched and metabolically responsive neurokinin, regulates food intake patterns and mouse behaviors. <i>FASEB Journal</i> , 2019 , 33, 14734-14747	0.9	10
58	PRADC1: a novel metabolic-responsive secretory protein that modulates physical activity and adiposity. <i>FASEB Journal</i> , 2019 , 33, 14748-14759	0.9	1
57	N-Linked Glycosylation-Dependent and -Independent Mechanisms Regulating CTRP12 Cleavage, Secretion, and Stability. <i>Biochemistry</i> , 2019 , 58, 727-741	3.2	1
56	Single-molecule, full-length transcript sequencing provides insight into the extreme metabolism of the ruby-throated hummingbird <i>Archilochus colubris</i> . <i>GigaScience</i> , 2018 , 7, 1-12	7.6	40
55	Multiplex Quantification Identifies Novel Exercise-regulated Myokines/Cytokines in Plasma and in Glycolytic and Oxidative Skeletal Muscle. <i>Molecular and Cellular Proteomics</i> , 2018 , 17, 1546-1563	7.6	13
54	Spatiotemporal regulation of the GPCR activity of BAI3 by C1qL4 and Stabilin-2 controls myoblast fusion. <i>Nature Communications</i> , 2018 , 9, 4470	17.4	25
53	Proteomic Analysis of the Human Anterior Pituitary Gland. <i>OMICS A Journal of Integrative Biology</i> , 2018 , 22, 759-769	3.8	8
52	Complement 1q-like-3 protein inhibits insulin secretion from pancreatic β cells via the cell adhesion G protein-coupled receptor BAI3. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18086-18098	5.4	16
51	Copper-dependent amino oxidase 3 governs selection of metabolic fuels in adipocytes. <i>PLoS Biology</i> , 2018 , 16, e2006519	9.7	26
50	Experimental Arthritis Is Dependent on Mouse Mast Cell Protease-5. <i>Journal of Biological Chemistry</i> , 2017 , 292, 5392-5404	5.4	7
49	CTRP7 deletion attenuates obesity-linked glucose intolerance, adipose tissue inflammation, and hepatic stress. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 312, E309-E325	6	28
48	C1q/Tumor Necrosis Factor-Related Protein-9 Regulates the Fate of Implanted Mesenchymal Stem Cells and Mobilizes Their Protective Effects Against Ischemic Heart Injury via Multiple Novel Signaling Pathways. <i>Circulation</i> , 2017 , 136, 2162-2177	16.7	77

47	C1q/TNF-related protein 6 (CTRP6) links obesity to adipose tissue inflammation and insulin resistance. <i>Journal of Biological Chemistry</i> , 2017 , 292, 14836-14850	5.4	48
46	C1q-TNF-Related Protein-9 Promotes Cardiac Hypertrophy and Failure. <i>Circulation Research</i> , 2017 , 120, 66-77	15.7	66
45	Structural commonality of C1q TNF-related proteins and their potential to activate relaxin/insulin-like family peptide receptor 1 signalling pathways in cancer cells. <i>British Journal of Pharmacology</i> , 2017 , 174, 1025-1033	8.6	20
44	Renal glucose transporters T̄weetenT̄the pot. <i>Experimental Physiology</i> , 2016 , 101, 693-4	2.4	1
43	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
42	Neurometabolic roles of ApoE and Ldl-R in mouse brain. <i>Journal of Bioenergetics and Biomembranes</i> , 2016 , 48, 13-21	3.7	9
41	CTRP3 deficiency reduces liver size and alters IL-6 and TGF̄levels in obese mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 310, E332-45	6	32
40	Loss of CTRP5 improves insulin action and hepatic steatosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 310, E1036-52	6	25
39	Loss of CTRP1 disrupts glucose and lipid homeostasis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E678-E697	6	38
38	Partial deficiency of CTRP12 alters hepatic lipid metabolism. <i>Physiological Genomics</i> , 2016 , 48, 936-949	3.6	16
37	Immunomodulatory roles of CTRP3 in endotoxemia and metabolic stress. <i>Physiological Reports</i> , 2016 , 4, e12735	2.6	31
36	C1q/TNF-Related Protein-9 (CTRP9) Levels Are Associated With Obesity and Decrease Following Weight Loss Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2211-7	5.6	26
35	Glucose Transporter-4 Facilitates Insulin-Stimulated Glucose Uptake in Osteoblasts. <i>Endocrinology</i> , 2016 , 157, 4094-4103	4.8	51
34	Thromboxane synthase deficiency improves insulin action and attenuates adipose tissue fibrosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E792-804	6	17
33	RXFP1 is Targeted by Complement C1q Tumor Necrosis Factor-Related Factor 8 in Brain Cancer. <i>Frontiers in Endocrinology</i> , 2015 , 6, 127	5.7	12
32	Dynamic Visualization of mTORC1 Activity in Living Cells. <i>Cell Reports</i> , 2015 , 10, 1767-1777	10.6	76
31	Mouse-human experimental epigenetic analysis unmasks dietary targets and genetic liability for diabetic phenotypes. <i>Cell Metabolism</i> , 2015 , 21, 138-49	24.6	76
30	Lower Circulating C1q/TNF-Related Protein-3 (CTRP3) Levels Are Associated with Obesity: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015 , 10, e0133955	3.7	52

29	C1q/TNF-related protein 4 (CTRP4) is a unique secreted protein with two tandem C1q domains that functions in the hypothalamus to modulate food intake and body weight. <i>Journal of Biological Chemistry</i> , 2014 , 289, 4055-69	5.4	42
28	Seasonal oscillation of liver-derived hibernation protein complex in the central nervous system of non-hibernating mammals. <i>Journal of Experimental Biology</i> , 2014 , 217, 2667-79	3	9
27	Targeted deletion of C1q/TNF-related protein 9 increases food intake, decreases insulin sensitivity, and promotes hepatic steatosis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E779-90	6	75
26	Dynamic and extensive metabolic state-dependent regulation of cytokine expression and circulating levels. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R1458-70	3.2	12
25	Ancient origin of mast cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 451, 314-8	3.4	46
24	Lhx1 controls terminal differentiation and circadian function of the suprachiasmatic nucleus. <i>Cell Reports</i> , 2014 , 7, 609-22	10.6	72
23	Metabolic function of the CTRP family of hormones. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2014 , 15, 111-23	10.5	159
22	Importance of mast cell Prss31/transmembrane tryptase/tryptase- α in lung function and experimental chronic obstructive pulmonary disease and colitis. <i>Journal of Biological Chemistry</i> , 2014 , 289, 18214-27	5.4	67
21	CTRP2 overexpression improves insulin and lipid tolerance in diet-induced obese mice. <i>PLoS ONE</i> , 2014 , 9, e88535	3.7	26
20	C1q-tumour necrosis factor-related protein 8 (CTRP8) is a novel interaction partner of relaxin receptor RXFP1 in human brain cancer cells. <i>Journal of Pathology</i> , 2013 , 231, 466-79	9.4	24
19	Skeletal muscle-derived myonectin activates the mammalian target of rapamycin (mTOR) pathway to suppress autophagy in liver. <i>Journal of Biological Chemistry</i> , 2013 , 288, 36073-82	5.4	73
18	Identification of hypothalamic neuron-derived neurotrophic factor as a novel factor modulating appetite. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 304, R1085-95	3.2	28
17	CTRP9 transgenic mice are protected from diet-induced obesity and metabolic dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 305, R522-33	3.2	85
16	CTRP3 attenuates diet-induced hepatic steatosis by regulating triglyceride metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, G214-24	5.1	87
15	Estrogen-related receptor α deletion modulates whole-body energy balance via estrogen-related receptor α and attenuates neuropeptide Y gene expression. <i>European Journal of Neuroscience</i> , 2013 , 37, 1033-47	3.5	23
14	C1q/tumor necrosis factor-related protein 11 (CTRP11), a novel adipose stroma-derived regulator of adipogenesis. <i>Journal of Biological Chemistry</i> , 2013 , 288, 10214-29	5.4	53
13	A central role for C1q/TNF-related protein 13 (CTRP13) in modulating food intake and body weight. <i>PLoS ONE</i> , 2013 , 8, e62862	3.7	41
12	C1q/TNF-related protein-12 (CTRP12), a novel adipokine that improves insulin sensitivity and glycemic control in mouse models of obesity and diabetes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 10301-10315	5.4	103

11	Myonectin (CTRP15), a novel myokine that links skeletal muscle to systemic lipid homeostasis. <i>Journal of Biological Chemistry</i> , 2012 , 287, 11968-80	5.4	233
10	Endopeptidase cleavage generates a functionally distinct isoform of C1q/tumor necrosis factor-related protein-12 (CTRP12) with an altered oligomeric state and signaling specificity. <i>Journal of Biological Chemistry</i> , 2012 , 287, 35804-14	5.4	31
9	Regulation of tissue crosstalk by skeletal muscle-derived myonectin and other myokines. <i>Adipocyte</i> , 2012 , 1, 200-202	3.2	39
8	CTRP1 protein enhances fatty acid oxidation via AMP-activated protein kinase (AMPK) activation and acetyl-CoA carboxylase (ACC) inhibition. <i>Journal of Biological Chemistry</i> , 2012 , 287, 1576-87	5.4	111
7	C1q/TNF-related proteins, a family of novel adipokines, induce vascular relaxation through the adiponectin receptor-1/AMPK/eNOS/nitric oxide signaling pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2616-23	9.4	145
6	Metabolic regulation by C1q/TNF-related protein-13 (CTRP13): activation OF AMP-activated protein kinase and suppression of fatty acid-induced JNK signaling. <i>Journal of Biological Chemistry</i> , 2011 , 286, 15652-65	5.4	94
5	Mammalian Otolin: a multimeric glycoprotein specific to the inner ear that interacts with otoconial matrix protein Otoconin-90 and Cerebellin-1. <i>PLoS ONE</i> , 2010 , 5, e12765	3.7	75
4	C1q/TNF-related protein-3 (CTRP3), a novel adipokine that regulates hepatic glucose output. <i>Journal of Biological Chemistry</i> , 2010 , 285, 39691-701	5.4	172
3	Identification and characterization of CTRP9, a novel secreted glycoprotein, from adipose tissue that reduces serum glucose in mice and forms heterotrimers with adiponectin. <i>FASEB Journal</i> , 2009 , 23, 241-58	0.9	207
2	CTRP8 and CTRP9B are novel proteins that hetero-oligomerize with C1q/TNF family members. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 388, 360-5	3.4	44
1	Molecular, biochemical and functional characterizations of C1q/TNF family members: adipose-tissue-selective expression patterns, regulation by PPAR-gamma agonist, cysteine-mediated oligomerizations, combinatorial associations and metabolic functions. <i>Biochemical Journal</i> , 2008 , 416, 161-77	3.8	273