

Xue-Qi Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4927047/publications.pdf>

Version: 2024-02-01

14
papers

587
citations

759233

12
h-index

1125743

13
g-index

14
all docs

14
docs citations

14
times ranked

638
citing authors

#	ARTICLE	IF	CITATIONS
1	Nox4 in renal diseases: An update. <i>Free Radical Biology and Medicine</i> , 2018, 124, 466-472.	2.9	84
2	hsa-miR-500a-3p alleviates kidney injury by targeting MLKL-mediated necroptosis in renal epithelial cells. <i>FASEB Journal</i> , 2019, 33, 3523-3535.	0.5	74
3	Discovery of [1,2,3]Triazolo[4,5-d]pyrimidine Derivatives as Novel LSD1 Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2017, 8, 384-389.	2.8	66
4	RIPK1 inhibitor Cpd-71 attenuates renal dysfunction in cisplatin-treated mice via attenuating necroptosis, inflammation and oxidative stress. <i>Clinical Science</i> , 2019, 133, 1609-1627.	4.3	61
5	Smad3 promotes AKI sensitivity in diabetic mice via interaction with p53 and induction of NOX4-dependent ROS production. <i>Redox Biology</i> , 2020, 32, 101479.	9.0	58
6	Wogonin protects glomerular podocytes by targeting Bcl-2-mediated autophagy and apoptosis in diabetic kidney disease. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 96-110.	6.1	57
7	Restoration of E-cadherin by PPBICA protects against cisplatin-induced acute kidney injury by attenuating inflammation and programmed cell death. <i>Laboratory Investigation</i> , 2018, 98, 911-923.	3.7	40
8	Wogonin Ameliorates Renal Inflammation and Fibrosis by Inhibiting NF- κ B and TGF- β 1/Smad3 Signaling Pathways in Diabetic Nephropathy. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 4135-4148.	4.3	40
9	Wogonin Alleviates Kidney Tubular Epithelial Injury in Diabetic Nephropathy by Inhibiting PI3K/Akt/NF- κ B Signaling Pathways. <i>Drug Design, Development and Therapy</i> , 2021, Volume 15, 3131-3150.	4.3	28
10	Rutaecarpine derivative Cpd-6c alleviates acute kidney injury by targeting PDE4B, a key enzyme mediating inflammation in cisplatin nephropathy. <i>Biochemical Pharmacology</i> , 2020, 180, 114132.	4.4	23
11	Alcohol promotes renal fibrosis by activating Nox2/4-mediated DNA methylation of Smad7. <i>Clinical Science</i> , 2020, 134, 103-122.	4.3	23
12	Design, synthesis and preliminary biological evaluation of new [1,2,3]triazolo[4,5-d]pyrimidine/thiourea hybrids as antiproliferative agents. <i>European Journal of Medicinal Chemistry</i> , 2017, 139, 741-749.	5.5	18
13	Design, synthesis and antiproliferative activity of thiazolo[5,4-d]pyrimidine derivatives through the atom replacement strategy. <i>European Journal of Medicinal Chemistry</i> , 2017, 138, 1034-1041.	5.5	9
14	Clinical Significance of Glomerular Autophagy in Evaluation of Diabetic Kidney Disease Progression. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 0, Volume 15, 1945-1959.	2.4	6