

Fabrizio Bertelloni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4929329/publications.pdf>

Version: 2024-02-01

72
papers

1,286
citations

304701

22
h-index

434170

31
g-index

72
all docs

72
docs citations

72
times ranked

1757
citing authors

#	ARTICLE	IF	CITATIONS
1	Preliminary evaluation of probiotic potential of <i>Lactobacillus plantarum</i> strains isolated from Italian food products. <i>World Journal of Microbiology and Biotechnology</i> , 2013, 29, 1913-1922.	3.6	72
2	Chemical composition and antimicrobial activity of essential oil of wild and cultivated <i>Origanum syriacum</i> plants grown in Sinai, Egypt. <i>Industrial Crops and Products</i> , 2015, 67, 201-207.	5.2	69
3	Antimicrobial Activity of Five Essential Oils against Bacteria and Fungi Responsible for Urinary Tract Infections. <i>Molecules</i> , 2018, 23, 1668.	3.8	45
4	Epidemiology of leptospirosis in North-Central Italy: Fifteen years of serological data (2002â€“2016). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 65, 14-22.	1.6	44
5	Chemical Composition and In Vitro Antimicrobial Efficacy of Sixteen Essential Oils against <i>Escherichia coli</i> and <i>Aspergillus fumigatus</i> Isolated from Poultry. <i>Veterinary Sciences</i> , 2018, 5, 62.	1.7	43
6	Isolation and identification of mycobacteria from captive reptiles. <i>Research in Veterinary Science</i> , 2012, 93, 1136-1138.	1.9	38
7	Antibacterial and antifungal activity of essential oils against some pathogenic bacteria and yeasts shed from poultry. <i>Flavour and Fragrance Journal</i> , 2016, 31, 302-309.	2.6	37
8	Molecular detection of tick-borne pathogens in wild red foxes (<i>Vulpes vulpes</i>) from Central Italy. <i>Acta Tropica</i> , 2017, 172, 197-200.	2.0	37
9	Antibacterial and Antifungal Activity of Essential Oils against Pathogens Responsible for Otitis Externa in Dogs and Cats. <i>Medicines (Basel, Switzerland)</i> , 2017, 4, 21.	1.4	34
10	Insight into the Epidemiology of Leptospirosis: A Review of <i>Leptospira</i> Isolations from Unconventional Hosts. <i>Animals</i> , 2021, 11, 191.	2.3	34
11	Seroprevalence of <i>Leptospira</i> spp. and <i>Borrelia burgdorferi sensu lato</i> in Italian horses. <i>Annals of Agricultural and Environmental Medicine</i> , 2012, 19, 237-40.	1.0	33
12	In Vitro Antimicrobial Activity of Essential Oils Against <i>Salmonella enterica</i> Serotypes Enteritidis and Typhimurium Strains Isolated from Poultry. <i>Molecules</i> , 2019, 24, 900.	3.8	32
13	Molecular survey on the presence of zoonotic arthropod-borne pathogens in wild red deer (<i>Cervus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 29	1.6	29
14	<i>Salmonella</i> infection in healthy pet reptiles: Bacteriological isolation and study of some pathogenic characters. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2016, 63, 203-216.	0.8	27
15	Serological Survey on Bacterial and Viral Pathogens in Wild Boars Hunted in Tuscany. <i>EcoHealth</i> , 2020, 17, 85-93.	2.0	27
16	Antimicrobial resistance in <i>Enterococcus</i> spp. isolated from laying hens of backyard poultry flocks. <i>Annals of Agricultural and Environmental Medicine</i> , 2015, 22, 665-669.	1.0	26
17	Molecular survey of tick-borne pathogens in Ixodid ticks collected from hunted wild animals in Tuscany, Italy. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 714-717.	0.8	26
18	Molecular survey on the occurrence of arthropod-borne pathogens in wild brown hares (<i>Lepus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	2.3	26

#	ARTICLE	IF	CITATIONS
19	Coagulase negative staphylococci from ovine milk: Genotypic and phenotypic characterization of susceptibility to antibiotics, disinfectants and biofilm production. <i>Small Ruminant Research</i> , 2020, 183, 106030.	1.2	26
20	Serological survey of <i>Borrelia burgdorferi</i> sensu lato, <i>Anaplasma phagocytophilum</i> , and <i>Ehrlichia canis</i> infections in rural and urban dogs in Central Italy. <i>Annals of Agricultural and Environmental Medicine</i> , 2014, 21, 671-675.	1.0	26
21	Antimicrobial Activity of Essential Oils against <i>Staphylococcus</i> and <i>Malassezia</i> Strains Isolated from Canine Dermatitis. <i>Microorganisms</i> , 2020, 8, 252.	3.6	24
22	Serological survey on some pathogens in wild brown hares (<i>Lepus europaeus</i>) in Central Italy. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016, 9, 465-469.	0.8	22
23	Prevalence, Virulence and Antimicrobial Susceptibility of <i>Salmonella</i> spp., <i>Yersinia enterocolitica</i> and <i>Listeria monocytogenes</i> in European Wild Boar (<i>Sus scrofa</i>) Hunted in Tuscany (Central Italy). <i>Pathogens</i> , 2021, 10, 93.	2.8	22
24	Presence of pathogenic <i>Leptospira</i> spp. in the reproductive system and fetuses of wild boars (<i>Sus</i>)	3.0	22
25	Antibiotic Susceptibility and Virulence Factors in <i>Escherichia coli</i> from Sympatric Wildlife of the Apuan Alps Regional Park (Tuscany, Italy). <i>Microbial Drug Resistance</i> , 2019, 25, 772-780.	2.0	21
26	<i>Leptospira</i> Survey in Wild Boar (<i>Sus scrofa</i>) Hunted in Tuscany, Central Italy. <i>Pathogens</i> , 2020, 9, 377.	2.8	21
27	Some pathogenic characters of paratyphoid <i>Salmonella enterica</i> strains isolated from poultry. <i>Asian Pacific Journal of Tropical Medicine</i> , 2017, 10, 1161-1166.	0.8	20
28	<i>Leptospira</i> Infections in Domestic and Wild Animals. <i>Pathogens</i> , 2020, 9, 573.	2.8	20
29	Detection of genes encoding for enterotoxins, TSST-1, and biofilm production in coagulase-negative staphylococci from bovine bulk tank milk. <i>Dairy Science and Technology</i> , 2015, 95, 341-352.	2.2	19
30	Molecular detection of vector-borne bacteria and protozoa in healthy hunting dogs from Central Italy. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2015, 5, 108-112.	1.2	19
31	Pathotypes and Antimicrobial Susceptibility of <i>Escherichia Coli</i> Isolated from Wild Boar (<i>Sus scrofa</i>) in Tuscany. <i>Animals</i> , 2020, 10, 744.	2.3	19
32	Molecular survey on zoonotic tick-borne bacteria and chlamydiae in feral pigeons (<i>Columba livia</i>)	0.8	17
33	Activity of <i>Salvia dolomitica</i> and <i>Salvia somalensis</i> Essential Oils against Bacteria, Molds and Yeasts. <i>Molecules</i> , 2018, 23, 396.	3.8	16
34	Molecular detection of <i>Leptospira</i> spp. in wild boar (<i>Sus scrofa</i>) hunted in Liguria region (Italy). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 68, 101410.	1.6	16
35	Antimicrobial Activity of Some Essential Oils against Methicillin-Susceptible and Methicillin-Resistant <i>Staphylococcus pseudintermedius</i> -Associated Pyoderma in Dogs. <i>Animals</i> , 2020, 10, 1782.	2.3	16
36	Crested Porcupine (<i>Hystrix cristata</i> L.): A New Potential Host for Pathogenic <i>Leptospira</i> Among Semi-Fossorial Mammals. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 70, 101472.	1.6	16

#	ARTICLE	IF	CITATIONS
37	Virulence and Antimicrobial Resistance in Canine Staphylococcus spp. Isolates. Microorganisms, 2021, 9, 515.	3.6	16
38	Characterization and Comparison of Enterococcus spp. Isolates from Feces of Healthy Dogs and Urine of Dogs with UTIs. Animals, 2021, 11, 2845.	2.3	16
39	Serological evidence of exposure to Ehrlichia canis and Anaplasma phagocytophilum in Central Italian healthy domestic cats. Ticks and Tick-borne Diseases, 2014, 5, 668-671.	2.7	15
40	Isolation of <i>Leptospira</i> serovar Pomona from a crested porcupine (<i>Hystrix cristata</i> , L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.6	15
41	Characterization of Salmonella spp. Isolates from Swine: Virulence and Antimicrobial Resistance. Animals, 2020, 10, 2418.	2.3	14
42	Serological survey on <i>Leptospira</i> infection in slaughtered swine in North-Central Italy. Epidemiology and Infection, 2018, 146, 1275-1280.	2.1	13
43	Occurrence of Escherichia coli virulence genes in feces of wild birds from Central Italy. Asian Pacific Journal of Tropical Medicine, 2019, 12, 142.	0.8	12
44	Tick-Borne Infections in Horses From Tuscany, Italy. Journal of Equine Veterinary Science, 2015, 35, 290-294.	0.9	11
45	Antimicrobial resistance in Enterococcus strains isolated from healthy domestic dogs. Acta Microbiologica Et Immunologica Hungarica, 2016, 64, 301-312.	0.8	11
46	Occurrence of Bartonella henselae types I and II in Central Italian domestic cats. Research in Veterinary Science, 2012, 93, 63-66.	1.9	10
47	Genital Brucella suis Biovar 2 Infection of Wild Boar (Sus scrofa) Hunted in Tuscany (Italy). Microorganisms, 2021, 9, 582.	3.6	10
48	Survey on the Presence of Bacterial and Parasitic Zoonotic Agents in the Feces of Wild Birds. Veterinary Sciences, 2021, 8, 171.	1.7	9
49	Antimicrobial Activity and Composition of Five Rosmarinus (Now Salvia spp. and Varieties) Essential Oils. Antibiotics, 2021, 10, 1090.	3.7	9
50	Detection and Characterization of Viral Pathogens Associated with Reproductive Failure in Wild Boars in Central Italy. Animals, 2021, 11, 304.	2.3	8
51	Zoonotic tick-borne bacteria among wild boars (Sus scrofa) in Central Italy. Asian Pacific Journal of Tropical Disease, 2017, 7, 141-143.	0.5	7
52	Phenotypic and genotypic resistance to colistin in E. coli isolated from wild boar (Sus scrofa) hunted in Italy. European Journal of Wildlife Research, 2021, 67, 1.	1.4	6
53	Low Level of Colistin Resistance and mcr Genes Presence in Salmonella spp.: Evaluation of Isolates Collected between 2000 and 2020 from Animals and Environment. Antibiotics, 2022, 11, 272.	3.7	6
54	Antimicrobial-Resistant Enterococcus spp. in Wild Avifauna from Central Italy. Antibiotics, 2022, 11, 852.	3.7	6

#	ARTICLE	IF	CITATIONS
55	Bacteriostatic and Bactericidal Effect of Tigecycline on <i>Leptospira</i> spp.. <i>Antibiotics</i> , 2020, 9, 467.	3.7	5
56	Presence and Characterization of Zoonotic Bacterial Pathogens in Wild Boar Hunting Dogs (<i>Canis</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	2.3	5
57	Coagulase negative staphylococci from ovine bulk-tank milk: Effects of the exposure to sub-inhibitory concentrations of disinfectants for teat-dipping. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021, 76, 101656.	1.6	4
58	Identification of candidate genes associated with bacterial and viral infections in wild boars hunted in Tuscany (Italy). <i>Scientific Reports</i> , 2022, 12, 8145.	3.3	4
59	Raw milk for sale in Pisa province: biosecurity of dairy farms and hygienic evaluation of milk. <i>Veterinary Research Communications</i> , 2010, 34, 171-174.	1.6	3
60	Experimental infection with <i>Yersinia pseudotuberculosis</i> in European brown hare (<i>Lepus europaeus</i> ,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	0.8	3
61	<i>Bartonella</i> infection in asymptomatic horses and donkeys from Tuscany, Central Italy. <i>Asian Pacific Journal of Tropical Medicine</i> , 2017, 10, 1077-1079.	0.8	3
62	Serological evidence of exposure to zoonotic tick-borne bacteria in pheasants (<i>Phasianus colchicus</i>). <i>Annals of Agricultural and Environmental Medicine</i> , 2017, 24, 82-85.	1.0	3
63	A Serological Survey on Swine Brucellosis Using Standard Procedures, Dot Blot, and Western Blot in Finisher Pigs in Central-North Italy. <i>Veterinary Sciences</i> , 2018, 5, 86.	1.7	3
64	Dietary supplementation of chestnut and quebracho tannins mix: Effect on caecal microbial communities and live performance of growing rabbits. <i>Research in Veterinary Science</i> , 2019, 124, 129-136.	1.9	3
65	<i>Leptospira fainei</i> Detected in Testicles and Epididymis of Wild Boar (<i>Sus scrofa</i>). <i>Biology</i> , 2021, 10, 193.	2.8	3
66	<i>In vitro</i> antimicrobial activity of selected essential oils against bacteria and yeasts isolated from the genital tract of mares. <i>Natural Product Research</i> , 2022, 36, 2648-2653.	1.8	3
67	<i>Leptospira</i> spp. and <i>Brucella ovis</i> seroprevalence in sheep: preliminary results of one year surveillance program. <i>Journal of the Hellenic Veterinary Medical Society</i> , 2018, 68, 567.	0.3	3
68	Tear Production, Intraocular Pressure, Ultrasound Biometric Features and Conjunctival Flora Identification in Clinically Normal Eyes of Two Italian Breeds of Chicken (<i>Gallus gallus domesticus</i>). <i>Animals</i> , 2021, 11, 2987.	2.3	2
69	Molecular survey on the presence of arthropod-borne bacteria and protozoans in roe deer (<i>Capreolus capreolus</i>) and ticks from Central Italy. <i>Acta Tropica</i> , 2022, 233, 106586.	2.0	2
70	Preliminary Evaluation of In Vitro Bacteriostatic and Bactericidal Effect of Salt on <i>Leptospira</i> spp.. <i>Veterinary Sciences</i> , 2020, 7, 154.	1.7	1
71	Molecular Detection of Avipoxvirus in Wild Birds in Central Italy. <i>Animals</i> , 2022, 12, 338.	2.3	1
72	Evaluation of a standard protocol for drying off and drying off therapy in dairy cows based on the comparison of two different commercial antimicrobials. <i>Veterinarski Arhiv</i> , 2020, 90, 217-224.	0.3	0