

Qi Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4929756/qi-zhang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

1,391
citations

21
h-index

36
g-index

48
ext. papers

1,785
ext. citations

5.3
avg, IF

4.56
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 46 | Surface Modified TiC MXene Nanosheets for Tumor Targeting Photothermal/Photodynamic/Chemo Synergistic Therapy. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 40077-40086 | 9.5 | 329 |
| 45 | BODIPY Derivatives for Photodynamic Therapy: Influence of Configuration versus Heavy Atom Effect. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 32475-32481 | 9.5 | 109 |
| 44 | Photosensitizer synergistic effects: D-A-D structured organic molecule with enhanced fluorescence and singlet oxygen quantum yield for photodynamic therapy. <i>Chemical Science</i> , 2018 , 9, 2188-2194 | 9.4 | 94 |
| 43 | Penetration depth tunable BODIPY derivatives for pH triggered enhanced photothermal/photodynamic synergistic therapy. <i>Chemical Science</i> , 2019 , 10, 268-276 | 9.4 | 83 |
| 42 | Triptolide disrupts fatty acids and peroxisome proliferator-activated receptor (PPAR) levels in male mice testes followed by testicular injury: A GC-MS based metabolomics study. <i>Toxicology</i> , 2015 , 336, 84-95 | 4.4 | 52 |
| 41 | Triptolide induces Sertoli cell apoptosis in mice via ROS/JNK-dependent activation of the mitochondrial pathway and inhibition of Nrf2-mediated antioxidant response. <i>Acta Pharmacologica Sinica</i> , 2018 , 39, 311-327 | 8 | 46 |
| 40 | Corosolic acid, a natural triterpenoid, induces ER stress-dependent apoptosis in human castration resistant prostate cancer cells via activation of IRE-1/JNK, PERK/CHOP and TRIB3. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 210 | 12.8 | 42 |
| 39 | Tumor-targeting, enzyme-activated nanoparticles for simultaneous cancer diagnosis and photodynamic therapy. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 113-120 | 7.3 | 41 |
| 38 | Strontium fructose 1,6-diphosphate prevents bone loss in a rat model of postmenopausal osteoporosis via the OPG/RANKL/RANK pathway. <i>Acta Pharmacologica Sinica</i> , 2012 , 33, 479-89 | 8 | 38 |
| 37 | GC-TOF/MS-based metabolomic profiling of estrogen deficiency-induced obesity in ovariectomized rats. <i>Acta Pharmacologica Sinica</i> , 2011 , 32, 270-8 | 8 | 35 |
| 36 | Effects of strontium fructose 1,6-diphosphate on expression of apoptosis-related genes and oxidative stress in testes of diabetic rats. <i>International Journal of Urology</i> , 2008 , 15, 251-6 | 2.3 | 29 |
| 35 | Metabolomic profiles delineate signature metabolic shifts during estrogen deficiency-induced bone loss in rat by GC-TOF/MS. <i>PLoS ONE</i> , 2013 , 8, e54965 | 3.7 | 28 |
| 34 | Recent advances in pH-responsive nanomaterials for anti-infective therapy. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10700-10711 | 7.3 | 28 |
| 33 | Pharmacokinetics and tissue distribution of Aucubin, Ajugol and Catalpol in rats using a validated simultaneous LC-ESI-MS/MS assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1002, 245-53 | 3.2 | 27 |
| 32 | An NIR triphenylamine grafted BODIPY derivative with high photothermal conversion efficiency and singlet oxygen generation for imaging guided phototherapy. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1523-1531 | 7.8 | 25 |
| 31 | Limonin ameliorates acetaminophen-induced hepatotoxicity by activating Nrf2 antioxidative pathway and inhibiting NF- κ B inflammatory response via upregulating Sirt1. <i>Phytomedicine</i> , 2020 , 69, 153211 | 6.5 | 25 |
| 30 | An anthracene functionalized BODIPY derivative with singlet oxygen storage ability for photothermal and continuous photodynamic synergistic therapy. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 3303-3309 | 7.3 | 23 |

| | | | |
|----|---|-----|----|
| 29 | Aucubin, a natural iridoid glucoside, attenuates oxidative stress-induced testis injury by inhibiting JNK and CHOP activation via Nrf2 up-regulation. <i>Phytomedicine</i> , 2019 , 64, 153057 | 6.5 | 23 |
| 28 | MitoQ ameliorates testis injury from oxidative attack by repairing mitochondria and promoting the Keap1-Nrf2 pathway. <i>Toxicology and Applied Pharmacology</i> , 2019 , 370, 78-92 | 4.6 | 22 |
| 27 | Metabonomic profiling in studying anti-osteoporosis effects of strontium fructose 1,6-diphosphate on estrogen deficiency-induced osteoporosis in rats by GC/TOF-MS. <i>European Journal of Pharmacology</i> , 2013 , 718, 524-32 | 5.3 | 22 |
| 26 | Raddeanin A, a natural triterpenoid saponin compound, exerts anticancer effect on human osteosarcoma via the ROS/JNK and NF- κ B signal pathway. <i>Toxicology and Applied Pharmacology</i> , 2018 , 353, 87-101 | 4.6 | 22 |
| 25 | Quantitative analysis of tenuifolin concentrations in rat plasma and tissue using LC-MS/MS: application to pharmacokinetic and tissue distribution study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 191-200 | 3.5 | 20 |
| 24 | Elemonic acid inhibits the growth of human Osteosarcoma through endoplasmic reticulum (ER) stress-mediated PERK/eIF2 α /ATF4/CHOP activation and Wnt/ β -catenin signal suppression. <i>Phytomedicine</i> , 2020 , 69, 153183 | 6.5 | 18 |
| 23 | Metabonomic analysis of fatty acids in seminal plasma between healthy and asthenozoospermic men based on gas chromatography mass spectrometry. <i>Andrologia</i> , 2017 , 49, e12744 | 2.4 | 16 |
| 22 | Rapid analysis of tadalafil in human blood plasma and seminal plasma by liquid chromatography/tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 77, 149-57 | 3.5 | 16 |
| 21 | Luteolin Ameliorates Testis Injury and Blood-Testis Barrier Disruption through the Nrf2 Signaling Pathway and by Upregulating Cx43. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800843 | 5.9 | 14 |
| 20 | Development and validation of a sensitive liquid chromatography/tandem mass spectrometry method for the determination of raddeanin A in rat plasma and its application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 913, 16-23 | 3.2 | 14 |
| 19 | Strontium fructose 1,6-diphosphate rescues adenine-induced male hypogonadism and upregulates the testicular endothelin-1 system. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 1131-7 | 3 | 14 |
| 18 | Aucubin alleviates diabetic nephropathy by inhibiting NF- κ B activation and inducing SIRT1/SIRT3-FOXO3a signaling pathway in high-fat diet/streptozotocin-induced diabetic mice. <i>Journal of Functional Foods</i> , 2020 , 64, 103702 | 5.1 | 13 |
| 17 | A pre-clinical pharmacokinetic study in rats of three naturally occurring iridoid glycosides, Picroside-I, II and III, using a validated simultaneous HPLC-MS/MS assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 993-994, 47-59 | 3.2 | 13 |
| 16 | Wnt/ β -catenin signaling plays an important role in the protective effects of FDP-Sr against oxidative stress induced apoptosis in MC3T3-E1 cell. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 4720-4723 | 2.9 | 13 |
| 15 | Raddeanin A inhibits growth and induces apoptosis in human colorectal cancer through downregulating the Wnt/ β -catenin and NF- κ B signaling pathway. <i>Life Sciences</i> , 2018 , 207, 532-549 | 6.8 | 13 |
| 14 | Abnormal arachidonic acid metabolic network may reduce sperm motility via P38 MAPK. <i>Open Biology</i> , 2019 , 9, 180091 | 7 | 12 |
| 13 | Simultaneous determination of osthole, bergapten and isopimpinellin in rat plasma and tissues by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 970, 77-85 | 3.2 | 11 |
| 12 | Synthesis and pharmacokinetics of strontium fructose 1,6-diphosphate (Sr-FDP) as a potential anti-osteoporosis agent in intact and ovariectomized rats. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 563-8 | 4.2 | 11 |

| | | | |
|----|--|-----|----|
| 11 | Strontium fructose 1,6-diphosphate alleviates early diabetic testopathy by suppressing abnormal testicular matrix metalloproteinase system in streptozocin-treated rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 229-236 | 4.8 | 11 |
| 10 | Limonin Attenuates LPS-Induced Hepatotoxicity by Inhibiting Pyroptosis NLRP3/Gasdermin D Signaling Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 982-991 | 5.7 | 10 |
| 9 | Investigation of the cytotoxicity, apoptosis and pharmacokinetics of Raddeanin A. <i>Oncology Letters</i> , 2017 , 13, 1365-1369 | 2.6 | 9 |
| 8 | Strontium fructose 1, 6-diphosphate alleviate cyclophosphamide-induced oligozoospermia by improving antioxidant and inhibiting testicular apoptosis via FAS/FASL pathway. <i>Andrologia</i> , 2015 , 47, 995-1003 | 2.4 | 4 |
| 7 | Comparative pharmacokinetics with single substances and Semen Cuscutae extract after oral administration and intravenous administration Semen Cuscutae extract and single hyperoside and astragaline to rats. <i>Analytical Methods</i> , 2014 , 6, 7250 | 3.2 | 4 |
| 6 | Nattokinase mitigated dextran sulfate sodium-induced chronic colitis by regulating microbiota and suppressing tryptophan metabolism via inhibitingIDO-1. <i>Journal of Functional Foods</i> , 2020 , 75, 104251 | 5.1 | 3 |
| 5 | Pharmacodynamic and pharmacokinetic studies and prostatic tissue distribution of fosfomycin tromethamine in bacterial prostatitis or normal rats. <i>Andrologia</i> , 2018 , 50, e13021 | 2.4 | 3 |
| 4 | Elemonic acid inhibits growth and triggers apoptosis in human castration-resistant prostate cancer cells through the suppression of JAK2/STAT3/MCL-1 and NF- κ B signal pathways. <i>Chemico-Biological Interactions</i> , 2021 , 342, 109477 | 5 | 3 |
| 3 | Cordycepin, a major bioactive component of <i>Cordyceps militaris</i> , ameliorates diabetes-induced testicular damage through the Sirt1/Foxo3a pathway. <i>Andrologia</i> , 2021 , 54, e14294 | 2.4 | 1 |
| 2 | Protective effects of ginseng stem-leaf saponins on D-galactose-induced reproductive injury in male mice. <i>Aging</i> , 2021 , 13, 8916-8928 | 5.6 | 1 |
| 1 | <i>Dioscorea zingiberensis</i> ameliorates diabetic nephropathy by inhibiting NLRP3 inflammasome and curbing the expression of p66Shc in high-fat diet/streptozotocin-induced diabetic mice. <i>Journal of Pharmacy and Pharmacology</i> , 2021 , 73, 1218-1229 | 4.8 | 1 |