## Massimo Costantini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4930165/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of Tocilizumab vs Standard Care on Clinical Worsening in Patients Hospitalized With COVID-19 Pneumonia. JAMA Internal Medicine, 2021, 181, 24.	5.1	593
2	Detecting psychological distress in cancer patients: validity of the Italian version of the Hospital Anxiety and Depression Scale. Supportive Care in Cancer, 1999, 7, 121-127.	2.2	447
3	Are There Differences in the Prevalence of Palliative Care-Related Problems in People Living With Advanced Cancer and Eight Non-Cancer Conditions? A Systematic Review. Journal of Pain and Symptom Management, 2014, 48, 660-677.	1.2	322
4	Actual and preferred place of death of cancer patients. Results from the Italian survey of the dying of cancer (ISDOC). Journal of Epidemiology and Community Health, 2006, 60, 412-416.	3.7	193
5	Paroxetine in the treatment of severe non-dermatological pruritus: a randomized, controlled trial. Journal of Pain and Symptom Management, 2003, 26, 1105-1112.	1.2	187
6	An international prospective study of the EORTC cancer in-patient satisfaction with care measure (EORTC IN-PATSAT32). European Journal of Cancer, 2005, 41, 2120-2131.	2.8	184
7	EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services – Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. Palliative Medicine, 2016, 30, 6-22.	3.1	149
8	Dying with cancer, living well with advanced cancer. European Journal of Cancer, 2008, 44, 1414-1424.	2.8	144
9	Systematic versus on-demand early palliative care: results from a multicentre, randomised clinical trial. European Journal of Cancer, 2016, 65, 61-68.	2.8	130
10	Palliative home care and place of death among cancer patients: a population-based study. Palliative Medicine, 1993, 7, 323-331.	3.1	128
11	Artificial nutrition and hydration in the last week of life in cancer patients. A systematic literature review of practices and effects. Annals of Oncology, 2011, 22, 1478-1486.	1.2	122
12	Randomized phase III trial evaluating the role of erythropoietin in the prevention of chemotherapy-induced anemia Journal of Clinical Oncology, 1997, 15, 2715-2721.	1.6	118
13	Monotherapy with Nilutamide, A Pure Nonsteroidal Antiandrogen, in Untreated Patients with Metastatic Carcinoma of the Prostate. Journal of Urology, 1991, 146, 377-381.	0.4	109
14	A confirmatory bifactor analysis of the hospital anxiety and depression scale in an Italian community sample. Health and Quality of Life Outcomes, 2014, 12, 84.	2.4	109
15	Quality-of-Life Evaluation. Journal of Pain and Symptom Management, 1998, 15, 151-158.	1.2	108
16	Response and role of palliative care during the COVID-19 pandemic: A national telephone survey of hospices in Italy. Palliative Medicine, 2020, 34, 889-895.	3.1	108
17	Concomitant versus sequential administration of epirubicin and paclitaxel as first-line therapy in metastatic breast carcinoma. Cancer, 2004, 101, 704-712.	4.1	105
18	Psychological and Symptom Distress In Terminal Cancer Patients with Met and Unmet Needs. Journal of Pain and Symptom Management, 1999, 17, 402-409.	1.2	103

#	Article	IF	CITATIONS
19	Tocilizumab for patients with COVID-19 pneumonia. The single-arm TOCIVID-19 prospective trial. Journal of Translational Medicine, 2020, 18, 405.	4.4	98
20	Managing the supportive care needs of those affected by COVID-19. European Respiratory Journal, 2020, 55, 2000815.	6.7	95
21	Home palliative care for terminal cancer patients: a survey on the final week of life. Palliative Medicine, 1999, 13, 233-241.	3.1	94
22	Assessing Psychological Distress in Cancer Patients: Validation of a Self-Administered Questionnaire. Oncology, 1996, 53, 295-302.	1.9	93
23	Prevalence, distress, management, and relief of pain during the last 3 months of cancer patients' life. Results of an Italian mortality follow-back survey. Annals of Oncology, 2009, 20, 729-735.	1.2	84
24	Interobserver agreement in the histologic diagnosis of colorectal polyps the experience of the multicenter adenoma colorectal study (SMAC). Journal of Clinical Epidemiology, 2003, 56, 209-214.	5.0	83
25	Terminal Cancer Patients and Timing of Referral to Palliative Care A Multicenter Prospective Cohort Study. Journal of Pain and Symptom Management, 1999, 18, 243-252.	1.2	82
26	Intramuscular depot medroxyprogesterone versus oral megestrol for the control of postmenopausal hot flashes in breast cancer patients: a randomized study. Annals of Oncology, 2002, 13, 883-888.	1.2	82
27	Liverpool Care Pathway for patients with cancer in hospital: a cluster randomised trial. Lancet, The, 2014, 383, 226-237.	13.7	76
28	Diagnosis and prognosis disclosure among cancer patients. Results from an Italian mortality follow-back survey. Annals of Oncology, 2006, 17, 853-859.	1.2	75
29	Effect of a palliative home care team on hospital admissions among patients with advanced cancer. Palliative Medicine, 2003, 17, 315-321.	3.1	74
30	Comprehensive and Integrated Palliative Care for People With Advanced Chronic Conditions: An Update From Several European Initiatives and Recommendations for Policy. Journal of Pain and Symptom Management, 2017, 53, 509-517.	1.2	72
31	Predicting mood disorders in breast cancer patients. European Journal of Cancer, 2001, 37, 216-223.	2.8	69
32	The last three months of life of Italian cancer patients. Methods, sample characteristics and response rate of the Italian Survey of the Dying of Cancer (ISDOC). Palliative Medicine, 2005, 19, 628-638.	3.1	67
33	Determinants of patient satisfaction in oncology settings from European and Asian countries: Preliminary results based on the EORTC IN-PATSAT32 questionnaire. European Journal of Cancer, 2007, 43, 323-330.	2.8	66
34	Inequity in the provision of and access to palliative care for cancer patients. Results from the Italian survey of the dying of cancer (ISDOC). BMC Public Health, 2007, 7, 66.	2.9	66
35	End-of-Life Communication: A Retrospective Survey of Representative General Practitioner Networks in Four Countries. Journal of Pain and Symptom Management, 2014, 47, 604-619.e3.	1.2	66
36	Communication in End-of-Life Cancer Care: A Comparison of Team Assessments in Three European Countries. Journal of Clinical Oncology, 2002, 20, 3674-3682.	1.6	61

#	Article	IF	CITATIONS
37	The effectiveness and cost-effectiveness of hospital-based specialist palliative care for adults with advanced illness and their caregivers. The Cochrane Library, 2020, 2020, CD012780.	2.8	61
38	Phase IIa Study of Fenretinide in Superficial Bladder Cancer, Using DNA Flow Cytometry as an Intermediate End Point. Journal of the National Cancer Institute, 1994, 86, 138-140.	6.3	58
39	Evaluation of a new model of short-term palliative care for people severely affected with multiple sclerosis: a randomised fast-track trial to test timing of referral and how long the effect is maintained. Postgraduate Medical Journal, 2011, 87, 769-775.	1.8	58
40	Prevalence of Pain in Italian Hospitals. Journal of Pain and Symptom Management, 2002, 23, 221-230.	1.2	56
41	Expert conference on cancer pain assessment and classificationthe need for international consensus: working proposals on international standards. BMJ Supportive and Palliative Care, 2011, 1, 281-287.	1.6	56
42	Experimental and quasi-experimental designs. , 2007, , 85-98.		54
43	Lung Cancer Risk among Refractory Brick Workers Exposed to Crystalline Silica. Epidemiology, 1991, 2, 299-304.	2.7	51
44	End-of-Life Care in Italian Hospitals: Quality of and Satisfaction With Care From the Caregivers' Point of View—Results from the Italian Survey of the Dying of Cancer. Journal of Pain and Symptom Management, 2010, 39, 1003-1015.	1.2	50
45	International palliative care experts' view on phenomena indicating the last hours and days of life. Supportive Care in Cancer, 2013, 21, 1509-1517.	2.2	50
46	Susceptibility and severity of COVID-19 in patients treated with bDMARDS and tsDMARDs: a population-based study. Annals of the Rheumatic Diseases, 2020, 79, 986.2-988.	0.9	49
47	Variation in medication use in cancer patients at the end of life: a cross-sectional analysis. Supportive Care in Cancer, 2013, 21, 1003-1011.	2.2	47
48	Which patients with advanced respiratory disease die in hospital? A 14-year population-based study of trends and associated factors. BMC Medicine, 2017, 15, 19.	5.5	47
49	Geographical variations of place of death among Italian communities suggest an inappropriate hospital use in the terminal phase of cancer disease. Public Health, 2000, 114, 15-20.	2.9	45
50	Cohort study of association of risk of breast cancer with cyst type in women with gross cystic disease of the breast. BMJ: British Medical Journal, 1997, 314, 925-925.	2.3	44
51	Predicting survival in terminal cancer patients: clinical observation or quality-of-life evaluation?. Palliative Medicine, 2005, 19, 220-227.	3.1	43
52	Distal hyperplastic polyps do not predict proximal adenomas: results from a multicentric study of colorectal adenomas. Gastrointestinal Endoscopy, 1997, 46, 124-130.	1.0	42
53	Accuracy of prognosis estimates by four palliative care teams: a prospective cohort study. BMC Palliative Care, 2002, 1, 1.	1.8	41
54	The effectiveness of the Liverpool care pathway in improving end of life care for dying cancer patients in hospital. A cluster randomised trial. BMC Health Services Research, 2011, 11, 13.	2.2	40

#	Article	IF	CITATIONS
55	Expectations about and impact of the Liverpool Care Pathway for the dying patient in an Italian hospital. Palliative Medicine, 2011, 25, 293-303.	3.1	40
56	Issues and needs in end-of-life decision making: An international modified Delphi study. Palliative Medicine, 2012, 26, 947-953.	3.1	38
57	Impact of two different dose-intensity chemotherapy regimens on psychological distress in early breast cancer patients. European Journal of Cancer, 2002, 38, 359-366.	2.8	37
58	Changes in the quality of life of people with thalassemia major between 2001 and 2009. Patient Preference and Adherence, 2013, 7, 231.	1.8	36
59	Cancer-related fatigue in Italian cancer patients: validation of the Italian version of the Brief Fatigue Inventory (BFI). Supportive Care in Cancer, 2013, 21, 413-419.	2.2	35
60	Nerve growth factor expression in human dystrophic muscles. Muscle and Nerve, 2003, 27, 370-373.	2.2	34
61	Overcoming Cultural Barriers to Giving Bad News: Feasibility of Training to Promote Truth-Telling to Cancer Patients. Journal of Cancer Education, 2009, 24, 180-185.	1.3	34
62	Cancer patients as 'experts' in defining quality of life domains. A multicentre survey by the Italian Group for the Evaluation of Outcomes in Oncology (IGEO). Quality of Life Research, 2000, 9, 151-159.	3.1	33
63	Effectiveness of complex interventions focused on quality-of-life assessment to improve palliative care patients' outcomes: A systematic review. Palliative Medicine, 2015, 29, 5-21.	3.1	33
64	Dying of cancer in Italy: impact on family and caregiver. The Italian Survey of Dying of Cancer. Journal of Epidemiology and Community Health, 2007, 61, 547-554.	3.7	32
65	The value of uncertainty in critical illness? An ethnographic study of patterns and conflicts in care and decision-making trajectories. BMC Anesthesiology, 2015, 16, 11.	1.8	32
66	Awareness of disease among Italian cancer patients: Is there a need for further improvement in patient information?. Annals of Oncology, 1999, 10, 1095-1100.	1.2	31
67	Endâ€ofâ€life care in Italy: personal experience of family caregivers. A content analysis of open questions from the Italian Survey of the Dying of Cancer (ISDOC). Psycho-Oncology, 2008, 17, 1073-1080.	2.3	29
68	Enhancing patient-reported outcome measurement in research and practice of palliative and end-of-life care. Supportive Care in Cancer, 2012, 20, 1573-1578.	2.2	29
69	The assessment of spiritual well-being in cancer patients with advanced disease: which are its meaningful dimensions?. BMC Palliative Care, 2020, 19, 26.	1.8	29
70	The Liverpool Care Pathway for cancer patients dying in hospital medical wards: A before–after cluster phase II trial of outcomes reported by family members. Palliative Medicine, 2014, 28, 10-17.	3.1	28
71	Improving comfort around dying in elderly people: a cluster randomised controlled trial. Lancet, The, 2017, 390, 125-134.	13.7	28
72	Awareness of General Practitioners concerning cancer patients' preferences for place of death: Evidence from four European countries. European Journal of Cancer, 2013, 49, 1967-1974.	2.8	27

#	Article	IF	CITATIONS
73	Palliative care in the emergency department as seen by providers and users: a qualitative study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 88.	2.6	27
74	Role of Blood Groups as Prognostic Factors in Primary Breast Cancer. Oncology, 1990, 47, 308-312.	1.9	26
75	Quality of life assessment and clinical decision-making. Annals of Oncology, 1997, 8, 1207-1211.	1.2	24
76	Survey of Italian General Practitioners: Knowledge, Opinions, and Activities of Palliative Care. Journal of Pain and Symptom Management, 2013, 46, 335-344.	1.2	24
77	Thymidine labelling index as prognostic factor in resected non-small cell lung cancer. European Journal of Cancer & Clinical Oncology, 1990, 26, 622-625.	0.7	23
78	The methane sink associated to soils of natural and agricultural ecosystems in Italy. Chemosphere, 2007, 66, 723-729.	8.2	23
79	Activity of 4-HPR in superficial bladder caner using DNA flow cytometry as an intermediate endpoint. Journal of Cellular Biochemistry, 1992, 50, 139-147.	2.6	22
80	Validity, reliability and responsiveness to change of the Italian palliative care outcome scale: a multicenter study of advanced cancer patients. BMC Palliative Care, 2016, 15, 23.	1.8	22
81	COVID-19 Vaccination in Fragile Patients: Current Evidence and an Harmonized Transdisease Trial. Frontiers in Immunology, 2021, 12, 704110.	4.8	22
82	Univariate and multivariate analyses of the relationship between adenocarcinoma and solitary and multiple adenomas in colorectal adenoma patients. International Journal of Cancer, 1991, 49, 509-512.	5.1	21
83	Illness Awareness in Cancer Patients: A Conceptual Framework And A Preliminary Classification Hypothesis. Psycho-Oncology, 1997, 6, 212-217.	2.3	20
84	Do patients with rectosigmoid adenomas 5 mm or less in diameter need total colonoscopy?. Gastrointestinal Endoscopy, 1999, 50, 314-321.	1.0	20
85	Cancer Trajectories at the End of Life: is there an effect of age and gender?. BMC Cancer, 2008, 8, 127.	2.6	20
86	Reliability of Short-term Esophageal pH Monitoring Versus 24-Hour Study. Journal of Pediatric Gastroenterology and Nutrition, 1995, 21, 87-90.	1.8	19
87	Translation and cognitive testing of the Italian Integrated Palliative Outcome Scale (IPOS) among patients and healthcare professionals. PLoS ONE, 2019, 14, e0208536.	2.5	19
88	Comparison of a modified Sugiura procedure with portal systemic shunt for prevention of recurrent variceal bleeding in cirrhosis. Surgery, 1996, 119, 214-221.	1.9	17
89	End-of-Life Care and Quality of Dying in 23 Acute Geriatric Hospital Wards in Flanders, Belgium. Journal of Pain and Symptom Management, 2017, 53, 693-702.	1.2	17
90	Palliative care training addressed to hospital healthcare professionals by palliative care specialists: a mixed-method evaluation. BMC Palliative Care, 2019, 18, 88.	1.8	17

#	Article	IF	CITATIONS
91	Editorial: Place of death. It is time for a change of gear. Palliative Medicine, 2008, 22, 785-786.	3.1	16
92	Safe tracheotomy for patients with COVID-19. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102533.	1.3	16
93	Promoting post-traumatic growth in cancer patients: A study protocol for a randomized controlled trial of guided written disclosure. Journal of Health Psychology, 2019, 24, 240-253.	2.3	15
94	Sentinel node biopsy versus elective neck dissection in early-stage oral cancer: a systematic review. European Archives of Oto-Rhino-Laryngology, 2020, 277, 3247-3260.	1.6	15
95	Clinical ethics consultation among Italian ethics committee: AÂmixed method study. PLoS ONE, 2019, 14, e0226710.	2.5	15
96	Methodological issues in a before-after study design to evaluate the Liverpool Care Pathway for the Dying Patientin hospital. Palliative Medicine, 2011, 25, 766-773.	3.1	14
97	A retrospective comparison of detection and treatment of breast cancer in young and elderly patients. Breast Cancer Research and Treatment, 1997, 43, 27-31.	2.5	13
98	A comparison of drugs and procedures of care in the Italian hospice and hospital settings: the final three days of life for cancer patients. BMC Health Services Research, 2014, 14, 496.	2.2	13
99	Parkinson's disease patients' needs during the COVIDâ€19 pandemic in a red zone: A framework analysis of openâ€ended survey questions. European Journal of Neurology, 2021, 28, 3254-3262.	3.3	13
100	Does quality of life assessment in palliative care look like a complex screening program?. Health and Quality of Life Outcomes, 2013, 11, 7.	2.4	12
101	Preparedness of African Palliative Care Services to Respond to the COVID-19 Pandemic: A Rapid Assessment. Journal of Pain and Symptom Management, 2020, 60, e10-e26.	1.2	12
102	Evaluation of a screening programme for psychological distress in cancer survivors. Supportive Care in Cancer, 2010, 18, 1545-1552.	2.2	11
103	Is early integration of palliative care feasible and acceptable for advanced respiratory and gastrointestinal cancer patients? A phase 2 mixed-methods study. Palliative Medicine, 2018, 32, 46-58.	3.1	11
104	Assessment of DNA flow cytometry as a surrogate end point biomarker in a bladder cancer chemoprevention trial. Journal of Cellular Biochemistry, 2000, 76, 311-321.	2.6	10
105	Implementation of the Liverpool Care Pathway (LCP) for the Dying Patient in the Inpatient Hospice Setting. American Journal of Hospice and Palliative Medicine, 2014, 31, 61-68.	1.4	10
106	â€~Less ticking the boxes, more providing support': A qualitative study on health professionals' concerns towards the Liverpool Care of the Dying Pathway. Palliative Medicine, 2015, 29, 529-537.	3.1	10
107	Early palliative care in haematological patients: a systematic literature review. BMJ Supportive and Palliative Care, 2020, 10, 395-403.	1.6	10
108	Susceptibility to COVIDâ€19 in Patients Treated With Antimalarials: A Populationâ€Based Study in Emiliaâ€Romagna, Northern Italy. Arthritis and Rheumatology, 2021, 73, 48-52.	5.6	10

#	Article	IF	CITATIONS
109	Consensus Development Conference: Assessment of the Quality of Life in Cancer Clinical Trials. Tumori, 1992, 78, 151-154.	1.1	9
110	End-of-life care. Current Opinion in Supportive and Palliative Care, 2014, 8, 399-404.	1.3	9
111	Students, Severe Illness, and Palliative Care. American Journal of Hospice and Palliative Medicine, 2015, 32, 715-724.	1.4	9
112	Implementing the care programme for the last days of life in an acute geriatric hospital ward: a phase 2 mixed method study. BMC Palliative Care, 2016, 15, 27.	1.8	9
113	TOCIVID-19 - A multicenter study on the efficacy and tolerability of tocilizumab in the treatment of patients with COVID-19 pneumonia. Study protocol. Contemporary Clinical Trials, 2020, 98, 106165.	1.8	9
114	A moonshot approach toward the management of cancer patients in the COVID-19 time: what have we learned and what could the Italian network of cancer centers (Alliance Against Cancer, ACC) do after the pandemic wave?. Journal of Experimental and Clinical Cancer Research, 2020, 39, 109.	8.6	9
115	Knowledge, Opinion, and Attitude About the Italian Law on Advance Directives: A Population-Based Survey. Journal of Pain and Symptom Management, 2020, 60, 906-914.e4.	1.2	9
116	Early palliative care versus standard care in haematologic cancer patients at their last active treatment: study protocol of a feasibility trial. BMC Palliative Care, 2020, 19, 53.	1.8	9
117	Is euthyroidism the goal of surgical treatment of diffuse toxic goitre?. The European Journal of Surgery, 1998, 164, 495-500.	0.9	8
118	Improving end-of-life care in acute geriatric hospital wards using the Care Programme for the Last Days of Life: study protocol for a phase 3 cluster randomized controlled trial. BMC Geriatrics, 2015, 15, 13.	2.7	8
119	Integrated intErventional bronchoscopy in the treatment of locally adVanced non-small lung cancER with central Malignant airway Obstructions: a multicentric REtrospective study (EVERMORE). Lung Cancer, 2020, 148, 40-47.	2.0	8
120	mRNA-COVID19 Vaccination Can Be Considered Safe and Tolerable for Frail Patients. Frontiers in Oncology, 2022, 12, 855723.	2.8	8
121	Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase 0–1 study according to the Medical Research Council Framework. BMC Palliative Care, 2015, 14, 24.	1.8	7
122	What Are the Components of Interventions Focused on Quality-of-Life Assessment in Palliative Care Practice? A Systematic Review. Journal of Hospice and Palliative Nursing, 2016, 18, 310-316.	0.9	7
123	Long-term sustainability of a quality improvement program on cancer pain management: a complex intervention in an inpatient setting. Tumori, 2020, 106, 25-32.	1.1	7
124	Validity of caregiver-reported hospital admission in a study on the quality of care received by terminally ill cancer patients. Journal of Clinical Epidemiology, 2010, 63, 103-108.	5.0	6
125	Compassionate use programs in Italy: ethical guidelines. BMC Medical Ethics, 2018, 19, 22.	2.4	6
126	The Ligurian High-School Educational Project on Palliative Care. American Journal of Hospice and Palliative Medicine, 2014, 31, 756-764.	1.4	5

#	Article	IF	CITATIONS
127	About the "surprise question― Cmaj, 2017, 189, E807-E807.	2.0	5
128	Preparedness and capacity of indian palliative care services to respond to the COVID-19 pandemic: An online rapid assessment survey. Indian Journal of Palliative Care, 2021, 27, 152.	1.0	5
129	Prevalence of SARS-CoV-2 (Covid-19) in Italians and in immigrants in an area of Northern Italy (Reggio) Tj ETQq1 1	l 0.78431 1.1	4 ggBT /Over
130	Follow-up Studies of Patients with Categorized Breast Cysts Annals of the New York Academy of Sciences, 1990, 586, 43-48.	3.8	4
131	Health services research on end-of-life care. Current Opinion in Supportive and Palliative Care, 2009, 3, 190-194.	1.3	4
132	The effectiveness of the quality program Pac-IficO to improve pain management in hospitalized cancer patients: a before-after cluster phase II trial. BMC Palliative Care, 2014, 13, 15.	1.8	4
133	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers. The Cochrane Library, 2017, , .	2.8	4
134	Clinical Ethics Consultation and Research Ethics Consultation: A Call for Italy. American Journal of Bioethics, 2018, 18, 63-64.	0.9	4
135	Managing patients with lung cancer. BMJ: British Medical Journal, 2000, 320, 379-379.	2.3	4
136	Wolfe's mammographic patterns in women with Gross Cystic Disease of the breast. Journal of Clinical Epidemiology, 1995, 48, 969-976.	5.0	3
137	Re: Paroxetine in the Treatment of Severe Non-Dermatological Pruritus. Journal of Pain and Symptom Management, 2005, 29, 115.	1.2	3
138	The Experience of Accreditation of the Reggio Emilia Research Hospital with the OECI Model. Tumori, 2015, 101, S42-S46.	1.1	3
139	Acute Radiation Colitis after Preoperative Short-Course Radiotherapy for Rectal Cancer: A Morphological, Immunohistochemical and Genetic Study. Cancers, 2020, 12, 2571.	3.7	3
140	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians. BMC Pulmonary Medicine, 2022, 22, 41.	2.0	3
141	Prognostic significance of prolactin receptor on overall survival of patients with early breast cancer: a long-term retrospective analysis. Breast, 1994, 3, 147-150.	2.2	2
142	Non Clinical Factors as Determinants of the Use of Breast Conservative Surgery in Italy. Tumori, 2003, 89, 168-172.	1.1	2
143	Development and Validation of a Patient-Physician Relationship Index in the Advanced Cancer Setting. Tumori, 2007, 93, 485-490.	1.1	2
144	Feasibility of assessing quality of care at the end of life in two cluster trials using an after-death approach with multiple assessments. BMC Palliative Care, 2014, 13, 36.	1.8	2

#	Article	IF	CITATIONS
145	Pilot testing of the first version of the European Association for Palliative Care basic dataset: A mixed methods study. Palliative Medicine, 2019, 33, 832-849.	3.1	2
146	Hospital-based specialist palliative care compared with usual care for adults with advanced illness and their caregivers: a systematic review. Health Services and Delivery Research, 2021, 9, 1-218.	1.4	2
147	Predictive factors of clinical outcomes in patients with COVID-19 treated with tocilizumab: A monocentric retrospective analysis. PLoS ONE, 2022, 17, e0262908.	2.5	2
148	Development of Approaches and Metrics to Measure the Impact and Improve the Clinical Outcomes of Patients With Frailty in the Era of COVID-19. The COMETA Italian Protocol. Frontiers in Oncology, 0, 12, .	2.8	2
149	An Unconventional Cancer Treatment Lacking Clinical Efficacy Remains Available to Italian Cancer Patients. Tumori, 2008, 94, 830-832.	1.1	1
150	Quality of cancer end-of-life care: discordance between bereaved relatives and professional proxies. BMJ Supportive and Palliative Care, 2022, 12, e375-e383.	1.6	1
151	Illness Awareness in Cancer Patients: A Conceptual Framework And A Preliminary Classification Hypothesis. Psycho-Oncology, 1997, 6, 212-217.	2.3	1
152	How Many Cancer Patients Need Palliative Care? A Population-Based Study. Journal of Pain and Symptom Management, 2022, 63, 468-475.	1.2	1
153	BREAST-CANCER IN THE ELDERLY - DETECTION AND TREATMENT MODALITIES IN 341 WOMEN. International Journal of Oncology, 1994, 5, 1399-403.	3.3	Ο
154	TUMOR DETECTION AND STAGING MODALITIES IN OLDER PATIENTS WITH BREAST CANCER: A PROFILE OF A GROUP OF ITALIAN WOMEN. Journal of the American Geriatrics Society, 1995, 43, 1316-1317.	2.6	0
155	Paradoxical Effect of Cytotoxic Chemotherapy on Anemia in Cancer Patients With Â-Thalassemia Minor. Journal of the National Cancer Institute, 1997, 89, 455-456.	6.3	Ο
156	Good end-of-life care: a feasible and necessary goal. Italian Journal of Medicine, 2013, , 75-77.	0.3	0
157	Comment to the article: Wise J. Five priorities of care for dying people replace Liverpool care pathway. Italian Journal of Medicine, 2014, 8, 265.	0.3	Ο
158	27 Quality of life assessment in palliative care. European Journal of Oncology Nursing, 2014, 18, S7.	2.1	0
159	RF1-C The Effectiveness of the Care Programme for the Last Days of Life (CAREFuL) to Improve Comfort and Quality of Care in Acute Geriatric Hospital Wards: A Cluster Randomized Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, e6.	1.2	0
160	A focused ethnography in the context of a European cancer research hospital accreditation program. BMC Health Services Research, 2021, 21, 446.	2.2	0
161	Study designs in palliative medicine. , 2009, , 178-184.		О