

Elaine R Carbonero

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4931892/elaine-r-carbonero-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,750
citations

27
h-index

40
g-index

53
ext. papers

1,884
ext. citations

6.8
avg, IF

3.97
L-index

#	Paper	IF	Citations
53	A galactose-rich heteropolysaccharide extracted from "jaboticaba" (<i>Plinia cauliflora</i>) peels. <i>Carbohydrate Polymers</i> , 2020 , 249, 116821	10.3	5
52	Structure elucidation of a bioactive fucomannogalactan from the edible mushroom <i>Hypsizygus marmoreus</i> . <i>Carbohydrate Polymers</i> , 2019 , 225, 115203	10.3	17
51	Chemical structure of a partially 3-O-methylated mannofucogalactan from edible mushroom <i>Grifola frondosa</i> . <i>Carbohydrate Polymers</i> , 2018 , 187, 110-117	10.3	10
50	Partially methylated galactans containing different proportions of 3-O-methyl-galactose from <i>Pleurotus citrinopileatus</i> . <i>Carbohydrate Research</i> , 2018 , 458-459, 29-34	2.9	8
49	Inhibition of <i>Leishmania amazonensis</i> arginase by fucogalactan isolated from <i>Agrocybe aegerita</i> mushroom. <i>Carbohydrate Polymers</i> , 2018 , 201, 532-538	10.3	7
48	Water-soluble polysaccharides from <i>Pleurotus ostreatus</i> var. <i>florida</i> mycelial biomass. <i>International Journal of Biological Macromolecules</i> , 2014 , 70, 354-9	7.9	21
47	Glucuronoarabinoxylan from coconut palm gum exudate: chemical structure and gastroprotective effect. <i>Carbohydrate Polymers</i> , 2014 , 107, 65-71	10.3	17
46	Sulfonation and anticoagulant activity of fungal exocellular β (1- \rightarrow 6)-D-glucan (lasiodiplodan). <i>Carbohydrate Polymers</i> , 2013 , 92, 1908-14	10.3	37
45	<i>Agaricus bisporus</i> fucogalactan: structural characterization and pharmacological approaches. <i>Carbohydrate Polymers</i> , 2013 , 92, 184-91	10.3	44
44	Fucomannogalactan and glucan from mushroom <i>Amanita muscaria</i> : structure and inflammatory pain inhibition. <i>Carbohydrate Polymers</i> , 2013 , 98, 761-9	10.3	45
43	Polysaccharide glucomannan isolated from <i>Heterodermia obscurata</i> attenuates acute and chronic pain in mice. <i>Carbohydrate Polymers</i> , 2013 , 92, 2058-64	10.3	13
42	<i>Lactarius rufus</i> (1- \rightarrow 3),(1- \rightarrow 6)- β -D-glucans: structure, antinociceptive and anti-inflammatory effects. <i>Carbohydrate Polymers</i> , 2013 , 94, 129-36	10.3	66
41	Chemical and biological properties of a highly branched β glucan from edible mushroom <i>Pleurotus sajor-caju</i> . <i>Carbohydrate Polymers</i> , 2012 , 90, 814-9	10.3	50
40	Structural characterization and protective effect against murine sepsis of fucogalactans from <i>Agaricus bisporus</i> and <i>Lactarius rufus</i> . <i>Carbohydrate Polymers</i> , 2012 , 87, 1620-1627	10.3	40
39	Structural characterization of exopolysaccharides from biofilm of a cariogenic streptococci. <i>Carbohydrate Polymers</i> , 2011 , 84, 1215-1220	10.3	22
38	Antithrombin and heparin cofactor II-mediated inactivation of alpha-thrombin by a synthetic, sulfated mannogalactan. <i>Thrombosis Research</i> , 2010 , 126, e180-7	8.2	14
37	Structural characterization of the uncommon polysaccharides obtained from <i>Peltigera canina</i> photobiont <i>Nostoc muscorum</i> . <i>Carbohydrate Polymers</i> , 2010 , 81, 29-34	10.3	19

36	Chemical structure and selected biological properties of a glucomannan from the lichenized fungus <i>Heterodermia obscurata</i> . <i>Phytochemistry</i> , 2010 , 71, 2132-9	4	13
35	Structure of <i>Agaricus</i> spp. fucogalactans and their anti-inflammatory and antinociceptive properties. <i>Bioresource Technology</i> , 2010 , 101, 6192-9	11	63
34	The origin of mannans found in submerged culture of basidiomycetes. <i>Carbohydrate Polymers</i> , 2010 , 79, 1052-1056	10.3	15
33	Exopolysaccharide from surface-liquid culture of <i>Clonostachys rosea</i> originates from autolysis of the biomass. <i>Archives of Microbiology</i> , 2009 , 191, 369-78	3	10
32	Anti-inflammatory and analgesic properties in a rodent model of a (1→3),(1→6)-linked beta-glucan isolated from <i>Pleurotus pulmonarius</i> . <i>European Journal of Pharmacology</i> , 2008 , 597, 86-91	5.3	112
31	A gel-forming beta-glucan isolated from the fruit bodies of the edible mushroom <i>Pleurotus florida</i> . <i>Carbohydrate Research</i> , 2008 , 343, 1456-62	2.9	34
30	Unusual partially 3-O-methylated alpha-galactan from mushrooms of the genus <i>Pleurotus</i> . <i>Phytochemistry</i> , 2008 , 69, 252-7	4	38
29	A 3-O-methylated mannogalactan from <i>Pleurotus pulmonarius</i> : structure and antinociceptive effect. <i>Phytochemistry</i> , 2008 , 69, 2731-6	4	64
28	Polysaccharides present in cultivated <i>Teloschistes flavicans</i> symbiosis: comparison with those of the thallus. <i>Plant Physiology and Biochemistry</i> , 2008 , 46, 500-5	5.4	8
27	An unusual water-soluble βglucan from the basidiocarp of the fungus <i>Ganoderma resinaceum</i> . <i>Carbohydrate Polymers</i> , 2008 , 72, 473-478	10.3	19
26	A novel branched βglucan isolated from the basidiocarps of the edible mushroom <i>Pleurotus florida</i> . <i>Carbohydrate Polymers</i> , 2008 , 73, 309-314	10.3	29
25	Structural characterization of the cell wall D-glucans isolated from the mycelium of <i>Botryosphaeria rhodina</i> MAMB-05. <i>Carbohydrate Research</i> , 2008 , 343, 793-8	2.9	31
24	Three exopolysaccharides of the beta-(1→6)-D-glucan type and a beta-(1→3;1→6)-D-glucan produced by strains of <i>Botryosphaeria rhodina</i> isolated from rotting tropical fruit. <i>Carbohydrate Research</i> , 2008 , 343, 2481-5	2.9	47
23	Characterization of a heterogalactan: Some nutritional values of the edible mushroom <i>Flammulina velutipes</i> . <i>Food Chemistry</i> , 2008 , 108, 329-333	8.5	43
22	<i>Lentinus edodes</i> heterogalactan: Antinociceptive and anti-inflammatory effects. <i>Food Chemistry</i> , 2008 , 111, 531-537	8.5	94
21	Chemical and immunological modifications of an arabinogalactan present in tea preparations of <i>Phyllanthus niruri</i> after treatment with gastric fluid. <i>International Journal of Biological Macromolecules</i> , 2008 , 43, 115-20	7.9	17
20	Structural characterization of a polysaccharide and a beta-glucan isolated from the edible mushroom <i>Flammulina velutipes</i> . <i>Phytochemistry</i> , 2006 , 67, 2189-96	4	83
19	Structure of two glucans and a galactofuranomannan from the lichen <i>Umbilicaria mammulata</i> . <i>Carbohydrate Polymers</i> , 2006 , 63, 13-18	10.3	28

18	A β -glucan from the fruit bodies of edible mushrooms <i>Pleurotus eryngii</i> and <i>Pleurotus ostreatoroseus</i> . <i>Carbohydrate Polymers</i> , 2006 , 66, 252-257	10.3	82
17	Chemical and biological properties of an arabinogalactan from <i>Phyllanthus niruri</i> . <i>Journal of Natural Products</i> , 2005 , 68, 1479-83	4.9	29
16	Xylans from the medicinal herb <i>Phyllanthus niruri</i> . <i>Journal of Natural Products</i> , 2005 , 68, 129-32	4.9	10
15	Anticoagulant and antithrombotic activities of a chemically sulfated galactoglucomannan obtained from the lichen <i>Cladonia ibitipocae</i> . <i>International Journal of Biological Macromolecules</i> , 2005 , 35, 97-102	7.9	67
14	Glucans of lichenized fungi: significance for taxonomy of the genera <i>Parmotrema</i> and <i>Rimelia</i> . <i>Phytochemistry</i> , 2005 , 66, 929-34	4	21
13	A fungus-type beta-galactofuranan in the cultivated <i>Trebouxia photobiont</i> of the lichen <i>Ramalina gracilis</i> . <i>FEMS Microbiology Letters</i> , 2005 , 244, 193-8	2.9	30
12	Chemotypes significance of lichenized fungi by structural characterization of heteropolysaccharides from the genera <i>Parmotrema</i> and <i>Rimelia</i> . <i>FEMS Microbiology Letters</i> , 2005 , 246, 273-8	2.9	6
11	Anticoagulant and antithrombotic activity of a sulfate obtained from a glucan component of the lichen <i>Parmotrema mantiqueirensis</i> Hale. <i>Carbohydrate Polymers</i> , 2005 , 60, 7-13	10.3	46
10	Galactomannans with novel structures from the lichen <i>Rocella decipiens</i> Darb. <i>Carbohydrate Research</i> , 2005 , 340, 1699-705	2.9	18
9	Polysaccharides from the fruit bodies of the basidiomycete <i>Laetiporus sulphureus</i> (Bull.: Fr.) Murr. <i>FEMS Microbiology Letters</i> , 2004 , 230, 47-52	2.9	53
8	Biomass and exopolysaccharide production in submerged cultures of <i>Pleurotus ostreatoroseus</i> Sing. and <i>Pleurotus ostreatus</i> "florida" (Jack.: Fr.) Kummer. <i>Journal of Basic Microbiology</i> , 2003 , 43, 230-7	2.7	25
7	The presence of partially 3-O-methylated mannogalactan from the fruit bodies of edible basidiomycetes <i>Pleurotus ostreatus</i> "florida" Berk. and <i>Pleurotus ostreatoroseus</i> Sing. <i>FEMS Microbiology Letters</i> , 2003 , 221, 119-24	2.9	40
6	Structural characterization of a galactomannan from the cyanolichen <i>Leptogium azureum</i> . <i>Carbohydrate Polymers</i> , 2003 , 53, 469-473	10.3	5
5	Polysaccharides of lichenized fungi of three <i>Cladonia</i> spp.: significance as chemotypes. <i>Phytochemistry</i> , 2002 , 61, 681-6	4	29
4	A partially 3-O-methylated (1 \rightarrow 4)-linked alpha-D-galactan and alpha-D-mannan from <i>Pleurotus ostreatoroseus</i> Sing. <i>FEMS Microbiology Letters</i> , 2002 , 212, 261-5	2.9	24
3	A (1 \rightarrow 6)-linked beta-mannopyranan, pseudonigeran, and a (1 \rightarrow 4)-linked beta-xylan, isolated from the lichenised basidiomycete <i>Dictyonema glabratum</i> . <i>FEMS Microbiology Letters</i> , 2002 , 206, 175-8	2.9	19
2	Effect of a soluble alpha-D-glucan from the lichenized fungus <i>Ramalina celastri</i> on macrophage activity. <i>International Immunopharmacology</i> , 2002 , 2, 691-8	5.8	26
1	Comparative studies of the polysaccharides isolated from lichenized fungi of the genus <i>Cladonia</i> : significance as chemotypes. <i>FEMS Microbiology Letters</i> , 2001 , 194, 65-9	2.9	37

