

James A White

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4931945/publications.pdf>

Version: 2024-02-01

75
papers

2,472
citations

257450

24
h-index

214800

47
g-index

76
all docs

76
docs citations

76
times ranked

3336
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative technetium pyrophosphate and cardiovascular magnetic resonance in patients with suspected cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2679-2690.	2.1	8
2	Evidence-based cardiovascular magnetic resonance cost-effectiveness calculator for the detection of significant coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, 1.	3.3	15
3	Cascaded Triplanar Autoencoder M-Net for Fully Automatic Segmentation of Left Ventricle Myocardial Scar From Three-Dimensional Late Gadolinium-Enhanced MR Images. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022, 26, 2582-2593.	6.3	13
4	Mid-wall striae fibrosis predicts heart failure admission, composite heart failure events, and life-threatening arrhythmias in dilated cardiomyopathy. <i>Scientific Reports</i> , 2022, 12, 1739.	3.3	5
5	Improved accuracy and precision with three-parameter simultaneous myocardial T ₁ and T ₂ mapping using multiparametric SASHA. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2775-2791.	3.0	13
6	Left Atrial Strain in Dilated Cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 1027-1029.	5.3	3
7	Left atrial remodelling, mid-regional pro-atrial natriuretic peptide, and prognosis across a range of ejection fractions in heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 220-228.	1.2	10
8	Rapid Response to Cytokine Storm Inhibition Using Anakinra in a Patient With COVID-19 Myocarditis. <i>CJC Open</i> , 2021, 3, 210-213.	1.5	18
9	Right Ventricular Ejection Fraction for the Prediction of Major Adverse Cardiovascular and Heart Failure-Related Events. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e011337.	2.6	21
10	Effect of Active Cancer on the Cardiac Phenotype: A Cardiac Magnetic Resonance Imaging-Based Study of Myocardial Tissue Health and Deformation in Patients With Chemotherapy-Naïve Cancer. <i>Journal of the American Heart Association</i> , 2021, 10, e019811.	3.7	19
11	Right ventricular insertion site fibrosis in a dilated cardiomyopathy referral population: phenotypic associations and value for the prediction of heart failure admission or death. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 79.	3.3	11
12	2021 Update on Safety of Magnetic Resonance Imaging: Joint Statement From Canadian Cardiovascular Society/Canadian Society for Cardiovascular Magnetic Resonance/Canadian Heart Rhythm Society. <i>Canadian Journal of Cardiology</i> , 2021, 37, 835-847.	1.7	10
13	Cardiac remodelling predicts outcome in patients with chronic heart failure. <i>ESC Heart Failure</i> , 2021, 8, 5352-5362.	3.1	12
14	Hemodynamic Assessment in Bicuspid Aortic Valve Disease and Aortic Dilation: New Insights From Voxel-By-Voxel Analysis of Reverse Flow, Stasis, and Energetics. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 725113.	4.1	11
15	OUTSMART HF. <i>Circulation</i> , 2020, 141, 818-827.	1.6	19
16	Neural-Network-Based Diagnosis Using 3-Dimensional Myocardial Architecture and Deformation: Demonstration for the Differentiation of Hypertrophic Cardiomyopathy. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 584727.	2.4	10
17	Prognostic Value of Late Gadolinium Enhancement for the Prediction of Cardiovascular Outcomes in Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010105.	2.6	60
18	Acellular bioscaffolds redirect cardiac fibroblasts and promote functional tissue repair in rodents and humans with myocardial injury. <i>Scientific Reports</i> , 2020, 10, 9459.	3.3	23

#	ARTICLE	IF	CITATIONS
19	Circulating troponin and further left ventricular ejection fraction improvement in patients with previously recovered left ventricular ejection fraction. ESC Heart Failure, 2020, 7, 2725-2733.	3.1	7
20	Fully automated segmentation of left ventricular scar from 3D late gadolinium enhancement magnetic resonance imaging using a cascaded multi-planar U-Net (CMPU-Net). Medical Physics, 2020, 47, 1645-1655.	3.0	32
21	Determinants and Prognostic Significance of Serial Right Heart Function Changes in Patients With Cardiac Amyloidosis. Canadian Journal of Cardiology, 2020, 36, 432-440.	1.7	10
22	Cardiovascular toxicity of PI3K inhibitors. Clinical Science, 2020, 134, 2595-2622.	4.3	11
23	Intra-thoracic adiposity is associated with impaired contractile function in patients with coronary artery disease: a cardiovascular magnetic resonance imaging study. International Journal of Cardiovascular Imaging, 2019, 35, 121-131.	1.5	5
24	Natural History of Myocardial Injury and Chamber Remodeling in Acute Myocarditis. Circulation: Cardiovascular Imaging, 2019, 12, e008614.	2.6	25
25	Clinical Experience With the Use of Doxycycline and Ursodeoxycholic Acid for the Treatment of Transthyretin Cardiac Amyloidosis. Journal of Cardiac Failure, 2019, 25, 147-153.	1.7	44
26	3-Dimensional regional and global strain abnormalities in hypertrophic cardiomyopathy. International Journal of Cardiovascular Imaging, 2019, 35, 1913-1924.	1.5	16
27	Putting the "œ" in Infarction. JACC: Cardiovascular Imaging, 2019, 12, 2179-2181.	5.3	0
28	Left Atrial Function Using Cardiovascular Magnetic Resonance Imaging Independently Predicts Life-Threatening Arrhythmias in Patients Referred to Receive a Primary Prevention Implantable Cardioverter Defibrillator. Canadian Journal of Cardiology, 2019, 35, 1149-1157.	1.7	5
29	Convolutional neural network-based approach for segmentation of left ventricle myocardial scar from 3D late gadolinium enhancement MR images. Medical Physics, 2019, 46, 1740-1751.	3.0	44
30	Characterization of Right Ventricular Deformation in Pulmonary Arterial Hypertension Using Three-Dimensional Principal Strain Analysis. Journal of the American Society of Echocardiography, 2019, 32, 385-393.	2.8	21
31	Fully automated segmentation of left ventricular myocardium from 3D late gadolinium enhancement magnetic resonance images using a U-net convolutional neural network-based model. , 2019, , .		12
32	Prognostic Value of Right Ventricular Strain Using Speckle-Tracking Echocardiography in Pulmonary Hypertension: A Systematic Review and Meta-analysis. Canadian Journal of Cardiology, 2018, 34, 1069-1078.	1.7	54
33	Comparison of Cardiac Magnetic Resonance Imaging and Echocardiography in Assessment of Left Ventricular Hypertrophy in Fabry Disease. Canadian Journal of Cardiology, 2018, 34, 1041-1047.	1.7	19
34	3D myocardial deformation analysis from cine MRI as a marker of amyloid protein burden in cardiac amyloidosis: validation versus T1 mapping. International Journal of Cardiovascular Imaging, 2018, 34, 1937-1946.	1.5	8
35	Myocardial scar segmentation from magnetic resonance images using convolutional neural network. , 2018, , .		14
36	Comparison of myocardial scar geometries generated from 2D and 3D LGE MRI. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
37	3D scar segmentation from LGE-MRI using a continuous max-flow method. , 2018, , .		3
38	Right Ventricular Ejection Fraction Is Incremental to Left Ventricular Ejection Fraction for the Prediction of Future Arrhythmic Events in Patients With Systolic Dysfunction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	31
39	Contribution of mitral valve leaflet length and septal wall thickness to outflow tract obstruction in patients with hypertrophic cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1201-1211.	1.5	8
40	Late Gadolinium Enhancement and the Risk for Ventricular Arrhythmias or Sudden Death in Dilated Cardiomyopathy. <i>JACC: Heart Failure</i> , 2017, 5, 28-38.	4.1	262
41	Clinical feasibility and validation of 3D principal strain analysis from cine MRI: comparison to 2D strain by MRI and 3D speckle tracking echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1979-1992.	1.5	37
42	Ventricular pacing site separation by cardiac computed tomography: validation for the prediction of clinical response to cardiac resynchronization therapy. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1433-1442.	1.5	3
43	The Prognostic Significance of Late Gadolinium Enhancement Cardiovascular Magnetic Resonance in Patients with Non-ischemic Cardiomyopathy. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 80-87.	0.2	0
44	Recent Advances in Cardiovascular Imaging Relevant to the Management of Patients with Suspected Cardiac Amyloidosis. <i>Current Cardiology Reports</i> , 2016, 18, 77.	2.9	16
45	Abnormal Lymphatic Channels Detected by T2-Weighted MR Imaging as a Substrate for Ventricular Arrhythmia in HCM. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 1354-1356.	5.3	10
46	Objective criteria for septal fibrosis in non-ischemic dilated cardiomyopathy: validation for the prediction of future cardiovascular events. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 82.	3.3	32
47	Influence of phase correction of late gadolinium enhancement images on scar signal quantification in patients with ischemic and non-ischemic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 66.	3.3	12
48	Comparison of semi-automated scar quantification techniques using high-resolution, 3-dimensional late-gadolinium-enhancement magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 349-357.	1.5	20
49	Iron-Sensitive Cardiac Magnetic Resonance Imaging for Prediction of Ventricular Arrhythmia Risk in Patients With Chronic Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	2.6	17
50	Image-based reconstruction of three-dimensional myocardial infarct geometry for patient-specific modeling of cardiac electrophysiology. <i>Medical Physics</i> , 2015, 42, 4579-4590.	3.0	38
51	Prevalence of Myocardial Fibrosis Patterns in Patients With Systolic Dysfunction. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 593-600.	2.6	81
52	Model-Based Navigation of Left and Right Ventricular Leads to Optimal Targets for Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1040-1047.	4.8	20
53	High-resolution 3-dimensional late gadolinium enhancement scar imaging in surgically corrected Tetralogy of Fallot: clinical feasibility of volumetric quantification and visualization. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 76.	3.3	21
54	Accuracy and reproducibility of semi-automated late gadolinium enhancement quantification techniques in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 85.	3.3	76

#	ARTICLE	IF	CITATIONS
55	CMR Imaging With Rapid Visual T1 Assessment Predicts Mortality in Patients Suspected of Cardiac Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 143-156.	5.3	116
56	Differentiation of physiologic versus pathologic basal septal fibrosis: Proposed diagnostic criteria and associations with clinical and CMR-based markers of cardiovascular disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P104.	3.3	3
57	Interactive Hierarchical-Flow Segmentation of Scar Tissue From Late-Enhancement Cardiac MR Images. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 159-172.	8.9	57
58	Intra-thoracic fat volume is associated with myocardial infarction in patients with metabolic syndrome. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 77.	3.3	8
59	The Prognostic Role of Late Gadolinium Enhancement Magnetic Resonance Imaging in Patients With Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2013, 29, 329-336.	1.7	32
60	Stress Hypoperfusion and Tissue Injury in Hypertrophic Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 229-238.	2.6	26
61	Active Cardiac Sarcoidosis. <i>Circulation</i> , 2013, 127, e639-41.	1.6	84
62	Influence of Pacing Site Characteristics on Response to Cardiac Resynchronization Therapy. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 542-550.	2.6	47
63	Validation of subsegmental visual scoring for the quantification of ischemic and nonischemic myocardial fibrosis using late gadolinium enhancement MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1369-1376.	3.4	32
64	GW24-e2928...Computed tomography metal artifact reduction for evaluation of lead calcification in patients with implantable cardiac defibrillator. <i>Heart</i> , 2013, 99, A270.2-A270.	2.9	0
65	Prediction of Arrhythmic Events in Ischemic and Dilated Cardiomyopathy Patients Referred for Implantable Cardiac Defibrillator. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 448-456.	2.6	183
66	Utility of Cardiovascular Magnetic Resonance in Identifying Substrate for Malignant Ventricular Arrhythmias. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 12-20.	2.6	107
67	A Fast Convex Optimization Approach to Segmenting 3D Scar Tissue from Delayed-Enhancement Cardiac MR Images. <i>Lecture Notes in Computer Science</i> , 2012, 15, 659-666.	1.3	9
68	Right ventricular outflow tract ventricular tachycardia ablation post-Rastelli repair. <i>Europace</i> , 2011, 13, 1050-1052.	1.7	2
69	Fused Whole-Heart Coronary and Myocardial Scar Imaging Using 3-T CMR. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 921-930.	5.3	33
70	Pectus Excavatum With Compression of the Inferior Vena Cava. <i>Circulation</i> , 2009, 120, 1722-1724.	1.6	12
71	The Role of Cardiovascular MRI in Heart Failure and the Cardiomyopathies. <i>Cardiology Clinics</i> , 2007, 25, 71-95.	2.2	51
72	The Role of Cardiovascular MRI in Heart Failure and the Cardiomyopathies. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2007, 15, 541-564.	1.1	15

#	ARTICLE	IF	CITATIONS
73	Delayed Enhancement Magnetic Resonance Imaging Predicts Response to Cardiac Resynchronization Therapy in Patients With Intraventricular Dyssynchrony. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1953-1960.	2.8	348
74	Validation of a three-dimensional intravascular ultrasound imaging technique to assess atherosclerotic burden: potential for improved assessment of cardiac allograft coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2003, 19, 1147-53.	1.7	7
75	Machine Learning Patient-Specific Prediction of Heart Failure Hospitalization Using Cardiac MRI-Based Phenotype and Electronic Health Information. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	3