

Ming-Feng Hou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/493300/ming-feng-hou-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

261
papers

9,148
citations

43
h-index

87
g-index

271
ext. papers

10,880
ext. citations

5.3
avg, IF

5.64
L-index

#	Paper	IF	Citations
261	Long-term effects of continuing adjuvant tamoxifen to 10 years versus stopping at 5 years after diagnosis of oestrogen receptor-positive breast cancer: ATLAS, a randomised trial. <i>Lancet, The</i> , 2013 , 381, 805-16	40	1293
260	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
259	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
258	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
257	Deregulated expression of the PER1, PER2 and PER3 genes in breast cancers. <i>Carcinogenesis</i> , 2005 , 26, 1241-6	4.6	319
256	Serum adiponectin and leptin levels in Taiwanese breast cancer patients. <i>Cancer Letters</i> , 2006 , 237, 109-14	1.9	262
255	New Insights into the Role of Inflammation in the Pathogenesis of Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	181
254	Marine algal natural products with anti-oxidative, anti-inflammatory, and anti-cancer properties. <i>Cancer Cell International</i> , 2013 , 13, 55	6.4	176
253	Neratinib Plus Capecitabine Versus Lapatinib Plus Capecitabine in HER2-Positive Metastatic Breast Cancer Previously Treated With \geq HER2-Directed Regimens: Phase III NALA Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3138-3149	2.2	150
252	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 3289-303	5.6	140
251	Superoxide anion radical, lipid peroxides and antioxidant status in the blood of patients with breast cancer. <i>Clinica Chimica Acta</i> , 2005 , 361, 104-11	6.2	118
250	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	24.4	104
249	AIM2 suppresses human breast cancer cell proliferation in vitro and mammary tumor growth in a mouse model. <i>Molecular Cancer Therapeutics</i> , 2006 , 5, 1-7	6.1	98
248	Cancer/stroma interplay via cyclooxygenase-2 and indoleamine 2,3-dioxygenase promotes breast cancer progression. <i>Breast Cancer Research</i> , 2014 , 16, 410	8.3	91
247	Oxidative stress-modulating drugs have preferential anticancer effects - involving the regulation of apoptosis, DNA damage, endoplasmic reticulum stress, autophagy, metabolism, and migration. <i>Seminars in Cancer Biology</i> , 2019 , 58, 109-117	12.7	89
246	Up-regulation of miR-182 by β -catenin in breast cancer increases tumorigenicity and invasiveness by targeting the matrix metalloproteinase inhibitor RECK. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 3067-76	4	88
245	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80

244	MicroRNA-93 inhibits tumor growth and early relapse of human colorectal cancer by affecting genes involved in the cell cycle. <i>Carcinogenesis</i> , 2012 , 33, 1522-30	4.6	77
243	A study of glutathione status in the blood and tissues of patients with breast cancer. <i>Cell Biochemistry and Function</i> , 2006 , 24, 555-9	4.2	76
242	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013 , 22, 2539-50	5.6	75
241	High visfatin expression in breast cancer tissue is associated with poor survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1892-901	4	67
240	miR-125a-5p is a prognostic biomarker that targets HDAC4 to suppress breast tumorigenesis. <i>Oncotarget</i> , 2015 , 6, 494-509	3.3	67
239	DNA methylation, histone acetylation and methylation of epigenetic modifications as a therapeutic approach for cancers. <i>Cancer Letters</i> , 2016 , 373, 185-92	9.9	66
238	Resistin expression in breast cancer tissue as a marker of prognosis and hormone therapy stratification. <i>Gynecologic Oncology</i> , 2012 , 125, 742-50	4.9	66
237	Quality of life after palliative radiation therapy for patients with painful bone metastases: results of an international study validating the EORTC QLQ-BM22. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e337-42	4	66
236	Association of vitamin D receptor gene polymorphism with sporadic breast cancer in Taiwanese patients. <i>Breast Cancer Research and Treatment</i> , 2002 , 74, 1-7	4.4	65
235	Long noncoding RNAs-related diseases, cancers, and drugs. <i>Scientific World Journal, The</i> , 2013 , 2013, 943539	2.2	62
234	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
233	Involvement of store-operated calcium signaling in EGF-mediated COX-2 gene activation in cancer cells. <i>Cellular Signalling</i> , 2012 , 24, 162-9	4.9	58
232	VLDL and LDL, but not HDL, promote breast cancer cell proliferation, metastasis and angiogenesis. <i>Cancer Letters</i> , 2017 , 388, 130-138	9.9	55
231	The association between lipid profiles and breast cancer among Taiwanese women. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1219-23	5.9	55
230	Molecular characterization of germline mutations in the BRCA1 and BRCA2 genes from breast cancer families in Taiwan. <i>Human Genetics</i> , 1999 , 104, 201-4	6.3	53
229	Role of MRE11 in cell proliferation, tumor invasion, and DNA repair in breast cancer. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1485-502	9.7	52
228	International field testing of the reliability and validity of the EORTC QLQ-BM22 module to assess health-related quality of life in patients with bone metastases. <i>Cancer</i> , 2012 , 118, 1457-65	6.4	51
227	Quality of life, depression, and stress in breast cancer women outpatients receiving active therapy in Taiwan. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 147-53	6.2	49

226	Comparison of 6q25 breast cancer hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012 , 7, e42380	3.7	49
225	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
224	1,5-Diphenylpent-3-en-1-yne and methyl naphthalene carboxylates from Lawsonia inermis and their anti-inflammatory activity. <i>Phytochemistry</i> , 2013 , 88, 67-73	4	46
223	The synthetic β -nitrostyrene derivative CYT-Rx20 induces breast cancer cell death and autophagy via ROS-mediated MEK/ERK pathway. <i>Cancer Letters</i> , 2016 , 371, 251-61	9.9	44
222	4-Shogaol, an active constituent of dietary ginger, inhibits metastasis of MDA-MB-231 human breast adenocarcinoma cells by decreasing the repression of NF- κ B/Snail on RKIP. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 852-61	5.7	44
221	Orai1/CRACM1 overexpression suppresses cell proliferation via attenuation of the store-operated calcium influx-mediated signalling pathway in A549 lung cancer cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011 , 1810, 1278-84	4	44
220	Evaluating the performance of fibronectin 1 (FN1), integrin α 1 (ITGA4), syndecan-2 (SDC2), and glycoprotein CD44 as the potential biomarkers of oral squamous cell carcinoma (OSCC). <i>Biomarkers</i> , 2013 , 18, 63-72	2.6	43
219	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
218	A novel estrogen receptor-microRNA 190a-PAR-1-pathway regulates breast cancer progression, a finding initially suggested by genome-wide analysis of loci associated with lymph-node metastasis. <i>Human Molecular Genetics</i> , 2014 , 23, 355-67	5.6	42
217	Comparison of breast mammography, sonography and physical examination for screening women at high risk of breast cancer in taiwan. <i>Ultrasound in Medicine and Biology</i> , 2002 , 28, 415-20	3.5	42
216	Indomethacin inhibits cancer cell migration via attenuation of cellular calcium mobilization. <i>Molecules</i> , 2013 , 18, 6584-96	4.8	41
215	Fascin protein is critical for transforming growth factor β protein-induced invasion and filopodia formation in spindle-shaped tumor cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 38865-75	5.4	41
214	Phthalates stimulate the epithelial to mesenchymal transition through an HDAC6-dependent mechanism in human breast epithelial stem cells. <i>Toxicological Sciences</i> , 2012 , 128, 365-76	4.4	40
213	Increasing CD44+/CD24(-) tumor stem cells, and upregulation of COX-2 and HDAC6, as major functions of HER2 in breast tumorigenesis. <i>Molecular Cancer</i> , 2010 , 9, 288	42.1	40
212	Molecular Regulation of Bone Metastasis Pathogenesis. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 1423-1438	3.9	39
211	Methylation of BRCA1 promoter region is associated with unfavorable prognosis in women with early-stage breast cancer. <i>PLoS ONE</i> , 2013 , 8, e56256	3.7	39
210	Concentration effects of grape seed extracts in anti-oral cancer cells involving differential apoptosis, oxidative stress, and DNA damage. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 94	4.7	38
209	Cyclooxygenase-2 up-regulates CCR7 expression via AKT-mediated phosphorylation and activation of Sp1 in breast cancer cells. <i>Journal of Cellular Physiology</i> , 2013 , 228, 341-8	7	38

208	Identification of Prognostic Candidate Genes in Breast Cancer by Integrated Bioinformatic Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	36
207	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
206	The functional significance of microRNA-29c in patients with colorectal cancer: a potential circulating biomarker for predicting early relapse. <i>PLoS ONE</i> , 2013 , 8, e66842	3.7	36
205	Lysine demethylase 2A promotes stemness and angiogenesis of breast cancer by upregulating Jagged1. <i>Oncotarget</i> , 2016 , 7, 27689-710	3.3	36
204	Activation of VCAM-1 and its associated molecule CD44 leads to increased malignant potential of breast cancer cells. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 3560-79	6.3	35
203	Symptom Cluster Trajectories During Chemotherapy in Breast Cancer Outpatients. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 1017-1025	4.8	33
202	Sinularin Selectively Kills Breast Cancer Cells Showing G2/M Arrest, Apoptosis, and Oxidative DNA Damage. <i>Molecules</i> , 2018 , 23,	4.8	33
201	Methanolic extracts of <i>Solieria robusta</i> inhibits proliferation of oral cancer Ca9-22 cells via apoptosis and oxidative stress. <i>Molecules</i> , 2014 , 19, 18721-32	4.8	33
200	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012 , 33, 1123-32	4.7	33
199	6-shogaol, an active constituent of dietary ginger, impairs cancer development and lung metastasis by inhibiting the secretion of CC-chemokine ligand 2 (CCL2) in tumor-associated dendritic cells. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1730-8	5.7	32
198	Histamine regulates cyclooxygenase 2 gene activation through Orai1-mediated NFB activation in lung cancer cells. <i>Cell Calcium</i> , 2011 , 50, 27-35	4	32
197	RTOG, CTCAE and WHO criteria for acute radiation dermatitis correlate with cutaneous blood flow measurements. <i>Breast</i> , 2015 , 24, 230-6	3.6	31
196	Chemical profiling of the cytotoxic triterpenoid-concentrating fraction and characterization of ergostane stereo-isomer ingredients from <i>Antrodia camphorata</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 58, 182-92	3.5	31
195	β1 Integrin as a Prognostic and Predictive Marker in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	31
194	Extracellular Visfatin-Promoted Malignant Behavior in Breast Cancer Is Mediated Through c-Abl and STAT3 Activation. <i>Clinical Cancer Research</i> , 2016 , 22, 4478-90	12.9	31
193	Wedelolactone inhibits breast cancer-induced osteoclastogenesis by decreasing Akt/mTOR signaling. <i>International Journal of Oncology</i> , 2015 , 46, 555-62	4.4	30
192	Gene expression profiling combined with functional analysis identify integrin beta1 (ITGB1) as a potential prognosis biomarker in triple negative breast cancer. <i>Pharmacological Research</i> , 2016 , 104, 31-7	10.2	29
191	The Optimal First-Line Therapy of <i>Helicobacter pylori</i> Infection in Year 2012. <i>Gastroenterology Research and Practice</i> , 2012 , 2012, 168361	2	29

190	Reactive oxygen species and autophagy modulation in non-marine drugs and marine drugs. <i>Marine Drugs</i> , 2014 , 12, 5408-24	6	28
189	Brefeldin A reduces anchorage-independent survival, cancer stem cell potential and migration of MDA-MB-231 human breast cancer cells. <i>Molecules</i> , 2014 , 19, 17464-77	4.8	28
188	Laparoscopic assisted placement of peritoneal dialysis catheters for selected patients with previous abdominal operation. <i>Journal of Investigative Surgery</i> , 2005 , 18, 59-62	1.2	28
187	Bispecific Antibody Conjugated Manganese-Based Magnetic Engineered Iron Oxide for Imaging of HER2/neu- and EGFR-Expressing Tumors. <i>Theranostics</i> , 2016 , 6, 118-30	12.1	28
186	Biomarker Characterization by MALDI-TOF/MS. <i>Advances in Clinical Chemistry</i> , 2015 , 69, 209-54	5.8	27
185	CD40 Gene polymorphisms associated with susceptibility and coronary artery lesions of Kawasaki disease in the Taiwanese population. <i>Scientific World Journal, The</i> , 2012 , 2012, 520865	2.2	27
184	Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2222-31	4	27
183	Simultaneous detection of multiple mRNA markers CK19, CEA, c-Met, Her2/neu and hMAM with membrane array, an innovative technique with a great potential for breast cancer diagnosis. <i>Cancer Letters</i> , 2006 , 240, 279-88	9.9	27
182	Determinants of quality of life in advanced cancer patients with bone metastases undergoing palliative radiation treatment. <i>Supportive Care in Cancer</i> , 2013 , 21, 3021-30	3.9	26
181	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
180	Association of long-chain acyl-coenzyme A synthetase β expression in human breast cancer by estrogen receptor status and its clinical significance. <i>Oncology Reports</i> , 2017 , 37, 3253-3260	3.5	25
179	Infection control measures of a Taiwanese hospital to confront the COVID-19 pandemic. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 296-304	2.4	25
178	Alternative splicing for diseases, cancers, drugs, and databases. <i>Scientific World Journal, The</i> , 2013 , 2013, 703568	2.2	25
177	Targeting of TGF β -activated protein kinase 1 inhibits chemokine (C-C motif) receptor 7 expression, tumor growth and metastasis in breast cancer. <i>Oncotarget</i> , 2015 , 6, 995-1007	3.3	25
176	LGR5 overexpression confers poor relapse-free survival in breast cancer patients. <i>BMC Cancer</i> , 2018 , 18, 219	4.8	24
175	Predictive value of vascular endothelial growth factor overexpression in early relapse of colorectal cancer patients after curative resection. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 415-24	3	24
174	Inhibition of chemokine (C-C motif) receptor 7 sialylation suppresses CCL19-stimulated proliferation, invasion and anti-anoikis. <i>PLoS ONE</i> , 2014 , 9, e98823	3.7	24
173	Incidence and risk factors associated with bilateral breast cancer in area with early age diagnosis but low incidence of primary breast cancer: analysis of 10-year longitudinal cohort in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 221-8	4.4	24

172	Neocarzinostatin induces Mre11 phosphorylation and focus formation through an ATM- and NBS1-dependent mechanism. <i>Toxicology</i> , 2002 , 177, 123-30	4.4	24
171	Bioactive 6S-styryllactone constituents of <i>Polyalthia parviflora</i> . <i>Journal of Natural Products</i> , 2014 , 77, 2626-32	4.9	23
170	Decreased expression of autophagy protein LC3 and stemness (CD44+/CD24-/low) indicate poor prognosis in triple-negative breast cancer. <i>Human Pathology</i> , 2016 , 48, 48-55	3.7	22
169	Benzyl butyl phthalate increases the chemoresistance to doxorubicin/cyclophosphamide by increasing breast cancer-associated dendritic cell-derived CXCL1/GRO α and S100A8/A9. <i>Oncology Reports</i> , 2015 , 34, 2889-900	3.5	22
168	Comparison of clinical outcome of breast cancer patients with T1-2 tumor and one to three positive nodes with or without postmastectomy radiation therapy. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 711-20	2.8	22
167	Decreased expression of phosphorylated JNK in breast infiltrating ductal carcinoma is associated with a better overall survival. <i>International Journal of Cancer</i> , 2006 , 118, 2678-84	7.5	22
166	The clinical significance between activation of nuclear factor kappa B transcription factor and overexpression of HER-2/neu oncoprotein in Taiwanese patients with breast cancer. <i>Clinica Chimica Acta</i> , 2003 , 334, 137-44	6.2	22
165	Breast cancer-associated high-order SNP-SNP interaction of CXCL12/CXCR4-related genes by an improved multifactor dimensionality reduction (MDR-ER). <i>Oncology Reports</i> , 2016 , 36, 1739-47	3.5	22
164	High chondroitin sulfate proteoglycan 4 expression correlates with poor outcome in patients with breast cancer. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 441, 514-8	3.4	21
163	In vivo positron emission tomography imaging of protease activity by generation of a hydrophobic product from a noninhibitory protease substrate. <i>Clinical Cancer Research</i> , 2012 , 18, 238-47	12.9	21
162	Breast cancer risk associated with genotypic polymorphism of the genes involved in the estrogen-receptor-signaling pathway: a multigenic study on cancer susceptibility. <i>Journal of Biomedical Science</i> , 2006 , 13, 419-32	13.3	21
161	Solute Carrier Family 27 Member 4 (SLC27A4) Enhances Cell Growth, Migration, and Invasion in Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
160	Expression of manganese superoxide dismutase in patients with breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2011 , 27, 167-72	2.4	20
159	A genetic polymorphism (rs17251221) in the calcium-sensing receptor gene (CASR) is associated with stone multiplicity in calcium nephrolithiasis. <i>PLoS ONE</i> , 2011 , 6, e25227	3.7	20
158	Visfatin Mediates Malignant Behaviors through Adipose-Derived Stem Cells Intermediary in Breast Cancer. <i>Cancers</i> , 2019 , 12,	6.6	20
157	Altered monocyte differentiation and macrophage polarization patterns in patients with breast cancer. <i>BMC Cancer</i> , 2018 , 18, 366	4.8	19
156	The NuRD complex-mediated p21 suppression facilitates chemoresistance in BRCA-proficient breast cancer. <i>Experimental Cell Research</i> , 2017 , 359, 458-465	4.2	19
155	Alkaloids from <i>Pandanus amaryllifolius</i> : Isolation and Their Plausible Biosynthetic Formation. <i>Journal of Natural Products</i> , 2015 , 78, 2346-54	4.9	18

154	Intensity modulated radiotherapy with simultaneous integrated boost vs. conventional radiotherapy with sequential boost for breast cancer - A preliminary result. <i>Breast</i> , 2015 , 24, 656-60	3.6	18
153	Wild-type p53 upregulates an early onset breast cancer-associated gene <i>GAS7</i> to suppress metastasis via <i>GAS7</i> -CYFIP1-mediated signaling pathway. <i>Oncogene</i> , 2018 , 37, 4137-4150	9.2	18
152	Isolinderalactone enhances the inhibition of SOCS3 on STAT3 activity by decreasing miR-30c in breast cancer. <i>Oncology Reports</i> , 2016 , 35, 1356-64	3.5	18
151	The synthetic flavonoid WYC02-9 inhibits cervical cancer cell migration/invasion and angiogenesis via MAPK14 signaling. <i>Gynecologic Oncology</i> , 2013 , 131, 734-43	4.9	18
150	Alkylamides of <i>Acmella oleracea</i> . <i>Molecules</i> , 2015 , 20, 6970-7	4.8	18
149	Didymin reverses phthalate ester-associated breast cancer aggravation in the breast cancer tumor microenvironment. <i>Oncology Letters</i> , 2016 , 11, 1035-1042	2.6	18
148	Research and development of Cordyceps in Taiwan. <i>Food Science and Human Wellness</i> , 2016 , 5, 177-185	8.3	18
147	Assessment of variation in immunosuppressive pathway genes reveals <i>TGFBR2</i> to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015 , 17, 18	8.3	17
146	Pb ²⁺ induced IL-8 gene expression by extracellular signal-regulated kinases and the transcription factor, activator protein 1, in human gastric carcinoma cells. <i>Environmental Toxicology</i> , 2015 , 30, 315-22	4.2	17
145	CHD4-mediated loss of E-cadherin determines metastatic ability in triple-negative breast cancer cells. <i>Experimental Cell Research</i> , 2018 , 363, 65-72	4.2	17
144	Identifying association model for single-nucleotide polymorphisms of <i>ORAI1</i> gene for breast cancer. <i>Cancer Cell International</i> , 2014 , 14, 29	6.4	17
143	5-azacytidine induces anoikis, inhibits mammosphere formation and reduces metalloproteinase 9 activity in MCF-7 human breast cancer cells. <i>Molecules</i> , 2014 , 19, 3149-59	4.8	17
142	Interaction of genetic polymorphisms in cytochrome P450 2E1 and glutathione S-transferase M1 to breast cancer in Taiwanese woman without smoking and drinking habits. <i>Breast Cancer Research and Treatment</i> , 2006 , 100, 93-8	4.4	17
141	FAK is Required for Tumor Metastasis-Related Fluid Microenvironment in Triple-Negative Breast Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	17
140	Acid suppressive agents and risk of <i>Mycobacterium tuberculosis</i> : case-control study. <i>BMC Gastroenterology</i> , 2014 , 14, 91	3	16
139	Involvement of <i>STIM1</i> and <i>Orai1</i> in EGF-mediated cell growth in retinal pigment epithelial cells. <i>Journal of Biomedical Science</i> , 2013 , 20, 41	13.3	16
138	An international prospective study establishing minimal clinically important differences in the EORTC QLQ-BM22 and QLQ-C30 in cancer patients with bone metastases. <i>Supportive Care in Cancer</i> , 2012 , 20, 3307-13	3.9	16
137	Oxidative stress-related enzyme gene polymorphisms and susceptibility to breast cancer in non-smoking, non-alcohol-consuming Taiwanese women: a case-control study. <i>Annals of Clinical Biochemistry</i> , 2012 , 49, 152-8	2.2	16

136	A retrospective study of the safety and efficacy of a first-line treatment with modified FOLFOX-4 in unresectable advanced or recurrent gastric cancer patients. <i>Chemotherapy</i> , 2012 , 58, 411-8	3.2	16
135	Ethyl acetate extract of <i>Nepenthes adrianae</i> x <i>clipeata</i> induces antiproliferation, apoptosis, and DNA damage against oral cancer cells through oxidative stress. <i>Environmental Toxicology</i> , 2019 , 34, 891-901	4.2	15
134	Overexpression of Enolase correlates with poor survival in canine mammary carcinoma. <i>BMC Veterinary Research</i> , 2011 , 7, 62	2.7	15
133	Randomized phase II/III trial of active immunotherapy with OPT-822/OPT-821 in patients with metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1003-1003	2.2	15
132	Multi-center study on patient selection for and the oncologic safety of intraoperative radiotherapy (IORT) with the Xofigo Axxent [®] eBx [®] System for the management of early stage breast cancer in Taiwan. <i>PLoS ONE</i> , 2017 , 12, e0185876	3.7	15
131	Function of DNA methyltransferase 3a in lead (Pb(2+))-Induced Cyclooxygenase-2 gene. <i>Environmental Toxicology</i> , 2015 , 30, 1024-32	4.2	14
130	Characterization of Niemann-Pick Type C2 protein expression in multiple cancers using a novel NPC2 monoclonal antibody. <i>PLoS ONE</i> , 2013 , 8, e77586	3.7	14
129	Impact of FAK Expression on the Cytotoxic Effects of CIK Therapy in Triple-Negative Breast Cancer. <i>Cancers</i> , 2019 , 12,	6.6	14
128	Identifying Risk Stratification Associated With a Cancer for Overall Survival by Deep Learning-Based CoxPH. <i>IEEE Access</i> , 2019 , 7, 67708-67717	3.5	13
127	Androgen receptor and gene network: Micromechanics reassemble the signaling machinery of TMPRSS2-ERG positive prostate cancer cells. <i>Cancer Cell International</i> , 2014 , 14, 34	6.4	13
126	Changes in biophysical properties of the skin following radiotherapy for breast cancer. <i>Journal of Dermatology</i> , 2014 , 41, 1087-94	1.6	13
125	Association between the apolipoprotein E genotypes and breast cancer patients in Taiwanese. <i>Breast Cancer Research and Treatment</i> , 2006 , 98, 109-13	4.4	13
124	Antibodies of different immunoglobulin isotypes in serum and bile of patients with clonorchiasis. <i>Annals of Tropical Medicine and Parasitology</i> , 1992 , 86, 263-9		13
123	Fine Needle Aspiration Combined With Matrix-assisted Laser Desorption Ionization Time-of-Flight/Mass Spectrometry to Characterize Lipid Biomarkers for Diagnosing Accuracy of Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, 373-381.e1	3	12
122	Activation of mitochondrial unfolded protein response is associated with Her2-overexpression breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 61-70	4.4	12
121	Feasibility and acceptability of a culturally adapted advance care planning intervention for people living with advanced cancer and their families: A mixed methods study. <i>Palliative Medicine</i> , 2020 , 34, 651-666	5.5	12
120	S100B expression in breast cancer as a predictive marker for cancer metastasis. <i>International Journal of Oncology</i> , 2018 , 52, 433-440	4.4	12
119	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12

118	Computational analysis of mRNA expression profiles identifies the ITG family and PIK3R3 as crucial genes for regulating triple negative breast cancer cell migration. <i>BioMed Research International</i> , 2014 , 2014, 536591	3	12
117	Predicting two-year quality of life after breast cancer surgery using artificial neural network and linear regression models. <i>Breast Cancer Research and Treatment</i> , 2012 , 135, 221-9	4.4	12
116	Decreased total MKP-1 protein levels predict poor prognosis in breast cancer. <i>World Journal of Surgery</i> , 2012 , 36, 1922-32	3.3	12
115	Factors influencing health related quality of life in cancer patients with bone metastases. <i>Journal of Palliative Medicine</i> , 2013 , 16, 915-21	2.2	12
114	Phyto-SERM constitutes from <i>Flemingia macrophylla</i> . <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15578-94	6.3	12
113	Predictive factors of overall well-being using the EORTC QLQ-C15-PAL extracted from the EORTC QLQ-C30. <i>Journal of Palliative Medicine</i> , 2013 , 16, 402-8	2.2	12
112	High frequency of G/C transversion on p53 gene alterations in breast cancers from Taiwan. <i>Cancer Letters</i> , 2004 , 207, 59-67	9.9	12
111	A functional variant near XCL1 gene improves breast cancer survival via promoting cancer immunity. <i>International Journal of Cancer</i> , 2020 , 146, 2182-2193	7.5	12
110	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
109	Cell Reprogramming in Tumorigenesis and Its Therapeutic Implications for Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
108	Prognostic value of protein inhibitor of activated STAT3 in breast cancer patients receiving hormone therapy. <i>BMC Cancer</i> , 2016 , 16, 20	4.8	11
107	Myosin IIa activation is crucial in breast cancer derived galectin-1 mediated tolerogenic dendritic cell differentiation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 1965-76	4	11
106	Predicting quality of life after breast cancer surgery using ANN-based models: performance comparison with MR. <i>Supportive Care in Cancer</i> , 2013 , 21, 1341-50	3.9	11
105	The Combinational Polymorphisms of ORAI1 Gene Are Associated with Preventive Models of Breast Cancer in the Taiwanese. <i>BioMed Research International</i> , 2015 , 2015, 281263	3	11
104	Obtusifolin suppresses phthalate esters-induced breast cancer bone metastasis by targeting parathyroid hormone-related protein. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 11933-40	5.7	11
103	The mitogen-activated protein kinase phosphatase-1 (MKP-1) gene is a potential methylation biomarker for malignancy of breast cancer. <i>Experimental and Molecular Medicine</i> , 2012 , 44, 356-62	12.8	11
102	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
101	Sentinel lymphadenectomy for circumscribed cutaneous T-cell lymphoma. <i>Dermatologic Surgery</i> , 2004 , 30, 952-6	1.7	10

100	Cloud-Based Service Information System for Evaluating Quality of Life after Breast Cancer Surgery. <i>PLoS ONE</i> , 2015 , 10, e0139252	3.7	10
99	Visfatin Enhances Breast Cancer Progression through CXCL1 Induction in Tumor-Associated Macrophages. <i>Cancers</i> , 2020 , 12,	6.6	10
98	Diagnostic value of urine deoxyypyridinoline for detecting bone metastases in breast cancer patients. <i>Annals of Clinical and Laboratory Science</i> , 2003 , 33, 55-61	0.9	10
97	YWHAE promotes proliferation, metastasis, and chemoresistance in breast cancer cells. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 408-416	2.4	9
96	New Insight on Solute Carrier Family 27 Member 6 (SLC27A6) in Tumoral and Non-Tumoral Breast Cells. <i>International Journal of Medical Sciences</i> , 2019 , 16, 366-375	3.7	9
95	Cumulative receiver operating characteristics for analyzing interaction between tissue visfatin and clinicopathologic factors in breast cancer progression. <i>Cancer Cell International</i> , 2018 , 18, 19	6.4	9
94	Identification of CHD4- α 1 integrin axis as a prognostic marker in triple-negative breast cancer using next-generation sequencing and bioinformatics. <i>Life Sciences</i> , 2019 , 238, 116963	6.8	9
93	Total synthetic protoapigenone WYC02 inhibits cervical cancer cell proliferation and tumour growth through PIK3 signalling pathway. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013 , 113, 8-18 ^{3.1}		9
92	Prophylactic Treatment with Adlay Bran Extract Reduces the Risk of Severe Acute Radiation Dermatitis: A Prospective, Randomized, Double-Blind Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 312072	2.3	9
91	The association between DNA copy number aberrations at chromosome 5q22 and gastric cancer. <i>PLoS ONE</i> , 2014 , 9, e106624	3.7	9
90	Identification of Id1 as a downstream effector for arsenic-promoted angiogenesis PI3K/Akt, NF- κ B and NOS signaling. <i>Toxicology Research</i> , 2016 , 5, 151-159	2.6	8
89	Effect of eribulin on patients with metastatic breast cancer: multicenter retrospective observational study in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 583-591	4.4	8
88	Diterpenes from <i>Grangea maderaspatana</i> . <i>Phytochemistry</i> , 2016 , 131, 124-129	4	8
87	Breast cancer surgery volume-cost associations: hierarchical linear regression and propensity score matching analysis in a nationwide Taiwan population. <i>Surgical Oncology</i> , 2013 , 22, 178-83	2.5	8
86	P53 codon 72 polymorphism in Taiwanese breast cancer patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 259-64	2.4	8
85	Cost trend analysis of initial cancer treatment in Taiwan. <i>PLoS ONE</i> , 2014 , 9, e108432	3.7	8
84	Immediate transverse rectus abdominis musculocutaneous flap reconstruction is associated with improved cancer-specific survival in locally advanced breast cancer. <i>Annals of Plastic Surgery</i> , 2014 , 73 Suppl 1, S31-6	1.7	8
83	A soft coral natural product, 11-episinulariolide acetate, inhibits gene expression of cyclooxygenase-2 and interleukin-8 through attenuation of calcium signaling. <i>Molecules</i> , 2013 , 18, 7023-34 ^{4.8}		8

82	Is a one-step operation for breast cancer patients presenting nipple discharge without palpable mass feasible?. <i>Breast</i> , 2002 , 11, 402-7	3.6	8
81	SNP 1772 C > T of HIF-1 α gene associates with breast cancer risk in a Taiwanese population. <i>Cancer Cell International</i> , 2014 , 14, 87	6.4	7
80	Tumour and lymph node uptakes on dual-phased 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography/computed tomography correlate with prognostic parameters in breast cancer. <i>Journal of International Medical Research</i> , 2014 , 42, 1209-21	1.4	7
79	Using electrospray laser desorption ionization mass spectrometry to rapidly examine the integrity of proteins stored in various solutions. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 577-86	4.4	7
78	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 37-42	2.4	7
77	High frequency of somatic missense mutation of BRCA2 in female breast cancer from Taiwan. <i>Cancer Letters</i> , 2005 , 220, 177-84	9.9	7
76	Comparison of Long-Term Outcomes of Postmastectomy Radiotherapy between Breast Cancer Patients with and without Immediate Flap Reconstruction. <i>PLoS ONE</i> , 2016 , 11, e0148318	3.7	7
75	Applications of Deep Learning and Fuzzy Systems to Detect Cancer Mortality in Next-Generation Genomic Data. <i>IEEE Transactions on Fuzzy Systems</i> , 2021 , 1-1	8.3	7
74	Distinct role of endothelial nitric oxide synthase gene polymorphisms from menopausal status in the patients with sporadic breast cancer in Taiwan. <i>Nitric Oxide - Biology and Chemistry</i> , 2018 , 72, 1-6	5	7
73	EMI2 expression as a poor prognostic factor in patients with breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 640-648	2.4	6
72	Deployment of information technology to facilitate patient care in the isolation ward during COVID-19 pandemic. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 1819-1820	8.6	6
71	Efficacy and toxicity of pegylated liposomal doxorubicin-based chemotherapy in early-stage breast cancer: a multicenter retrospective case-control study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, 198-203	1.9	6
70	Accuracy and outcomes of stereotactic vacuum-assisted breast biopsy for diagnosis and management of nonpalpable breast lesions. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 640-645	2.4	6
69	The association between single-nucleotide polymorphisms of ORA1 gene and breast cancer in a Taiwanese population. <i>Scientific World Journal, The</i> , 2012 , 2012, 916587	2.2	6
68	Ultrasound imaging evaluation of abdominal muscles after breast reconstruction with a unilateral pedicled transverse rectus abdominis myocutaneous flap. <i>Physical Therapy</i> , 2013 , 93, 356-68	3.3	6
67	Comparison between sonography and mammography for breast cancer diagnosis in oriental women after augmentation mammoplasty. <i>Annals of Plastic Surgery</i> , 2002 , 49, 120-6	1.7	6
66	PD-L1/PD-1 blockade in breast cancer: The immunotherapy era (Review). <i>Oncology Reports</i> , 2021 , 45, 5-12	3.5	6
65	Pandalisines A and B, novel indolizidine alkaloids from the leaves of <i>Pandanus utilis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 4333-6	2.9	5

64	Bone metastasis versus bone marrow metastasis? Integration of diagnosis by (18)F-Fluorodeoxyglucose positron emission/computed tomography in advanced malignancy with super bone scan: two case reports and literature review. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 229-33	2.4	5
63	Functional variants at the 21q22.3 locus involved in breast cancer progression identified by screening of genome-wide estrogen response elements. <i>Breast Cancer Research</i> , 2014 , 16, 455	8.3	5
62	Predictive factors of overall quality of life in advanced cancer patients using EORTC QLQ-C30. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2014 , 14, 139-46	2.2	5
61	High nuclear protein kinase C α expression may correlate with disease recurrence and poor survival in oral squamous cell carcinoma. <i>Human Pathology</i> , 2012 , 43, 276-81	3.7	5
60	Elevated Kr μ pel-like factor 4 transcription factor in canine mammary carcinoma. <i>BMC Veterinary Research</i> , 2011 , 7, 58	2.7	5
59	Measurement of the volume of the pedicled TRAM flap in immediate breast reconstruction. <i>Annals of Plastic Surgery</i> , 2001 , 47, 594-601	1.7	5
58	Machine Learning Algorithms to Predict Recurrence within 10 Years after Breast Cancer Surgery: A Prospective Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	5
57	Breast cancer is associated with methylation and expression of the a disintegrin and metalloproteinase domain β 3 (ADAM33) gene affected by endocrine-disrupting chemicals. <i>Oncology Reports</i> , 2018 , 40, 2766-2777	3.5	5
56	The effect of NSAIDs exposure on breast cancer risk in female patients with autoimmune diseases. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 428-434	2	4
55	Breast cancer quality of care in Taiwan in relation to hospital volume: a population-based cohort study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2015 , 11, 308-13	1.9	4
54	Whole-body FDG PET/CT in diagnosis of internal mammary nodal metastasis of ovarian carcinosarcoma. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 460-1	1.7	4
53	Is early dynamic lymphoscintigraphy for detection of sentinel lymph nodes always achievable in breast tumor?. <i>Annals of Nuclear Medicine</i> , 2006 , 20, 45-50	2.5	4
52	Value of nodal drainage patterns and tumor location from lymphoscintigraphic mapping in detecting axillary sentinel lymph node status in breast cancer: experience at Kaohsiung Medical University Hospital. <i>Kaohsiung Journal of Medical Sciences</i> , 2005 , 21, 251-7	2.4	4
51	Curcumol Suppresses Triple-negative Breast Cancer Metastasis by Attenuating Anoikis Resistance Inhibition of Skp2-mediated Transcriptional Addiction. <i>Anticancer Research</i> , 2020 , 40, 5529-5538	2.3	4
50	Pegylated Liposomal Doxorubicin as Adjuvant Therapy for Stage I-III Operable Breast Cancer. <i>In Vivo</i> , 2016 , 30, 159-63	2.3	4
49	Interaction of MRE11 and Clinicopathologic Characteristics in Recurrence of Breast Cancer: Individual and Cumulated Receiver Operating Characteristic Analyses. <i>BioMed Research International</i> , 2017 , 2017, 2563910	3	3
48	Increased Igf-1/Igfbp-3 Ratios in Postmenopausal Taiwanese with Breast Cancer, Irrespective of Er and Pr Statuses and Her2 Expression in a Case-Control Study. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 58-64	3	3
47	Differential Response of Non-cancerous and Malignant Breast Cancer Cells to Conditioned Medium of Adipose tissue-derived Stromal Cells (ASCs). <i>International Journal of Medical Sciences</i> , 2019 , 16, 893-907	3.7	3

46	Cluster of differentiation 45 activation is crucial in interleukin-10-dependent tumor-associated dendritic cell differentiation. <i>Oncology Letters</i> , 2014 , 8, 620-626	2.6	3
45	The EIIAPA chimeric promoter for tumor specific gene therapy of hepatoma. <i>Molecular Imaging and Biology</i> , 2012 , 14, 452-61	3.8	3
44	Enhanced sentinel lymphoscintigraphic mapping in breast tumor using the graded shield technique. <i>Kaohsiung Journal of Medical Sciences</i> , 2003 , 19, 339-44	2.4	3
43	Alternative Splicing, DNA Damage and Modulating Drugs in Radiation Therapy for Cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2015 , 15, 674-80	2.2	3
42	Plastic wrap combined with alcohol wiping is an effective method of preventing bacterial colonization on mobile phones. <i>Medicine (United States)</i> , 2020 , 99, e22910	1.8	3
41	Comprehensive Transcriptomic Analysis Identifies as a Survival-Related Sialyltransferase Gene in Breast Cancer. <i>Genes</i> , 2020 , 11,	4.2	3
40	Human ribonuclease 1 serves as a secretory ligand of ephrin A4 receptor and induces breast tumor initiation. <i>Nature Communications</i> , 2021 , 12, 2788	17.4	3
39	EORTC QLQ-BM22 quality of life evaluation and pain outcome in patients with bone metastases from breast cancer treated with zoledronic acid. <i>In Vivo</i> , 2014 , 28, 1001-4	2.3	3
38	Brown Algae-Derived Fucoidan Exerts Oxidative Stress-Dependent Antiproliferation on Oral Cancer Cells. <i>Antioxidants</i> , 2022 , 11, 841	7.1	3
37	Impacts of Oxidative Stress and PI3K/AKT/mTOR on Metabolism and the Future Direction of Investigating Fucoidan-Modulated Metabolism. <i>Antioxidants</i> , 2022 , 11, 911	7.1	3
36	The Immune Regulator VTCN1 Gene Polymorphisms and Its Impact on Susceptibility to Breast Cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 412-8	3	2
35	The characteristics of FDG PET/CT imaging in pulmonary Langerhans cell sarcoma. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 495-7	1.7	2
34	The CDK6-c-Jun-Sp1-MMP-2 axis as a biomarker and therapeutic target for triple-negative breast cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 4325-4341	4.4	2
33	FAK Regulates VEGFR2 Expression and Promotes Angiogenesis in Triple-Negative Breast Cancer.. <i>Biomedicines</i> , 2021 , 9,	4.8	2
32	Comprehensive profiles and diagnostic value of menopausal-specific gut microbiota in premenopausal breast cancer. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1636-1646	12.8	2
31	Use of Extended Pedicled Transverse Rectus Abdominis Myocutaneous Flap for Extensive Chest Wall Defect Reconstruction After Mastectomy for Locally Advanced Breast Cancer. <i>Annals of Plastic Surgery</i> , 2020 , 84, S34-S39	1.7	2
30	Management and investigation of individuals with an increased risk of COVID-19 transmission and infection. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 1450-1451	3.2	2
29	Pathogenesis and Potential Therapeutic Targets for Triple-Negative Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2

28	Analysis of the pan-Asian subgroup of patients in the NALA Trial: a randomized phase III NALA Trial comparing neratinib+capecitabine (N+C) vs lapatinib+capecitabine (L+C) in patients with HER2+metastatic breast cancer (mBC) previously treated with two or more HER2-directed regimens. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 665-676	4.4	2
27	Relationship between Clinicopathologic Variables in Breast Cancer Overall Survival Using Biogeography-Based Optimization Algorithm. <i>BioMed Research International</i> , 2019 , 2019, 2304128	3	1
26	Cost-effectiveness of stereotactic vacuum-assisted biopsy for nonpalpable breast lesions. <i>European Journal of Radiology</i> , 2020 , 127, 108982	4.7	1
25	Cox-2 gene overexpression in ureteral stump urothelial carcinoma following nephrectomy for renal cell carcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2012 , 6, 44	1.2	1
24	Epigenetic therapy combination of UNC0638 and CI-994 suppresses breast cancer via epigenetic remodeling of BIRC5 and GADD45A. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112431	7.5	1
23	Preparedness for the next emerging infectious disease outbreak by implementing strategic human resource management. <i>Journal of the Chinese Medical Association</i> , 2020 , 83, 973-974	2.8	1
22	Construction of an integrated sexual function questionnaire for women with breast cancer. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020 , 59, 534-540	1.6	1
21	Evolutionary Trajectories and Genomic Divergence in Localized Breast Cancers after Ipsilateral Breast Tumor Recurrence. <i>Cancers</i> , 2021 , 13,	6.6	1
20	Deletion of Jdp2 enhances Slc7a11 expression in Atoh-1 positive cerebellum granule cell progenitors in vivo. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 369	8.3	1
19	Effects of Good Pain Management (GPM) ward program on patterns of care and pain control in patients with cancer pain in Taiwan. <i>Supportive Care in Cancer</i> , 2021 , 29, 1903-1911	3.9	1
18	Multi-Omics Reveals the Immunological Role and Prognostic Potential of Mitochondrial Ubiquitin Ligase MARCH5 in Human Breast Cancer. <i>Biomedicines</i> , 2021 , 9,	4.8	1
17	Reducing dust using the electrocautery pencil with suction combined with the infusion catheter in mastectomy. <i>American Surgeon</i> , 2002 , 68, 808-11	0.8	1
16	Association between recurrent breast cancer and phthalate exposure modified by hormone receptors and body mass index.. <i>Scientific Reports</i> , 2022 , 12, 2858	4.9	1
15	Unilateral lower-limb vasculopathy: A rare adverse event of CDK4/6 inhibitor in breast cancer.. <i>Kaohsiung Journal of Medical Sciences</i> , 2022 ,	2.4	1
14	Visceral obesity and cell cycle pathways serve as links in the association between bisphenol A exposure and breast cancer. <i>Oncology Letters</i> , 2020 , 20, 33-42	2.6	0
13	DEHP mediates drug resistance by directly targeting AhR in human breast cancer. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112400	7.5	0
12	Dimethyl sulfoxide stimulates the AhR-Jdp2 axis to control ROS accumulation in mouse embryonic fibroblasts. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	0
11	Constituents of the Leaves of Pandanus Utilis. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	1.0	0

10	Differential whole-genome doubling and homologous recombination deficiencies across breast cancer subtypes from the Taiwanese population. <i>Communications Biology</i> , 2021 , 4, 1052	6.7	o
9	Association of early-onset breast cancer with body mass index, menarche, and menopause in Taiwan.. <i>BMC Cancer</i> , 2022 , 22, 259	4.8	o
8	Synergistic Antiproliferation of Cisplatin and Nitrated [6,6,6]Tricyclic Derivative (SK2) for a Combined Treatment of Oral Cancer Cells. <i>Antioxidants</i> , 2022 , 11, 926	7.1	o
7	Effects of different reminder strategies on first-time mammography screening among women in Taiwan. <i>BMC Health Services Research</i> , 2020 , 20, 114	2.9	
6	Molecular characteristics and metastasis predictor genes of triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1043-1043	2.2	
5	Estrogenic and Anti-estrogenic Constituents of <i>Erythrina caffra</i> . <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	
4	Quality of life assessment in Taiwanese patients with bone metastases from breast cancer receiving zoledronic acid. <i>Anticancer Research</i> , 2013 , 33, 5543-7	2.3	
3	Abstract P2-08-16: The cross-talk between nuclear p-ser294-FOXO3a and cytoplasmic MMP-2 in breast cancer survival and treatment response. <i>Cancer Research</i> , 2022 , 82, P2-08-16-P2-08-16	10.1	
2	Relevance of the MHC region for breast cancer susceptibility in Asians.. <i>Breast Cancer</i> , 2022 , 1	3.4	
1	Combined Treatment of Nitrated [6,6,6]Tricyclic Derivative (SK2)/Ultraviolet C Highly Inhibits Proliferation in Oral Cancer Cells In Vitro. <i>Biomedicines</i> , 2022 , 10, 1196	4.8	