

Ming-Feng Hou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/493300/ming-feng-hou-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

261
papers

9,148
citations

43
h-index

87
g-index

271
ext. papers

10,880
ext. citations

5.3
avg, IF

5.64
L-index

#	Paper	IF	Citations
261	Association between recurrent breast cancer and phthalate exposure modified by hormone receptors and body mass index.. <i>Scientific Reports</i> , 2022 , 12, 2858	4.9	1
260	Abstract P2-08-16: The cross-talk between nuclear p-ser294-FOXO3a and cytoplasmic MMP-2 in breast cancer survival and treatment response. <i>Cancer Research</i> , 2022 , 82, P2-08-16-P2-08-16	10.1	
259	Association of early-onset breast cancer with body mass index, menarche, and menopause in Taiwan.. <i>BMC Cancer</i> , 2022 , 22, 259	4.8	0
258	Unilateral lower-limb vasculopathy: A rare adverse event of CDK4/6 inhibitor in breast cancer.. <i>Kaohsiung Journal of Medical Sciences</i> , 2022 ,	2.4	1
257	Brown Algae-Derived Fucoïdan Exerts Oxidative Stress-Dependent Antiproliferation on Oral Cancer Cells. <i>Antioxidants</i> , 2022 , 11, 841	7.1	3
256	Impacts of Oxidative Stress and PI3K/AKT/mTOR on Metabolism and the Future Direction of Investigating Fucoïdan-Modulated Metabolism. <i>Antioxidants</i> , 2022 , 11, 911	7.1	3
255	Synergistic Antiproliferation of Cisplatin and Nitrated [6,6,6]Tricyclic Derivative (SK2) for a Combined Treatment of Oral Cancer Cells. <i>Antioxidants</i> , 2022 , 11, 926	7.1	0
254	Relevance of the MHC region for breast cancer susceptibility in Asians.. <i>Breast Cancer</i> , 2022 , 1	3.4	
253	Combined Treatment of Nitrated [6,6,6]Tricyclic Derivative (SK2)/Ultraviolet C Highly Inhibits Proliferation in Oral Cancer Cells In Vitro. <i>Biomedicines</i> , 2022 , 10, 1196	4.8	
252	Epigenetic therapy combination of UNC0638 and CI-994 suppresses breast cancer via epigenetic remodeling of BIRC5 and GADD45A. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112431	7.5	1
251	DEHP mediates drug resistance by directly targeting AhR in human breast cancer. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 145, 112400	7.5	0
250	FAK Regulates VEGFR2 Expression and Promotes Angiogenesis in Triple-Negative Breast Cancer.. <i>Biomedicines</i> , 2021 , 9,	4.8	2
249	PD-L1/PD-1 blockade in breast cancer: The immunotherapy era (Review). <i>Oncology Reports</i> , 2021 , 45, 5-12	3.5	6
248	Comprehensive profiles and diagnostic value of menopausal-specific gut microbiota in premenopausal breast cancer. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1636-1646	12.8	2
247	Dimethyl sulfoxide stimulates the AhR-Jdp2 axis to control ROS accumulation in mouse embryonic fibroblasts. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	0
246	Evolutionary Trajectories and Genomic Divergence in Localized Breast Cancers after Ipsilateral Breast Tumor Recurrence. <i>Cancers</i> , 2021 , 13,	6.6	1
245	Human ribonuclease 1 serves as a secretory ligand of ephrin A4 receptor and induces breast tumor initiation. <i>Nature Communications</i> , 2021 , 12, 2788	17.4	3

244	Pathogenesis and Potential Therapeutic Targets for Triple-Negative Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2
243	Deletion of Jdp2 enhances Slc7a11 expression in Atoh-1 positive cerebellum granule cell progenitors in vivo. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 369	8.3	1
242	Applications of Deep Learning and Fuzzy Systems to Detect Cancer Mortality in Next-Generation Genomic Data. <i>IEEE Transactions on Fuzzy Systems</i> , 2021 , 1-1	8.3	7
241	Effects of Good Pain Management (GPM) ward program on patterns of care and pain control in patients with cancer pain in Taiwan. <i>Supportive Care in Cancer</i> , 2021 , 29, 1903-1911	3.9	1
240	Analysis of the pan-Asian subgroup of patients in the NALA Trial: a randomized phase III NALA Trial comparing neratinib+capecitabine (N+C) vs lapatinib+capecitabine (L+C) in patients with HER2+metastatic breast cancer (mBC) previously treated with two or more HER2-directed regimens. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 665-676	4.4	2
239	Multi-Omics Reveals the Immunological Role and Prognostic Potential of Mitochondrial Ubiquitin Ligase MARCH5 in Human Breast Cancer. <i>Biomedicines</i> , 2021 , 9,	4.8	1
238	Differential whole-genome doubling and homologous recombination deficiencies across breast cancer subtypes from the Taiwanese population. <i>Communications Biology</i> , 2021 , 4, 1052	6.7	0
237	EMI2 expression as a poor prognostic factor in patients with breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 640-648	2.4	6
236	Infection control measures of a Taiwanese hospital to confront the COVID-19 pandemic. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 296-304	2.4	25
235	Deployment of information technology to facilitate patient care in the isolation ward during COVID-19 pandemic. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 1819-1820	8.6	6
234	Activation of mitochondrial unfolded protein response is associated with Her2-overexpression breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 61-70	4.4	12
233	Feasibility and acceptability of a culturally adapted advance care planning intervention for people living with advanced cancer and their families: A mixed methods study. <i>Palliative Medicine</i> , 2020 , 34, 651-666	5.5	12
232	Effects of different reminder strategies on first-time mammography screening among women in Taiwan. <i>BMC Health Services Research</i> , 2020 , 20, 114	2.9	
231	Cost-effectiveness of stereotactic vacuum-assisted biopsy for nonpalpable breast lesions. <i>European Journal of Radiology</i> , 2020 , 127, 108982	4.7	1
230	Visceral obesity and cell cycle pathways serve as links in the association between bisphenol A exposure and breast cancer. <i>Oncology Letters</i> , 2020 , 20, 33-42	2.6	0
229	The CDK6-c-Jun-Sp1-MMP-2 axis as a biomarker and therapeutic target for triple-negative breast cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 4325-4341	4.4	2
228	A functional variant near XCL1 gene improves breast cancer survival via promoting cancer immunity. <i>International Journal of Cancer</i> , 2020 , 146, 2182-2193	7.5	12
227	Use of Extended Pedicled Transverse Rectus Abdominis Myocutaneous Flap for Extensive Chest Wall Defect Reconstruction After Mastectomy for Locally Advanced Breast Cancer. <i>Annals of Plastic Surgery</i> , 2020 , 84, S34-S39	1.7	2

226	Preparedness for the next emerging infectious disease outbreak by implementing strategic human resource management. <i>Journal of the Chinese Medical Association</i> , 2020 , 83, 973-974	2.8	1
225	Neratinib Plus Capecitabine Versus Lapatinib Plus Capecitabine in HER2-Positive Metastatic Breast Cancer Previously Treated With \geq HER2-Directed Regimens: Phase III NALA Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3138-3149	2.2	150
224	Construction of an integrated sexual function questionnaire for women with breast cancer. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020 , 59, 534-540	1.6	1
223	Visfatin Enhances Breast Cancer Progression through CXCL1 Induction in Tumor-Associated Macrophages. <i>Cancers</i> , 2020 , 12,	6.6	10
222	Plastic wrap combined with alcohol wiping is an effective method of preventing bacterial colonization on mobile phones. <i>Medicine (United States)</i> , 2020 , 99, e22910	1.8	3
221	Comprehensive Transcriptomic Analysis Identifies as a Survival-Related Sialyltransferase Gene in Breast Cancer. <i>Genes</i> , 2020 , 11,	4.2	3
220	Management and investigation of individuals with an increased risk of COVID-19 transmission and infection. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 1450-1451	3.2	2
219	Curcumol Suppresses Triple-negative Breast Cancer Metastasis by Attenuating Anoikis Resistance Inhibition of Skp2-mediated Transcriptional Addiction. <i>Anticancer Research</i> , 2020 , 40, 5529-5538	2.3	4
218	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
217	Machine Learning Algorithms to Predict Recurrence within 10 Years after Breast Cancer Surgery: A Prospective Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	5
216	Ethyl acetate extract of <i>Nepenthes adrianae</i> x <i>clipeata</i> induces antiproliferation, apoptosis, and DNA damage against oral cancer cells through oxidative stress. <i>Environmental Toxicology</i> , 2019 , 34, 891-901	4.2	15
215	YWHAE promotes proliferation, metastasis, and chemoresistance in breast cancer cells. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 408-416	2.4	9
214	Relationship between Clinicopathologic Variables in Breast Cancer Overall Survival Using Biogeography-Based Optimization Algorithm. <i>BioMed Research International</i> , 2019 , 2019, 2304128	3	1
213	Cell Reprogramming in Tumorigenesis and Its Therapeutic Implications for Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
212	The effect of NSAIDs exposure on breast cancer risk in female patients with autoimmune diseases. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 428-434	2	4
211	New Insight on Solute Carrier Family 27 Member 6 (SLC27A6) in Tumoral and Non-Tumoral Breast Cells. <i>International Journal of Medical Sciences</i> , 2019 , 16, 366-375	3.7	9
210	Oxidative stress-modulating drugs have preferential anticancer effects - involving the regulation of apoptosis, DNA damage, endoplasmic reticulum stress, autophagy, metabolism, and migration. <i>Seminars in Cancer Biology</i> , 2019 , 58, 109-117	12.7	89
209	Identification of Prognostic Candidate Genes in Breast Cancer by Integrated Bioinformatic Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	36

208	Accuracy and outcomes of stereotactic vacuum-assisted breast biopsy for diagnosis and management of nonpalpable breast lesions. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 640-645	2.4	6
207	Identifying Risk Stratification Associated With a Cancer for Overall Survival by Deep Learning-Based CoxPH. <i>IEEE Access</i> , 2019 , 7, 67708-67717	3.5	13
206	Differential Response of Non-cancerous and Malignant Breast Cancer Cells to Conditioned Medium of Adipose tissue-derived Stromal Cells (ASCs). <i>International Journal of Medical Sciences</i> , 2019 , 16, 893-907	3.7	3
205	Identification of CHD4- α integrin axis as a prognostic marker in triple-negative breast cancer using next-generation sequencing and bioinformatics. <i>Life Sciences</i> , 2019 , 238, 116963	6.8	9
204	Impact of FAK Expression on the Cytotoxic Effects of CIK Therapy in Triple-Negative Breast Cancer. <i>Cancers</i> , 2019 , 12,	6.6	14
203	Visfatin Mediates Malignant Behaviors through Adipose-Derived Stem Cells Intermediary in Breast Cancer. <i>Cancers</i> , 2019 , 12,	6.6	20
202	FAK is Required for Tumor Metastasis-Related Fluid Microenvironment in Triple-Negative Breast Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	17
201	S100B expression in breast cancer as a predictive marker for cancer metastasis. <i>International Journal of Oncology</i> , 2018 , 52, 433-440	4.4	12
200	Molecular Regulation of Bone Metastasis Pathogenesis. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 1423-1438	3.9	39
199	Effect of eribulin on patients with metastatic breast cancer: multicenter retrospective observational study in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 583-591	4.4	8
198	CHD4-mediated loss of E-cadherin determines metastatic ability in triple-negative breast cancer cells. <i>Experimental Cell Research</i> , 2018 , 363, 65-72	4.2	17
197	LGR5 overexpression confers poor relapse-free survival in breast cancer patients. <i>BMC Cancer</i> , 2018 , 18, 219	4.8	24
196	Wild-type p53 upregulates an early onset breast cancer-associated gene GAS7 to suppress metastasis via GAS7-CYFIP1-mediated signaling pathway. <i>Oncogene</i> , 2018 , 37, 4137-4150	9.2	18
195	Efficacy and toxicity of pegylated liposomal doxorubicin-based chemotherapy in early-stage breast cancer: a multicenter retrospective case-control study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, 198-203	1.9	6
194	Sinularin Selectively Kills Breast Cancer Cells Showing G2/M Arrest, Apoptosis, and Oxidative DNA Damage. <i>Molecules</i> , 2018 , 23,	4.8	33
193	Altered monocyte differentiation and macrophage polarization patterns in patients with breast cancer. <i>BMC Cancer</i> , 2018 , 18, 366	4.8	19
192	Cumulative receiver operating characteristics for analyzing interaction between tissue visfatin and clinicopathologic factors in breast cancer progression. <i>Cancer Cell International</i> , 2018 , 18, 19	6.4	9
191	Distinct role of endothelial nitric oxide synthase gene polymorphisms from menopausal status in the patients with sporadic breast cancer in Taiwan. <i>Nitric Oxide - Biology and Chemistry</i> , 2018 , 72, 1-6	5	7

190	Solute Carrier Family 27 Member 4 (SLC27A4) Enhances Cell Growth, Migration, and Invasion in Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
189	Breast cancer is associated with methylation and expression of the a disintegrin and metalloproteinase domain β 3 (ADAM33) gene affected by endocrine-disrupting chemicals. <i>Oncology Reports</i> , 2018 , 40, 2766-2777	3.5	5
188	Symptom Cluster Trajectories During Chemotherapy in Breast Cancer Outpatients. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 1017-1025	4.8	33
187	Association of long-chain acyl-coenzyme A synthetase β expression in human breast cancer by estrogen receptor status and its clinical significance. <i>Oncology Reports</i> , 2017 , 37, 3253-3260	3.5	25
186	Fine Needle Aspiration Combined With Matrix-assisted Laser Desorption Ionization Time-of-Flight/Mass Spectrometry to Characterize Lipid Biomarkers for Diagnosing Accuracy of Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, 373-381.e1	3	12
185	VLDL and LDL, but not HDL, promote breast cancer cell proliferation, metastasis and angiogenesis. <i>Cancer Letters</i> , 2017 , 388, 130-138	9.9	55
184	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
183	Interaction of MRE11 and Clinicopathologic Characteristics in Recurrence of Breast Cancer: Individual and Cumulated Receiver Operating Characteristic Analyses. <i>BioMed Research International</i> , 2017 , 2017, 2563910	3	3
182	The NuRD complex-mediated p21 suppression facilitates chemoresistance in BRCA-proficient breast cancer. <i>Experimental Cell Research</i> , 2017 , 359, 458-465	4.2	19
181	New Insights into the Role of Inflammation in the Pathogenesis of Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	181
180	Multi-center study on patient selection for and the oncologic safety of intraoperative radiotherapy (IORT) with the Xofig [®] eBx [®] System for the management of early stage breast cancer in Taiwan. <i>PLoS ONE</i> , 2017 , 12, e0185876	3.7	15
179	Identification of Id1 as a downstream effector for arsenic-promoted angiogenesis PI3K/Akt, NF- κ B and NOS signaling. <i>Toxicology Research</i> , 2016 , 5, 151-159	2.6	8
178	Diterpenes from <i>Grangea maderaspatana</i> . <i>Phytochemistry</i> , 2016 , 131, 124-129	4	8
177	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-674.4	24.4	104
176	Prognostic value of protein inhibitor of activated STAT3 in breast cancer patients receiving hormone therapy. <i>BMC Cancer</i> , 2016 , 16, 20	4.8	11
175	Increased Igf-1/Igfbp-3 Ratios in Postmenopausal Taiwanese with Breast Cancer, Irrespective of Er and Pr Statuses and Her2 Expression in a Case-Control Study. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 58-64	3	3
174	The synthetic β -nitrostyrene derivative CYT-Rx20 induces breast cancer cell death and autophagy via ROS-mediated MEK/ERK pathway. <i>Cancer Letters</i> , 2016 , 371, 251-61	9.9	44
173	DNA methylation, histone acetylation and methylation of epigenetic modifications as a therapeutic approach for cancers. <i>Cancer Letters</i> , 2016 , 373, 185-92	9.9	66

172	Gene expression profiling combined with functional analysis identify integrin beta1 (ITGB1) as a potential prognosis biomarker in triple negative breast cancer. <i>Pharmacological Research</i> , 2016 , 104, 31-7	10.2	29
171	Isolinderalactone enhances the inhibition of SOCS3 on STAT3 activity by decreasing miR-30c in breast cancer. <i>Oncology Reports</i> , 2016 , 35, 1356-64	3.5	18
170	Decreased expression of autophagy protein LC3 and stemness (CD44+/CD24-/low) indicate poor prognosis in triple-negative breast cancer. <i>Human Pathology</i> , 2016 , 48, 48-55	3.7	22
169	Randomized phase II/III trial of active immunotherapy with OPT-822/OPT-821 in patients with metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1003-1003	2.2	15
168	Lysine demethylase 2A promotes stemness and angiogenesis of breast cancer by upregulating Jagged1. <i>Oncotarget</i> , 2016 , 7, 27689-710	3.3	36
167	β1 Integrin as a Prognostic and Predictive Marker in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	31
166	Comparison of Long-Term Outcomes of Postmastectomy Radiotherapy between Breast Cancer Patients with and without Immediate Flap Reconstruction. <i>PLoS ONE</i> , 2016 , 11, e0148318	3.7	7
165	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
164	Bispecific Antibody Conjugated Manganese-Based Magnetic Engineered Iron Oxide for Imaging of HER2/neu- and EGFR-Expressing Tumors. <i>Theranostics</i> , 2016 , 6, 118-30	12.1	28
163	Constituents of the Leaves of Pandanus Utilis. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	0
162	Estrogenic and Anti-estrogenic Constituents of Erythrina caffra. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	
161	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
160	Didymin reverses phthalate ester-associated breast cancer aggravation in the breast cancer tumor microenvironment. <i>Oncology Letters</i> , 2016 , 11, 1035-1042	2.6	18
159	Extracellular Visfatin-Promoted Malignant Behavior in Breast Cancer Is Mediated Through c-Abl and STAT3 Activation. <i>Clinical Cancer Research</i> , 2016 , 22, 4478-90	12.9	31
158	Research and development of Cordyceps in Taiwan. <i>Food Science and Human Wellness</i> , 2016 , 5, 177-185	8.3	18
157	Breast cancer-associated high-order SNP-SNP interaction of CXCL12/CXCR4-related genes by an improved multifactor dimensionality reduction (MDR-ER). <i>Oncology Reports</i> , 2016 , 36, 1739-47	3.5	22
156	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
155	Pegylated Liposomal Doxorubicin as Adjuvant Therapy for Stage I-III Operable Breast Cancer. <i>In Vivo</i> , 2016 , 30, 159-63	2.3	4

154	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
153	RTOG, CTCAE and WHO criteria for acute radiation dermatitis correlate with cutaneous blood flow measurements. <i>Breast</i> , 2015 , 24, 230-6	3.6	31
152	Concentration effects of grape seed extracts in anti-oral cancer cells involving differential apoptosis, oxidative stress, and DNA damage. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 94	4.7	38
151	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015 , 17, 18	8.3	17
150	Alkaloids from <i>Pandanus amaryllifolius</i> : Isolation and Their Plausible Biosynthetic Formation. <i>Journal of Natural Products</i> , 2015 , 78, 2346-54	4.9	18
149	Intensity modulated radiotherapy with simultaneous integrated boost vs. conventional radiotherapy with sequential boost for breast cancer - A preliminary result. <i>Breast</i> , 2015 , 24, 656-60	3.6	18
148	Pandalisines A and B, novel indolizidine alkaloids from the leaves of <i>Pandanus utilis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 4333-6	2.9	5
147	Function of DNA methyltransferase 3a in lead (Pb(2+))-Induced Cyclooxygenase-2 gene. <i>Environmental Toxicology</i> , 2015 , 30, 1024-32	4.2	14
146	Pb ²⁺ induced IL-8 gene expression by extracellular signal-regulated kinases and the transcription factor, activator protein 1, in human gastric carcinoma cells. <i>Environmental Toxicology</i> , 2015 , 30, 315-22	4.2	17
145	The Immune Regulator VTCN1 Gene Polymorphisms and Its Impact on Susceptibility to Breast Cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 412-8	3	2
144	Breast cancer quality of care in Taiwan in relation to hospital volume: a population-based cohort study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2015 , 11, 308-13	1.9	4
143	Alkylamides of <i>Acmella oleracea</i> . <i>Molecules</i> , 2015 , 20, 6970-7	4.8	18
142	Prophylactic Treatment with Adlay Bran Extract Reduces the Risk of Severe Acute Radiation Dermatitis: A Prospective, Randomized, Double-Blind Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 312072	2.3	9
141	The Combinational Polymorphisms of ORA1 Gene Are Associated with Preventive Models of Breast Cancer in the Taiwanese. <i>BioMed Research International</i> , 2015 , 2015, 281263	3	11
140	Biomarker Characterization by MALDI-TOF/MS. <i>Advances in Clinical Chemistry</i> , 2015 , 69, 209-54	5.8	27
139	Benzyl butyl phthalate increases the chemoresistance to doxorubicin/cyclophosphamide by increasing breast cancer-associated dendritic cell-derived CXCL1/GRO α and S100A8/A9. <i>Oncology Reports</i> , 2015 , 34, 2889-900	3.5	22
138	Wedelolactone inhibits breast cancer-induced osteoclastogenesis by decreasing Akt/mTOR signaling. <i>International Journal of Oncology</i> , 2015 , 46, 555-62	4.4	30
137	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36

136	6-shogaol, an active constituent of dietary ginger, impairs cancer development and lung metastasis by inhibiting the secretion of CC-chemokine ligand 2 (CCL2) in tumor-associated dendritic cells. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1730-8	5.7	32
135	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
134	Cloud-Based Service Information System for Evaluating Quality of Life after Breast Cancer Surgery. <i>PLoS ONE</i> , 2015 , 10, e0139252	3.7	10
133	miR-125a-5p is a prognostic biomarker that targets HDAC4 to suppress breast tumorigenesis. <i>Oncotarget</i> , 2015 , 6, 494-509	3.3	67
132	Targeting of TGF- β -activated protein kinase 1 inhibits chemokine (C-C motif) receptor 7 expression, tumor growth and metastasis in breast cancer. <i>Oncotarget</i> , 2015 , 6, 995-1007	3.3	25
131	Alternative Splicing, DNA Damage and Modulating Drugs in Radiation Therapy for Cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2015 , 15, 674-80	2.2	3
130	Myosin IIa activation is crucial in breast cancer derived galectin-1 mediated tolerogenic dendritic cell differentiation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 1965-76	4	11
129	A novel estrogen receptor-microRNA 190a-PAR-1-pathway regulates breast cancer progression, a finding initially suggested by genome-wide analysis of loci associated with lymph-node metastasis. <i>Human Molecular Genetics</i> , 2014 , 23, 355-67	5.6	42
128	Cancer/stroma interplay via cyclooxygenase-2 and indoleamine 2,3-dioxygenase promotes breast cancer progression. <i>Breast Cancer Research</i> , 2014 , 16, 410	8.3	91
127	Acid suppressive agents and risk of Mycobacterium tuberculosis: case-control study. <i>BMC Gastroenterology</i> , 2014 , 14, 91	3	16
126	Identifying association model for single-nucleotide polymorphisms of ORAI1 gene for breast cancer. <i>Cancer Cell International</i> , 2014 , 14, 29	6.4	17
125	Androgen receptor and gene network: Micromechanics reassemble the signaling machinery of TMPRSS2-ERG positive prostate cancer cells. <i>Cancer Cell International</i> , 2014 , 14, 34	6.4	13
124	Methanolic extracts of <i>Solieria robusta</i> inhibits proliferation of oral cancer Ca9-22 cells via apoptosis and oxidative stress. <i>Molecules</i> , 2014 , 19, 18721-32	4.8	33
123	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
122	Cluster of differentiation 45 activation is crucial in interleukin-10-dependent tumor-associated dendritic cell differentiation. <i>Oncology Letters</i> , 2014 , 8, 620-626	2.6	3
121	Cost trend analysis of initial cancer treatment in Taiwan. <i>PLoS ONE</i> , 2014 , 9, e108432	3.7	8
120	Inhibition of chemokine (C-C motif) receptor 7 sialylation suppresses CCL19-stimulated proliferation, invasion and anti-anoikis. <i>PLoS ONE</i> , 2014 , 9, e98823	3.7	24
119	The association between DNA copy number aberrations at chromosome 5q22 and gastric cancer. <i>PLoS ONE</i> , 2014 , 9, e106624	3.7	9

118	Reactive oxygen species and autophagy modulation in non-marine drugs and marine drugs. <i>Marine Drugs</i> , 2014 , 12, 5408-24	6	28
117	5-azacytidine induces anoikis, inhibits mammosphere formation and reduces metalloproteinase 9 activity in MCF-7 human breast cancer cells. <i>Molecules</i> , 2014 , 19, 3149-59	4.8	17
116	Brefeldin A reduces anchorage-independent survival, cancer stem cell potential and migration of MDA-MB-231 human breast cancer cells. <i>Molecules</i> , 2014 , 19, 17464-77	4.8	28
115	SNP 1772 C > T of HIF-1 α gene associates with breast cancer risk in a Taiwanese population. <i>Cancer Cell International</i> , 2014 , 14, 87	6.4	7
114	Tumour and lymph node uptakes on dual-phased 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography/computed tomography correlate with prognostic parameters in breast cancer. <i>Journal of International Medical Research</i> , 2014 , 42, 1209-21	1.4	7
113	Activation of VCAM-1 and its associated molecule CD44 leads to increased malignant potential of breast cancer cells. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 3560-79	6.3	35
112	Computational analysis of mRNA expression profiles identifies the ITG family and PIK3R3 as crucial genes for regulating triple negative breast cancer cell migration. <i>BioMed Research International</i> , 2014 , 2014, 536591	3	12
111	Bioactive 6S-styryllactone constituents of <i>Polyalthia parviflora</i> . <i>Journal of Natural Products</i> , 2014 , 77, 2626-32	4.9	23
110	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
109	Obtusifolin suppresses phthalate esters-induced breast cancer bone metastasis by targeting parathyroid hormone-related protein. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 11933-40	5.7	11
108	Changes in biophysical properties of the skin following radiotherapy for breast cancer. <i>Journal of Dermatology</i> , 2014 , 41, 1087-94	1.6	13
107	Functional variants at the 21q22.3 locus involved in breast cancer progression identified by screening of genome-wide estrogen response elements. <i>Breast Cancer Research</i> , 2014 , 16, 455	8.3	5
106	Immediate transverse rectus abdominis musculocutaneous flap reconstruction is associated with improved cancer-specific survival in locally advanced breast cancer. <i>Annals of Plastic Surgery</i> , 2014 , 73 Suppl 1, S31-6	1.7	8
105	Predictive factors of overall quality of life in advanced cancer patients using EORTC QLQ-C30. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2014 , 14, 139-46	2.2	5
104	Using electrospray laser desorption ionization mass spectrometry to rapidly examine the integrity of proteins stored in various solutions. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 577-86	4.4	7
103	EORTC QLQ-BM22 quality of life evaluation and pain outcome in patients with bone metastases from breast cancer treated with zoledronic acid. <i>In Vivo</i> , 2014 , 28, 1001-4	2.3	3
102	Up-regulation of miR-182 by β -catenin in breast cancer increases tumorigenicity and invasiveness by targeting the matrix metalloproteinase inhibitor RECK. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 3067-76	4	88
101	Marine algal natural products with anti-oxidative, anti-inflammatory, and anti-cancer properties. <i>Cancer Cell International</i> , 2013 , 13, 55	6.4	176

100	Total synthetic protoapigenone WYC02 inhibits cervical cancer cell proliferation and tumour growth through PIK3 signalling pathway. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013 , 113, 8-18 ^{3.1}		9
99	Determinants of quality of life in advanced cancer patients with bone metastases undergoing palliative radiation treatment. <i>Supportive Care in Cancer</i> , 2013 , 21, 3021-30	3.9	26
98	Predicting quality of life after breast cancer surgery using ANN-based models: performance comparison with MR. <i>Supportive Care in Cancer</i> , 2013 , 21, 1341-50	3.9	11
97	Involvement of STIM1 and Orai1 in EGF-mediated cell growth in retinal pigment epithelial cells. <i>Journal of Biomedical Science</i> , 2013 , 20, 41	13.3	16
96	Predictive value of vascular endothelial growth factor overexpression in early relapse of colorectal cancer patients after curative resection. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 415-24	3	24
95	Evaluating the performance of fibronectin 1 (FN1), integrin $\alpha 4$ (ITGA4), syndecan-2 (SDC2), and glycoprotein CD44 as the potential biomarkers of oral squamous cell carcinoma (OSCC). <i>Biomarkers</i> , 2013 , 18, 63-72	2.6	43
94	Breast cancer surgery volume-cost associations: hierarchical linear regression and propensity score matching analysis in a nationwide Taiwan population. <i>Surgical Oncology</i> , 2013 , 22, 178-83	2.5	8
93	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
92	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
91	Long-term effects of continuing adjuvant tamoxifen to 10 years versus stopping at 5 years after diagnosis of oestrogen receptor-positive breast cancer: ATLAS, a randomised trial. <i>Lancet, The</i> , 2013 , 381, 805-16	40	1293
90	Cyclooxygenase-2 up-regulates CCR7 expression via AKT-mediated phosphorylation and activation of Sp1 in breast cancer cells. <i>Journal of Cellular Physiology</i> , 2013 , 228, 341-8	7	38
89	High chondroitin sulfate proteoglycan 4 expression correlates with poor outcome in patients with breast cancer. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 441, 514-8	3.4	21
88	P53 codon 72 polymorphism in Taiwanese breast cancer patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 259-64	2.4	8
87	The synthetic flavonoid WYC02-9 inhibits cervical cancer cell migration/invasion and angiogenesis via MAPK14 signaling. <i>Gynecologic Oncology</i> , 2013 , 131, 734-43	4.9	18
86	Bone metastasis versus bone marrow metastasis? Integration of diagnosis by (18)F-fluorodeoxyglucose positron emission/computed tomography in advanced malignancy with super bone scan: two case reports and literature review. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 229-33	2.4	5
85	1,5-Diphenylpent-3-en-1-ynes and methyl naphthalene carboxylates from <i>Lawsonia inermis</i> and their anti-inflammatory activity. <i>Phytochemistry</i> , 2013 , 88, 67-73	4	46
84	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013 , 22, 2539-50	5.6	75
83	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 37-42	2.4	7

82	Factors influencing health related quality of life in cancer patients with bone metastases. <i>Journal of Palliative Medicine</i> , 2013 , 16, 915-21	2.2	12
81	Phyto-SERM constitutes from <i>Flemingia macrophylla</i> . <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15578-94	6.3	12
80	Ultrasound imaging evaluation of abdominal muscles after breast reconstruction with a unilateral pedicled transverse rectus abdominis myocutaneous flap. <i>Physical Therapy</i> , 2013 , 93, 356-68	3.3	6
79	Predictive factors of overall well-being using the EORTC QLQ-C15-PAL extracted from the EORTC QLQ-C30. <i>Journal of Palliative Medicine</i> , 2013 , 16, 402-8	2.2	12
78	The functional significance of microRNA-29c in patients with colorectal cancer: a potential circulating biomarker for predicting early relapse. <i>PLoS ONE</i> , 2013 , 8, e66842	3.7	36
77	Indomethacin inhibits cancer cell migration via attenuation of cellular calcium mobilization. <i>Molecules</i> , 2013 , 18, 6584-96	4.8	41
76	Alternative splicing for diseases, cancers, drugs, and databases. <i>Scientific World Journal, The</i> , 2013 , 2013, 703568	2.2	25
75	Long noncoding RNAs-related diseases, cancers, and drugs. <i>Scientific World Journal, The</i> , 2013 , 2013, 943539	2.2	62
74	A soft coral natural product, 11-episinulariolide acetate, inhibits gene expression of cyclooxygenase-2 and interleukin-8 through attenuation of calcium signaling. <i>Molecules</i> , 2013 , 18, 7023-34	4.8	8
73	Methylation of BRCA1 promoter region is associated with unfavorable prognosis in women with early-stage breast cancer. <i>PLoS ONE</i> , 2013 , 8, e56256	3.7	39
72	Characterization of Niemann-Pick Type C2 protein expression in multiple cancers using a novel NPC2 monoclonal antibody. <i>PLoS ONE</i> , 2013 , 8, e77586	3.7	14
71	Quality of life assessment in Taiwanese patients with bone metastases from breast cancer receiving zoledronic acid. <i>Anticancer Research</i> , 2013 , 33, 5543-7	2.3	
70	Chemical profiling of the cytotoxic triterpenoid-concentrating fraction and characterization of ergostane stereo-isomer ingredients from <i>Antrodia camphorata</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 58, 182-92	3.5	31
69	Resistin expression in breast cancer tissue as a marker of prognosis and hormone therapy stratification. <i>Gynecologic Oncology</i> , 2012 , 125, 742-50	4.9	66
68	Cox-2 gene overexpression in ureteral stump urothelial carcinoma following nephrectomy for renal cell carcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2012 , 6, 44	1.2	1
67	International field testing of the reliability and validity of the EORTC QLQ-BM22 module to assess health-related quality of life in patients with bone metastases. <i>Cancer</i> , 2012 , 118, 1457-65	6.4	51
66	An international prospective study establishing minimal clinically important differences in the EORTC QLQ-BM22 and QLQ-C30 in cancer patients with bone metastases. <i>Supportive Care in Cancer</i> , 2012 , 20, 3307-13	3.9	16
65	Predicting two-year quality of life after breast cancer surgery using artificial neural network and linear regression models. <i>Breast Cancer Research and Treatment</i> , 2012 , 135, 221-9	4.4	12

64	Quality of life after palliative radiation therapy for patients with painful bone metastases: results of an international study validating the EORTC QLQ-BM22. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e337-42	4	66
63	Phthalates stimulate the epithelial to mesenchymal transition through an HDAC6-dependent mechanism in human breast epithelial stem cells. <i>Toxicological Sciences</i> , 2012 , 128, 365-76	4.4	40
62	4-Shogaol, an active constituent of dietary ginger, inhibits metastasis of MDA-MB-231 human breast adenocarcinoma cells by decreasing the repression of NF- κ B/Snail on RKIP. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 852-61	5.7	44
61	Role of MRE11 in cell proliferation, tumor invasion, and DNA repair in breast cancer. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1485-502	9.7	52
60	High nuclear protein kinase C β expression may correlate with disease recurrence and poor survival in oral squamous cell carcinoma. <i>Human Pathology</i> , 2012 , 43, 276-81	3.7	5
59	CD40 Gene polymorphisms associated with susceptibility and coronary artery lesions of Kawasaki disease in the Taiwanese population. <i>Scientific World Journal, The</i> , 2012 , 2012, 520865	2.2	27
58	The association between single-nucleotide polymorphisms of ORAI1 gene and breast cancer in a Taiwanese population. <i>Scientific World Journal, The</i> , 2012 , 2012, 916587	2.2	6
57	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012 , 33, 1123-32	4.7	33
56	The EIIAPA chimeric promoter for tumor specific gene therapy of hepatoma. <i>Molecular Imaging and Biology</i> , 2012 , 14, 452-61	3.8	3
55	Decreased total MKP-1 protein levels predict poor prognosis in breast cancer. <i>World Journal of Surgery</i> , 2012 , 36, 1922-32	3.3	12
54	Involvement of store-operated calcium signaling in EGF-mediated COX-2 gene activation in cancer cells. <i>Cellular Signalling</i> , 2012 , 24, 162-9	4.9	58
53	MicroRNA-93 inhibits tumor growth and early relapse of human colorectal cancer by affecting genes involved in the cell cycle. <i>Carcinogenesis</i> , 2012 , 33, 1522-30	4.6	77
52	Comparison of clinical outcome of breast cancer patients with T1-2 tumor and one to three positive nodes with or without postmastectomy radiation therapy. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 711-20	2.8	22
51	Oxidative stress-related enzyme gene polymorphisms and susceptibility to breast cancer in non-smoking, non-alcohol-consuming Taiwanese women: a case-control study. <i>Annals of Clinical Biochemistry</i> , 2012 , 49, 152-8	2.2	16
50	The mitogen-activated protein kinase phosphatase-1 (MKP-1) gene is a potential methylation biomarker for malignancy of breast cancer. <i>Experimental and Molecular Medicine</i> , 2012 , 44, 356-62	12.8	11
49	In vivo positron emission tomography imaging of protease activity by generation of a hydrophobic product from a noninhibitory protease substrate. <i>Clinical Cancer Research</i> , 2012 , 18, 238-47	12.9	21
48	A retrospective study of the safety and efficacy of a first-line treatment with modified FOLFOX-4 in unresectable advanced or recurrent gastric cancer patients. <i>Chemotherapy</i> , 2012 , 58, 411-8	3.2	16
47	The Optimal First-Line Therapy of Helicobacter pylori Infection in Year 2012. <i>Gastroenterology Research and Practice</i> , 2012 , 2012, 168361	2	29

46	The characteristics of FDG PET/CT imaging in pulmonary Langerhans cell sarcoma. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 495-7	1.7	2
45	Comparison of 6q25 breast cancer hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012 , 7, e42380	3.7	49
44	Molecular characteristics and metastasis predictor genes of triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1043-1043	2.2	
43	Expression of manganese superoxide dismutase in patients with breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2011 , 27, 167-72	2.4	20
42	Orai1/CRACM1 overexpression suppresses cell proliferation via attenuation of the store-operated calcium influx-mediated signalling pathway in A549 lung cancer cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011 , 1810, 1278-84	4	44
41	Whole-body FDG PET/CT in diagnosis of internal mammary nodal metastasis of ovarian carcinosarcoma. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 460-1	1.7	4
40	Histamine regulates cyclooxygenase 2 gene activation through Orai1-mediated NF κ B activation in lung cancer cells. <i>Cell Calcium</i> , 2011 , 50, 27-35	4	32
39	Elevated Kr μ pel-like factor 4 transcription factor in canine mammary carcinoma. <i>BMC Veterinary Research</i> , 2011 , 7, 58	2.7	5
38	Overexpression of Enoxolase correlates with poor survival in canine mammary carcinoma. <i>BMC Veterinary Research</i> , 2011 , 7, 62	2.7	15
37	Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2222-31	4	27
36	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 3289-303	5.6	140
35	Fascin protein is critical for transforming growth factor β protein-induced invasion and filopodia formation in spindle-shaped tumor cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 38865-75	5.4	41
34	High visfatin expression in breast cancer tissue is associated with poor survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1892-901	4	67
33	A genetic polymorphism (rs17251221) in the calcium-sensing receptor gene (CASR) is associated with stone multiplicity in calcium nephrolithiasis. <i>PLoS ONE</i> , 2011 , 6, e25227	3.7	20
32	Increasing CD44+/CD24(-) tumor stem cells, and upregulation of COX-2 and HDAC6, as major functions of HER2 in breast tumorigenesis. <i>Molecular Cancer</i> , 2010 , 9, 288	42.1	40
31	The association between lipid profiles and breast cancer among Taiwanese women. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1219-23	5.9	55
30	Breast cancer risk associated with genotypic polymorphism of the genes involved in the estrogen-receptor-signaling pathway: a multigenic study on cancer susceptibility. <i>Journal of Biomedical Science</i> , 2006 , 13, 419-32	13.3	21
29	Is early dynamic lymphoscintigraphy for detection of sentinel lymph nodes always achievable in breast tumor?. <i>Annals of Nuclear Medicine</i> , 2006 , 20, 45-50	2.5	4

28	A study of glutathione status in the blood and tissues of patients with breast cancer. <i>Cell Biochemistry and Function</i> , 2006 , 24, 555-9	4.2	76
27	Decreased expression of phosphorylated JNK in breast infiltrating ductal carcinoma is associated with a better overall survival. <i>International Journal of Cancer</i> , 2006 , 118, 2678-84	7.5	22
26	AIM2 suppresses human breast cancer cell proliferation in vitro and mammary tumor growth in a mouse model. <i>Molecular Cancer Therapeutics</i> , 2006 , 5, 1-7	6.1	98
25	Serum adiponectin and leptin levels in Taiwanese breast cancer patients. <i>Cancer Letters</i> , 2006 , 237, 109-14	4.9	262
24	Simultaneous detection of multiple mRNA markers CK19, CEA, c-Met, Her2/neu and hMAM with membrane array, an innovative technique with a great potential for breast cancer diagnosis. <i>Cancer Letters</i> , 2006 , 240, 279-88	9.9	27
23	Quality of life, depression, and stress in breast cancer women outpatients receiving active therapy in Taiwan. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 147-53	6.2	49
22	Association between the apolipoprotein E genotypes and breast cancer patients in Taiwanese. <i>Breast Cancer Research and Treatment</i> , 2006 , 98, 109-13	4.4	13
21	Incidence and risk factors associated with bilateral breast cancer in area with early age diagnosis but low incidence of primary breast cancer: analysis of 10-year longitudinal cohort in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 221-8	4.4	24
20	Interaction of genetic polymorphisms in cytochrome P450 2E1 and glutathione S-transferase M1 to breast cancer in Taiwanese woman without smoking and drinking habits. <i>Breast Cancer Research and Treatment</i> , 2006 , 100, 93-8	4.4	17
19	Value of nodal drainage patterns and tumor location from lymphoscintigraphic mapping in detecting axillary sentinel lymph node status in breast cancer: experience at Kaohsiung Medical University Hospital. <i>Kaohsiung Journal of Medical Sciences</i> , 2005 , 21, 251-7	2.4	4
18	Laparoscopic assisted placement of peritoneal dialysis catheters for selected patients with previous abdominal operation. <i>Journal of Investigative Surgery</i> , 2005 , 18, 59-62	1.2	28
17	Superoxide anion radical, lipid peroxides and antioxidant status in the blood of patients with breast cancer. <i>Clinica Chimica Acta</i> , 2005 , 361, 104-11	6.2	118
16	High frequency of somatic missense mutation of BRCA2 in female breast cancer from Taiwan. <i>Cancer Letters</i> , 2005 , 220, 177-84	9.9	7
15	Deregulated expression of the PER1, PER2 and PER3 genes in breast cancers. <i>Carcinogenesis</i> , 2005 , 26, 1241-6	4.6	319
14	Sentinel lymphadenectomy for circumscribed cutaneous T-cell lymphoma. <i>Dermatologic Surgery</i> , 2004 , 30, 952-6	1.7	10
13	High frequency of G/C transversion on p53 gene alterations in breast cancers from Taiwan. <i>Cancer Letters</i> , 2004 , 207, 59-67	9.9	12
12	Enhanced sentinel lymphoscintigraphic mapping in breast tumor using the graded shield technique. <i>Kaohsiung Journal of Medical Sciences</i> , 2003 , 19, 339-44	2.4	3
11	The clinical significance between activation of nuclear factor kappa B transcription factor and overexpression of HER-2/neu oncoprotein in Taiwanese patients with breast cancer. <i>Clinica Chimica Acta</i> , 2003 , 334, 137-44	6.2	22

10	Diagnostic value of urine deoxyypyridinoline for detecting bone metastases in breast cancer patients. <i>Annals of Clinical and Laboratory Science</i> , 2003 , 33, 55-61	0.9	10
9	Is a one-step operation for breast cancer patients presenting nipple discharge without palpable mass feasible?. <i>Breast</i> , 2002 , 11, 402-7	3.6	8
8	Neocarzinostatin induces Mre11 phosphorylation and focus formation through an ATM- and NBS1-dependent mechanism. <i>Toxicology</i> , 2002 , 177, 123-30	4.4	24
7	Comparison of breast mammography, sonography and physical examination for screening women at high risk of breast cancer in taiwan. <i>Ultrasound in Medicine and Biology</i> , 2002 , 28, 415-20	3.5	42
6	Association of vitamin D receptor gene polymorphism with sporadic breast cancer in Taiwanese patients. <i>Breast Cancer Research and Treatment</i> , 2002 , 74, 1-7	4.4	65
5	Comparison between sonography and mammography for breast cancer diagnosis in oriental women after augmentation mammoplasty. <i>Annals of Plastic Surgery</i> , 2002 , 49, 120-6	1.7	6
4	Reducing dust using the electrocautery pencil with suction combined with the infusion catheter in mastectomy. <i>American Surgeon</i> , 2002 , 68, 808-11	0.8	1
3	Measurement of the volume of the pedicled TRAM flap in immediate breast reconstruction. <i>Annals of Plastic Surgery</i> , 2001 , 47, 594-601	1.7	5
2	Molecular characterization of germline mutations in the BRCA1 and BRCA2 genes from breast cancer families in Taiwan. <i>Human Genetics</i> , 1999 , 104, 201-4	6.3	53
1	Antibodies of different immunoglobulin isotypes in serum and bile of patients with clonorchiasis. <i>Annals of Tropical Medicine and Parasitology</i> , 1992 , 86, 263-9		13