

# Viktor Zarsky

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4933696/publications.pdf>

Version: 2024-02-01

118  
papers

7,338  
citations

43973

48  
h-index

60497

81  
g-index

126  
all docs

126  
docs citations

126  
times ranked

5465  
citing authors

#	ARTICLE	IF	CITATIONS
1	Arabidopsis EXO70B2 exocyst subunit contributes to papillae and encasement formation in antifungal defence. <i>Journal of Experimental Botany</i> , 2022, 73, 742-755.	2.4	17
2	Immunity functions of <i>Arabidopsis</i> pathogenesis-related 1 are coupled but not confined to its C-terminus processing and trafficking. <i>Molecular Plant Pathology</i> , 2022, 23, 664-678.	2.0	17
3	Diversification of <i>SEC15a</i> and <i>SEC15b</i> isoforms of an exocyst subunit in seed plants is manifested in their specific roles in <i>Arabidopsis</i> sporophyte and male gametophyte. <i>Plant Journal</i> , 2022, 110, 1382-1396.	2.8	3
4	Exocyst functions in plants: secretion and autophagy. <i>FEBS Letters</i> , 2022, 596, 2324-2334.	1.3	12
5	Auxin does not inhibit endocytosis of PIN1 and PIN2 auxin efflux carriers. <i>Plant Physiology</i> , 2021, 186, 808-811.	2.3	1
6	Dynamic membranes – the indispensable platform for plant growth, signaling, and development. <i>Plant Physiology</i> , 2021, 185, 547-549.	2.3	8
7	<i>SEC6</i> exocyst subunit contributes to multiple steps of growth and development of <i>Physcomitrella</i> ( <i>P. patens</i> ). <i>Overl</i>	2.8	7
8	Functional Specialization within the EXO70 Gene Family in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 7595.	1.8	6
9	Dynamics of Silurian Plants as Response to Climate Changes. <i>Life</i> , 2021, 11, 906.	1.1	10
10	Plasma membrane phospholipid signature recruits the plant exocyst complex via the EXO70A1 subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	40
11	Three subfamilies of exocyst EXO70 family subunits in land plants: early divergence and ongoing functional specialization. <i>Journal of Experimental Botany</i> , 2020, 71, 49-62.	2.4	28
12	Synergy among Exocyst and SNARE Interactions Identifies a Functional Hierarchy in Secretion during Vegetative Growth. <i>Plant Cell</i> , 2020, 32, 2951-2963.	3.1	19
13	Redundant and Diversified Roles Among Selected <i>Arabidopsis thaliana</i> EXO70 Paralogs During Biotic Stress Responses. <i>Frontiers in Plant Science</i> , 2020, 11, 960.	1.7	11
14	EXO70A2 Is Critical for Exocyst Complex Function in Pollen Development. <i>Plant Physiology</i> , 2020, 184, 1823-1839.	2.3	20
15	Functional analysis of phospholipase D $\gamma$ family in tobacco pollen tubes. <i>Plant Journal</i> , 2020, 103, 212-226.	2.8	17
16	Division of Labor Between Two Actin Nucleators – the Formin FH1 and the ARP2/3 Complex – in <i>Arabidopsis</i> Epidermal Cell Morphogenesis. <i>Frontiers in Plant Science</i> , 2020, 11, 148.	1.7	11
17	Regulation of Exocyst Function in Pollen Tube Growth by Phosphorylation of Exocyst Subunit EXO70C2. <i>Frontiers in Plant Science</i> , 2020, 11, 609600.	1.7	4
18	Generation of Superoxide by O $\cdot$ bohH, a NADPH Oxidase Activity During Olive ( <i>Olea europaea</i> L.) Pollen Development and Germination. <i>Frontiers in Plant Science</i> , 2019, 10, 1149.	1.7	28

#	ARTICLE	IF	CITATIONS
19	Arabidopsis Trichome Contains Two Plasma Membrane Domains with Different Lipid Compositions Which Attract Distinct EXO70 Subunits. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3803.	1.8	28
20	Visualizing and Quantifying In Vivo Cortical Cytoskeleton Structure and Dynamics. <i>Methods in Molecular Biology</i> , 2019, 1992, 135-149.	0.4	9
21	Arabidopsis Class I Formin FH1 Relocates between Membrane Compartments during Root Cell Ontogeny and Associates with Plasmodesmata. <i>Plant and Cell Physiology</i> , 2019, 60, 1855-1870.	1.5	26
22	Protein Prenylation in Plant Stress Responses. <i>Molecules</i> , 2019, 24, 3906.	1.7	10
23	Developmental plasticity of Arabidopsis hypocotyl is dependent on exocyst complex function. <i>Journal of Experimental Botany</i> , 2019, 70, 1255-1265.	2.4	17
24	180 Years of the Cell: From Matthias Jakob Schleiden to the Cell Biology of the Twenty-First Century. <i>Plant Cell Monographs</i> , 2018, , 7-37.	0.4	1
25	Exocyst and autophagy-related membrane trafficking in plants. <i>Journal of Experimental Botany</i> , 2018, 69, 47-57.	2.4	57
26	Exocyst Subunit EXO70H4 Has a Specific Role in Callose Synthase Secretion and Silica Accumulation. <i>Plant Physiology</i> , 2018, 176, 2040-2051.	2.3	79
27	Sporophytes of polysporangiate land plants from the early Silurian period may have been photosynthetically autonomous. <i>Nature Plants</i> , 2018, 4, 269-271.	4.7	56
28	Analysis of Exocyst Subunit EXO70 Family Reveals Distinct Membrane Polar Domains in Tobacco Pollen Tubes. <i>Plant Physiology</i> , 2017, 173, 1659-1675.	2.3	58
29	The <i>Physcomitrella patens</i> exocyst subunit EXO70.3d has distinct roles in growth and development, and is essential for completion of the moss life cycle. <i>New Phytologist</i> , 2017, 216, 438-454.	3.5	36
30	RIN4 recruits the exocyst subunit EXO70B1 to the plasma membrane. <i>Journal of Experimental Botany</i> , 2017, 68, 3253-3265.	2.4	54
31	EXO70C2 Is a Key Regulatory Factor for Optimal Tip Growth of Pollen. <i>Plant Physiology</i> , 2017, 174, 223-240.	2.3	50
32	Plant Cytokinesis: Terminology for Structures and Processes. <i>Trends in Cell Biology</i> , 2017, 27, 885-894.	3.6	155
33	Early Arabidopsis root hair growth stimulation by pathogenic strains of <i>Pseudomonas syringae</i> . <i>Annals of Botany</i> , 2017, 120, 437-446.	1.4	26
34	Microtubule-dependent targeting of the exocyst complex is necessary for xylem development in Arabidopsis. <i>New Phytologist</i> , 2017, 213, 1052-1067.	3.5	68
35	Subcellular Localization of Arabidopsis Pathogenesis-Related 1 (PR1) Protein. <i>International Journal of Molecular Sciences</i> , 2017, 18, 825.	1.8	52
36	Tethering Complexes in the Arabidopsis Endomembrane System. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 46.	1.8	89

#	ARTICLE	IF	CITATIONS
37	Constitutive Negative Regulation of R Proteins in Arabidopsis also via Autophagy Related Pathway?. <i>Frontiers in Plant Science</i> , 2016, 7, 260.	1.7	9
38	Plant Studies May Lead Us to Rethink the Concept of Behavior. <i>Frontiers in Psychology</i> , 2016, 7, 622.	1.1	22
39	Exocyst SEC3 and phosphoinositides define sites of exocytosis in pollen tube initiation and growth. <i>Plant Physiology</i> , 2016, 172, pp.00690.2016.	2.3	75
40	Clathrin in plant defense signaling and execution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10745-10747.	3.3	11
41	Endosidin2 targets conserved exocyst complex subunit EXO70 to inhibit exocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E41-50.	3.3	129
42	On growth and formins. <i>Plant Signaling and Behavior</i> , 2016, 11, e1155017.	1.2	16
43	Arabidopsis FH1 Formin Affects Cotyledon Pavement Cell Shape by Modulating Cytoskeleton Dynamics. <i>Plant and Cell Physiology</i> , 2016, 57, 488-504.	1.5	45
44	Signal transduction: GABA receptor found in plants. <i>Nature Plants</i> , 2015, 1, 15115.	4.7	36
45	Cell Wall Maturation of Arabidopsis Trichomes Is Dependent on Exocyst Subunit EXO70H4 and Involves Callose Deposition. <i>Plant Physiology</i> , 2015, 168, 120-131.	2.3	84
46	Complex, non-monotonic dose-response curves with multiple maxima: Do we (ever) sample densely enough?. <i>Plant Signaling and Behavior</i> , 2015, 10, e1062198.	1.2	5
47	The song of lipids and proteins: dynamic lipid-protein interfaces in the regulation of plant cell polarity at different scales. <i>Journal of Experimental Botany</i> , 2015, 66, 1587-1598.	2.4	26
48	Formins: Linking Cytoskeleton and Endomembranes in Plant Cells. <i>International Journal of Molecular Sciences</i> , 2015, 16, 1-18.	1.8	38
49	Membrane targeting of the yeast exocyst complex. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 1481-1489.	1.4	48
50	Dissecting a Hidden Gene Duplication: The Arabidopsis thaliana SEC10 Locus. <i>PLoS ONE</i> , 2014, 9, e94077.	1.1	29
51	Editorial overview: Cell biology. <i>Current Opinion in Plant Biology</i> , 2014, 22, v-viii.	3.5	0
52	Autophagy-Related Direct Membrane Import from ER/Cytoplasm into the Vacuole or Apoplast: A Hidden Gateway also for Secondary Metabolites and Phytohormones?. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7462-7474.	1.8	33
53	The exocyst at the interface between cytoskeleton and membranes in eukaryotic cells. <i>Frontiers in Plant Science</i> , 2014, 4, 543.	1.7	37
54	Live-cell imaging of phosphatidic acid dynamics in pollen tubes visualized by a GFP-derived biosensor. <i>New Phytologist</i> , 2014, 203, 483-494.	3.5	80

#	ARTICLE	IF	CITATIONS
55	Multiple, concentration-dependent effects of sucrose, auxins and cytokinins in explant cultures of kale and tobacco. <i>Acta Physiologiae Plantarum</i> , 2014, 36, 1981-1991.	1.0	2
56	Plant Cytokinesis Is Orchestrated by the Sequential Action of the TRAPP II and Exocyst Tethering Complexes. <i>Developmental Cell</i> , 2014, 29, 607-620.	3.1	97
57	Antisense Oligodeoxynucleotide-Mediated Gene Knockdown in Pollen Tubes. <i>Methods in Molecular Biology</i> , 2014, 1080, 231-236.	0.4	4
58	Visualizing and Quantifying the In Vivo Structure and Dynamics of the Arabidopsis Cortical Cytoskeleton Using CLSM and VAEM. <i>Methods in Molecular Biology</i> , 2014, 1080, 87-97.	0.4	5
59	Invasive cells in animals and plants: searching for LECA machineries in later eukaryotic life. <i>Biology Direct</i> , 2013, 8, 8.	1.9	34
60	Arabidopsis Exocyst Subcomplex Containing Subunit <i>EXO70B1</i> Is Involved in Autophagy-Related Transport to the Vacuole. <i>Traffic</i> , 2013, 14, 1155-1165.	1.3	167
61	Exocyst complexes multiple functions in plant cells secretory pathways. <i>Current Opinion in Plant Biology</i> , 2013, 16, 726-733.	3.5	172
62	The exocyst complex contributes to <i>PIN</i> auxin efflux carrier recycling and polar auxin transport in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2013, 73, 709-719.	2.8	122
63	Regulation of cytoskeletal dynamics by phospholipase D and phosphatidic acid. <i>Trends in Plant Science</i> , 2013, 18, 496-504.	4.3	120
64	AtFH1 formin mutation affects actin filament and microtubule dynamics in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2013, 64, 585-597.	2.4	68
65	Visualization of the exocyst complex dynamics at the plasma membrane of <i>Arabidopsis thaliana</i> . <i>Molecular Biology of the Cell</i> , 2013, 24, 510-520.	0.9	107
66	Old AIMs of the exocyst: evidence for an ancestral association of exocyst subunits with autophagy-associated Atg8 proteins. <i>Plant Signaling and Behavior</i> , 2013, 8, e27099.	1.2	20
67	Evolution of the Land Plant Exocyst Complexes. <i>Frontiers in Plant Science</i> , 2012, 3, 159.	1.7	127
68	Structural Insights into the Inhibition of Actin-Capping Protein by Interactions with Phosphatidic Acid and Phosphatidylinositol (4,5)-Bisphosphate. <i>PLoS Computational Biology</i> , 2012, 8, e1002765.	1.5	51
69	Multiple Exocytotic Markers Accumulate at the Sites of Perifungal Membrane Biogenesis in Arbuscular Mycorrhizas. <i>Plant and Cell Physiology</i> , 2012, 53, 244-255.	1.5	107
70	The Ubiquitin Ligase PUB22 Targets a Subunit of the Exocyst Complex Required for PAMP-Triggered Responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 4703-4716.	3.1	205
71	Expression of GFP-mTalin reveals an actin-related role for the Arabidopsis Class II formin AtFH12. <i>Biologia Plantarum</i> , 2012, 56, 431-440.	1.9	9
72	Jan Evangelista Purkyně/Purkinje (1787–1869) and the establishment of cellular physiology in Wrocław/Breslau as a central European cradle for a new science. <i>Protoplasma</i> , 2012, 249, 1173-1179.	1.0	15

#	ARTICLE	IF	CITATIONS
73	NADPH oxidase activity in pollen tubes is affected by calcium ions, signaling phospholipids and Rac/Rop GTPases. <i>Journal of Plant Physiology</i> , 2012, 169, 1654-1663.	1.6	106
74	Turnover of Phosphatidic Acid through Distinct Signaling Pathways Affects Multiple Aspects of Pollen Tube Growth in Tobacco. <i>Frontiers in Plant Science</i> , 2012, 3, 54.	1.7	63
75	The phosphomimetic mutation of an evolutionarily conserved serine residue affects the signaling properties of Rho of plants (ROPs). <i>Plant Journal</i> , 2011, 66, 669-679.	2.8	17
76	The role for the exocyst complex subunits Exo70B2 and Exo70H1 in the plantâ€“pathogen interaction. <i>Journal of Experimental Botany</i> , 2011, 62, 2107-2116.	2.4	143
77	Recycling domains in plant cell morphogenesis: small GTPase effectors, plasma membrane signalling and the exocyst. <i>Biochemical Society Transactions</i> , 2010, 38, 723-728.	1.6	23
78	Arabidopsis exocyst subunits <i>SEC8</i> and <i>EXO70A1</i> and exocyst interactor <i>ROH1</i> are involved in the localized deposition of seed coat pectin. <i>New Phytologist</i> , 2010, 188, 615-625.	3.5	117
79	Mutual regulation of plant phospholipaseâ€“D and the actin cytoskeleton. <i>Plant Journal</i> , 2010, 62, 494-507.	2.8	92
80	Arabidopsis RAB geranylgeranyl transferase $\hat{1}$ -subunit mutant is constitutively photomorphogenic, and has shoot growth and gravitropic defects. <i>Plant Journal</i> , 2010, 62, 615-627.	2.8	30
81	The <i>Arabidopsis</i> Exocyst Complex Is Involved in Cytokinesis and Cell Plate Maturation. <i>Plant Cell</i> , 2010, 22, 3053-3065.	3.1	151
82	The plant formin AtFH4 interacts with both actin and microtubules, and contains a newly identified microtubule-binding domain. <i>Journal of Cell Science</i> , 2010, 123, 1209-1215.	1.2	117
83	Computational identification of root hair-specific genes in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2010, 5, 1407-1418.	1.2	13
84	Phospholipase D family interactions with the cytoskeleton: isoform delta promotes plasma membrane anchoring of cortical microtubules. <i>Functional Plant Biology</i> , 2009, 36, 600.	1.1	36
85	Plant intelligence. <i>Plant Signaling and Behavior</i> , 2009, 4, 394-399.	1.2	38
86	Exocytosis and cell polarity in plants â€“ exocyst and recycling domains. <i>New Phytologist</i> , 2009, 183, 255-272.	3.5	145
87	Plant antigens cross-react with rat polyclonal antibodies against KLH-conjugated peptides. <i>Cell Biology International</i> , 2009, 33, 113-118.	1.4	4
88	Roots of angiosperm formins: The evolutionary history of plant FH2 domain-containing proteins. <i>BMC Evolutionary Biology</i> , 2008, 8, 115.	3.2	80
89	Exocyst complex functions in plant development. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2008, 150, S189.	0.8	1
90	An Exocyst Complex Functions in Plant Cell Growth in Arabidopsis and Tobacco. <i>Plant Cell</i> , 2008, 20, 1330-1345.	3.1	280

#	ARTICLE	IF	CITATIONS
91	Phospholipase D $\eta$ 2 Drives Vesicular Secretion of Auxin for Its Polar Cell-Cell Transport in the Transition Zone of the Root Apex. <i>Plant Signaling and Behavior</i> , 2007, 2, 240-244.	1.2	62
92	Reactive oxygen species produced by NADPH oxidase are involved in pollen tube growth. <i>New Phytologist</i> , 2007, 174, 742-751.	3.5	409
93	Towards in vivo characterization of selected Arabidopsis formins. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2007, 146, S267-S268.	0.8	0
94	AtEXO70A1, a member of a family of putative exocyst subunits specifically expanded in land plants, is important for polar growth and plant development. <i>Plant Journal</i> , 2006, 48, 54-72.	2.8	234
95	A Mitogen-activated Protein Kinase Kinase Kinase Mediates Reactive Oxygen Species Homeostasis in Arabidopsis. <i>Journal of Biological Chemistry</i> , 2006, 281, 38697-38704.	1.6	311
96	Arabidopsis group Ie formins localize to specific cell membrane domains, interact with actin-binding proteins and cause defects in cell expansion upon aberrant expression. <i>New Phytologist</i> , 2005, 168, 529-540.	3.5	122
97	A RhoGDP dissociation inhibitor spatially regulates growth in root hair cells. <i>Nature</i> , 2005, 438, 1013-1016.	13.7	327
98	SEC8, a Subunit of the Putative Arabidopsis Exocyst Complex, Facilitates Pollen Germination and Competitive Pollen Tube Growth. <i>Plant Physiology</i> , 2005, 138, 2005-2018.	2.3	167
99	A Specific Feature of the Angiosperm Rab Escort Protein (REP) and Evolution of the REP/GDI Superfamily. <i>Journal of Molecular Biology</i> , 2005, 348, 1299-1313.	2.0	27
100	Formin homology 2 domains occur in multiple contexts in angiosperms. <i>BMC Genomics</i> , 2004, 5, 44.	1.2	92
101	Phosphatidic acid produced by phospholipase D is required for tobacco pollen tube growth. <i>Planta</i> , 2003, 217, 122-130.	1.6	168
102	The exocyst complex in plants. <i>Cell Biology International</i> , 2003, 27, 199-201.	1.4	121
103	Molecular diversity of phospholipase D in angiosperms. <i>BMC Genomics</i> , 2002, 3, 2.	1.2	97
104	Microinjection of Guanine Nucleotide Analogues into Lily Pollen Tubes Results in Isodiametric Tip Expansion. <i>Plant Biology</i> , 2001, 3, 489-492.	1.8	11
105	Chaperone activity of tobacco HSP18, a small heat-shock protein, is inhibited by ATP. <i>Plant Journal</i> , 2000, 23, 703-713.	2.8	45
106	A homolog of the mammalian GTPase Rab2 is present in Arabidopsis and is expressed predominantly in pollen grains and seedlings. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 762-767.	3.3	52
107	Small G-proteins in Arabidopsis thaliana. <i>Biochemical Society Transactions</i> , 1997, 25, 1001-1005.	1.6	4
108	At-GDI1 from Arabidopsis thaliana encodes a rab-specific GDP dissociation inhibitor that complements the sec19 mutation of Saccharomyces cerevisiae. <i>FEBS Letters</i> , 1997, 403, 303-308.	1.3	30

#	ARTICLE	IF	CITATIONS
109	A missed anniversary: 300 years after Rudolf Jacob Camerarius' "De sexu plantarum epistola". Sexual Plant Reproduction, 1995, 8, 375-376.	2.2	11
110	The expression of a small heat shock gene is activated during induction of tobacco pollen embryogenesis by starvation*. Plant, Cell and Environment, 1995, 18, 139-147.	2.8	98
111	Stylar water potential and unilateral interspecific incompatibility in Solanaceae. Biologia Plantarum, 1994, 36, 575.	1.9	0
112	Alcohol dehydrogenase isoenzymes from <i>Nicotiana tabacum</i> include ADH of both <i>N. sylvestris</i> and <i>N. tomentosiformis</i> . Biologia Plantarum, 1994, 36, 53-57.	1.9	0
113	Derepression of the cell cycle by starvation is involved in the induction of tobacco pollen embryogenesis. Sexual Plant Reproduction, 1992, 5, 189-194.	2.2	63
114	Production of fertile tobacco pollen from microspores in suspension culture and its storage for in situ pollination. Sexual Plant Reproduction, 1991, 4, 284-287.	2.2	54
115	Higher flower bud formation in haploid tobacco is connected with higher peroxidase/IAA-oxidase activity, lower IAA content and ethylene production. Biologia Plantarum, 1990, 32, 288-293.	1.9	4
116	Interference of pollen diffusible substances with peroxidase catalyzed reaction. Plant Science, 1987, 52, 29-32.	1.7	7
117	Protein changes during pollen development in <i>Nicotiana tabacum</i> L.. Biologia Plantarum, 1985, 27, 438-444.	1.9	26
118	Notes on the sexual reproduction of <i>Chlamydomonas geitleri</i> Ettl. Archiv für Protistenkunde, 1985, 130, 343-353.	0.8	17