

# Hironori Waki

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4934627/hironori-waki-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41  
papers

14,273  
citations

24  
h-index

49  
g-index

49  
ext. papers

15,344  
ext. citations

14.4  
avg, IF

4.94  
L-index

#	Paper	IF	Citations
41	Pseudo-hyperglucagonemia was observed in pancreatectomized patients when measured by glucagon sandwich enzyme-linked immunosorbent assay. <i>Journal of Diabetes Investigation</i> , <b>2021</b> , 12, 286-289	3.9	1
40	Body-weight-independent glucose-lowering effect of the $\beta$ -adrenergic receptor agonist mirabegron in humans. <i>Journal of Diabetes Investigation</i> , <b>2021</b> , 12, 689-690	3.9	
39	A Case of Chronic Intestinal Pseudo-obstruction with Mitochondrial Diseases. <i>Internal Medicine</i> , <b>2021</b> ,	1.1	1
38	NFIA differentially controls adipogenic and myogenic gene program through distinct pathways to ensure brown and beige adipocyte differentiation. <i>PLoS Genetics</i> , <b>2020</b> , 16, e1009044	6	4
37	Clinical usefulness of multigene screening with phenotype-driven bioinformatics analysis for the diagnosis of patients with monogenic diabetes or severe insulin resistance. <i>Diabetes Research and Clinical Practice</i> , <b>2020</b> , 169, 108461	7.4	1
36	Diabetes care providers' manual for disaster diabetes care. <i>Diabetology International</i> , <b>2019</b> , 10, 153-179	2.3	2
35	Diabetes Care Providers' Manual for Disaster Diabetes Care. <i>Journal of Diabetes Investigation</i> , <b>2019</b> , 10, 1118-1142	3.9	4
34	Robust and highly efficient hiPSC generation from patient non-mobilized peripheral blood-derived CD34 cells using the auto-erasable Sendai virus vector. <i>Stem Cell Research and Therapy</i> , <b>2019</b> , 10, 185	8.3	17
33	The RNA Methyltransferase Complex of WTAP, METTL3, and METTL14 Regulates Mitotic Clonal Expansion in Adipogenesis. <i>Molecular and Cellular Biology</i> , <b>2018</b> , 38,	4.8	65
32	Willingness of patients with diabetes to use an ICT-based self-management tool: a cross-sectional study. <i>BMJ Open Diabetes Research and Care</i> , <b>2017</b> , 5, e000322	4.5	10
31	Previous dropout from diabetic care as a predictor of patients' willingness to use mobile applications for self-management: A cross-sectional study. <i>Journal of Diabetes Investigation</i> , <b>2017</b> , 8, 542-549	3.9	9
30	Echinomycin inhibits adipogenesis in 3T3-L1 cells in a HIF-independent manner. <i>Scientific Reports</i> , <b>2017</b> , 7, 6516	4.9	22
29	CDK5 Regulatory Subunit-Associated Protein 1-like 1 Negatively Regulates Adipocyte Differentiation through Activation of Wnt Signaling Pathway. <i>Scientific Reports</i> , <b>2017</b> , 7, 7326	4.9	6
28	NFIA co-localizes with PPAR $\alpha$ and transcriptionally controls the brown fat gene program. <i>Nature Cell Biology</i> , <b>2017</b> , 19, 1081-1092	23.4	44
27	RNA-binding protein PSPC1 promotes the differentiation-dependent nuclear export of adipocyte RNAs. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 987-1004	15.9	20
26	Small Molecule-Induced Complement Factor D (Adipsin) Promotes Lipid Accumulation and Adipocyte Differentiation. <i>PLoS ONE</i> , <b>2016</b> , 11, e0162228	3.7	46
25	The epigenome and its role in diabetes. <i>Current Diabetes Reports</i> , <b>2012</b> , 12, 673-85	5.6	22

24	TLE3 is a dual-function transcriptional coregulator of adipogenesis. <i>Cell Metabolism</i> , <b>2011</b> , 13, 413-427	24.6	95
23	Global mapping of cell type-specific open chromatin by FAIRE-seq reveals the regulatory role of the NFI family in adipocyte differentiation. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002311	6	89
22	Adiponectin and AdipoR1 regulate PGC-1alpha and mitochondria by Ca(2+) and AMPK/SIRT1. <i>Nature</i> , <b>2010</b> , 464, 1313-9	50.4	690
21	The small molecule phenamil is a modulator of adipocyte differentiation and PPARgamma expression. <i>Journal of Lipid Research</i> , <b>2010</b> , 51, 2775-84	6.3	29
20	The small molecule phenamil induces osteoblast differentiation and mineralization. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 3905-14	4.8	65
19	Inhibitor of DNA binding 2 is a small molecule-inducible modulator of peroxisome proliferator-activated receptor-gamma expression and adipocyte differentiation. <i>Molecular Endocrinology</i> , <b>2008</b> , 22, 2038-48		57
18	The expression of GPIHBP1, an endothelial cell binding site for lipoprotein lipase and chylomicrons, is induced by peroxisome proliferator-activated receptor-gamma. <i>Molecular Endocrinology</i> , <b>2008</b> , 22, 2496-504		45
17	Endocrine functions of adipose tissue. <i>Annual Review of Pathology: Mechanisms of Disease</i> , <b>2007</b> , 2, 31-56	34	220
16	Selective purification and characterization of adiponectin multimer species from human plasma. <i>Biochemical and Biophysical Research Communications</i> , <b>2007</b> , 356, 487-93	3.4	117
15	STAMPing out Inflammation. <i>Cell</i> , <b>2007</b> , 129, 451-2	56.2	18
14	The small molecule harmine is an antidiabetic cell-type-specific regulator of PPARgamma expression. <i>Cell Metabolism</i> , <b>2007</b> , 5, 357-70	24.6	155
13	NR4A orphan nuclear receptors are transcriptional regulators of hepatic glucose metabolism. <i>Nature Medicine</i> , <b>2006</b> , 12, 1048-55	50.5	242
12	Generation of globular fragment of adiponectin by leukocyte elastase secreted by monocytic cell line THP-1. <i>Endocrinology</i> , <b>2005</b> , 146, 790-6	4.8	242
11	Cloning of adiponectin receptors that mediate antidiabetic metabolic effects. <i>Nature</i> , <b>2003</b> , 423, 762-9	50.4	2453
10	Globular adiponectin protected ob/ob mice from diabetes and ApoE-deficient mice from atherosclerosis. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 2461-8	5.4	676
9	Impaired multimerization of human adiponectin mutants associated with diabetes. Molecular structure and multimer formation of adiponectin. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 40352-63	5.4	751
8	Increased insulin sensitivity despite lipodystrophy in Crebbp heterozygous mice. <i>Nature Genetics</i> , <b>2002</b> , 30, 221-6	36.3	130
7	Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase. <i>Nature Medicine</i> , <b>2002</b> , 8, 1288-95	50.5	3232

6	Determination of endogenous levels of retinoic acid isomers in type II diabetes mellitus patients. Possible correlation with HbA1c values. <i>Biological and Pharmaceutical Bulletin</i> , <b>2002</b> , 25, 1268-71	2.3	14
5	Maturity-onset diabetes of the young resulting from a novel mutation in the HNF-4alpha gene. <i>Internal Medicine</i> , <b>2002</b> , 41, 848-52	1.1	7
4	The fat-derived hormone adiponectin reverses insulin resistance associated with both lipotrophy and obesity. <i>Nature Medicine</i> , <b>2001</b> , 7, 941-6	50.5	3885
3	The mechanisms by which both heterozygous peroxisome proliferator-activated receptor gamma (PPARgamma) deficiency and PPARgamma agonist improve insulin resistance. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 41245-54	5.4	500
2	Inhibition of RXR and PPARgamma ameliorates diet-induced obesity and type 2 diabetes. <i>Journal of Clinical Investigation</i> , <b>2001</b> , 108, 1001-13	15.9	207
1	Constitutive tyrosine phosphorylation of ErbB-2 via Jak2 by autocrine secretion of prolactin in human breast cancer. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 33937-44	5.4	65