Anne C K Quah

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4935051/publications.pdf

Version: 2024-02-01

73 papers

1,513 citations

20 h-index 395702 33 g-index

74 all docs

74 docs citations

times ranked

74

1525 citing authors

#	Article	IF	CITATIONS
1	The double-edged relationship between COVID-19 stress and smoking: Implications for smoking cessation. Tobacco Induced Diseases, 2020, 18, 63.	0.6	141
2	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	2.6	129
3	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	3.3	74
4	Prevalence of awareness, everâ€use and current use of nicotine vaping products (NVPs) among adult current smokers and exâ€smokers in 14 countries with differing regulations on sales and marketing of NVPs: crossâ€sectional findings from the ITC Project. Addiction, 2019, 114, 1060-1073.	3.3	66
5	Adult Smokers' Reactions to Pictorial Health Warning Labels on Cigarette Packs in Thailand and Moderating Effects of Type of Cigarette Smoked: Findings From the International Tobacco Control Southeast Asia Survey. Nicotine and Tobacco Research, 2013, 15, 1339-1347.	2.6	55
6	Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019, 16, 4630.	2.6	51
7	Evaluating the impact of menthol cigarette bans on cessation and smoking behaviours in Canada: longitudinal findings from the Canadian arm of the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, 556-563.	3.2	48
8	Smokers' cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. PLoS ONE, 2021, 16, e0252427.	2.5	48
9	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2020, 22, 1831-1841.	2.6	42
10	Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2394.	2.6	35
11	The Conceptual Model and Methods of Wave 1 (2016) of the EUREST-PLUS ITC 6 European Countries Survey. Tobacco Induced Diseases, 2018, 16, A3.	0.6	35
12	Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2098.	2.6	32
13	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	3.3	31
14	Reasons for Regularly Using Heated Tobacco Products among Adult Current and Former Smokers in Japan: Finding from 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 8030.	2.6	30
15	Determinants of intentions to quit smoking among adult smokers in Bangladesh: findings from the International Tobacco Control (ITC) Bangladesh wave 2 survey. Global Health Research and Policy, 2016, 1, 11.	3.6	29
16	Using Cognitive Interviewing and Behavioral Coding to Determine Measurement Equivalence across Linguistic and Cultural Groups. Field Methods, 2011, 23, 439-460.	0.8	28
17	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A4.	0.6	27
18	Trend in the affordability of tobacco products in Bangladesh: findings from the ITC Bangladesh Surveys. Tobacco Control, 2019, 28, s20-s30.	3.2	26

#	Article	IF	CITATIONS
19	Predictors of smoking cessation behavior among Bangladeshi adults: findings from ITC Bangladesh survey. Tobacco Induced Diseases, 2015, 13, 23.	0.6	25
20	Investigating the Effectiveness of Pictorial Health Warnings in Mauritius: Findings From the ITC Mauritius Survey. Nicotine and Tobacco Research, 2014, 16, 1240-1247.	2.6	24
21	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1611-1616.	2.6	23
22	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1699-1707.	2.6	22
23	Individual and interpersonal triggers to quit smoking in China: a cross-sectional analysis. Tobacco Control, 2015, 24, iv40-iv47.	3.2	21
24	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2020, , tobaccocontrol-2020-055985.	3.2	21
25	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.3	21
26	The lower effectiveness of text-only health warnings in China compared to pictorial warnings in Malaysia: findings from the ITC project. Tobacco Control, 2015, 24 Suppl 4, tobaccocontrol-2015-052616.	3.2	18
27	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. Addictive Behaviors, 2022, 125, 107152.	3.0	18
28	Evaluation of smoke-free policies in seven cities in China, 2007-2012. Tobacco Control, 2015, 24, iv14-iv20.	3.2	17
29	Perceived relative harm of heated tobacco products (IQOS), e-cigarettes, and cigarettes among adults in Canada: Findings from the ITC Project. Tobacco Induced Diseases, 2020, 18, 1-5.	0.6	16
30	Patterns and Predictors of Smokeless Tobacco Use among Adults in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. PLoS ONE, 2014, 9, e101934.	2.5	15
31	An examination of the effectiveness of health warning labels on smokeless tobacco products in four states in India: findings from the TCP India cohort survey. BMC Public Health, 2016, 16, 1246.	2.9	15
32	Impact of Point-of-Sale Tobacco Display Bans in Thailand: Findings from the International Tobacco Control (ITC) Southeast Asia Survey. International Journal of Environmental Research and Public Health, 2015, 12, 9508-9522.	2.6	14
33	Methods of the International Tobacco Control (ITC) China Survey: Waves 1, 2 and 3. Tobacco Control, 2015, 24, iv1-iv5.	3.2	14
34	Awareness of Tobacco-Related Health Harms among Vulnerable Populations in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. International Journal of Environmental Research and Public Health, 2016, 13, 848.	2.6	14
35	Awareness of Marketing of Heated Tobacco Products and Cigarettes and Support for Tobacco Marketing Restrictions in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 8418.	2.6	14
36	The importance of the belief that "light―cigarettes are smoother in misperceptions of the harmfulness of "light―cigarettes in the Republic of Korea: a nationally representative cohort study. BMC Public Health, 2015, 15, 1108.	2.9	13

#	Article	IF	CITATIONS
37	Impact of Graphic Pack Warnings on Adult Smokers' Quitting Activities: Findings from the ITC Southeast Asia Survey (2005–2014). Journal of Smoking Cessation, 2016, 11, 124-134.	1.0	13
38	Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019, 16, 4862.	2.6	13
39	Smokers' sensory beliefs mediate the relation between smoking a light/low tar cigarette and perceptions of harm. Tobacco Control, 2015, 24, iv21-iv27.	3.2	12
40	Impact of China National Tobacco Company's â€~Premiumization' Strategy: longitudinal findings from the ITC China Surveys (2006–2015). Tobacco Control, 2019, 28, s68-s76.	3.2	12
41	Secondhand smoke exposure and support for smoke-free policies in cities and rural areas of China from 2009 to 2015: a population-based cohort study (the ITC China Survey). BMJ Open, 2019, 9, e031891.	1.9	12
42	Impact of Canada's menthol cigarette ban on quitting among menthol smokers: pooled analysis of pre–post evaluation from the ITC Project and the Ontario Menthol Ban Study and projections of impact in the USA. Tobacco Control, 2023, 32, 734-738.	3.2	12
43	Cigarette price and other factors associated with brand choice and brand loyalty in Zambia: findings from the ITC Zambia Survey. Tobacco Control, 2015, 24, iii33-iii40.	3.2	10
44	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii34-iii37.	0.3	10
45	Secondhand Smoke Exposure in Public Places and Support for Smoke-Free Laws in Japan: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 979.	2.6	10
46	What cigarette price is required for smokers to attempt to quit smoking? Findings from the ITC Korea Waves 2 and 3 Survey. Tobacco Control, 2015, 24, iii48-iii55.	3.2	9
47	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. Tobacco Control, 2023, 32, 153-162.	3.2	9
48	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. Nicotine and Tobacco Research, 2021, , .	2.6	9
49	E-cigarette prevalence among Malaysian adults and types and flavors of e-cigarette products used by cigarette smokers who vape: Findings from the 2020 ITC Malaysia Survey. Tobacco Induced Diseases, 2022, 20, 1-7.	0.6	9
50	Awareness of pro-tobacco advertising and promotion and beliefs about tobacco use: Findings from the Tobacco Control Policy (TCP) India Pilot Survey. Journal of Epidemiology and Global Health, 2014, 4, 303.	2.9	8
51	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	2.6	8
52	Tobacco industry pricing undermines tobacco tax policy: A tale from Bangladesh. Preventive Medicine, 2020, 132, 105991.	3.4	8
53	Attitudes of Korean smokers towards smoke-free public places: findings from the longitudinal ITC Korea Survey, 2005–2010. BMJ Open, 2019, 9, e025298.	1.9	7
54	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A19.	0.6	7

#	Article	IF	CITATIONS
55	Patterns of Use of Vaping Products among Smokers: Findings from the 2016–2018 International Tobacco Control (ITC) New Zealand Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 6629.	2.6	6
56	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016–2018). Tobacco Control, 2022, 31, 765-769.	3.2	6
57	Tobacco Control Policies in the Republic of Korea and the Methods of the ITC Korea Surveys. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S1-S10.	0.3	6
58	Reasons for using e-cigarettes and support for e-cigarette regulations: Findings from the 2020 ITC Malaysia Survey. Tobacco Induced Diseases, 2022, 20, 1-7.	0.6	6
59	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	3.2	5
60	Attitudes towards smoking and COVID-19, and changes in smoking behaviors before and after the outbreak of COVID-19: A nationwide cross-sectional survey study in China. Tobacco Induced Diseases, 2022, 20, 1-5.	0.6	5
61	Methods of the 2020 (Wave 1) International Tobacco Control (ITC) Korea Survey. Tobacco Prevention and Cessation, 2022, 8, 1-9.	0.4	5
62	Brazilian smokers are ready for the ban on flavour additives in tobacco to be implemented. Preventive Medicine, 2022, 160, 107074.	3.4	5
63	Brain and behavior in health communication: The Canadian COVID-19 Experiences Project. Brain, Behavior, & Immunity - Health, 2022, 22, 100467.	2.5	5
64	Effectiveness of Text-Only Cigarette Health Warnings in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 952.	2.6	4
65	Survey Methods of the 2018 International Tobacco Control (ITC) Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2598.	2.6	4
66	Who Are More Likely to Have Quit Intentions among Malaysian Adult Smokers? Findings from the 2020 ITC Malaysia Survey. International Journal of Environmental Research and Public Health, 2022, 19, 3035.	2.6	4
67	Contraband Cigarette Purchasing from First Nation reserves in Ontario and Quebec: Findings from the 2002–2014 ITC Canada Survey. International Journal of Drug Policy, 2020, 75, 102612.	3.3	3
68	Quasi-experimental evaluation of Kenya's pictorial health warnings versus Zambia's single text-only warning: findings from the International Tobacco Control (ITC) Project. Tobacco Control, 2023, 32, 139-145.	3.2	3
69	Receiving and giving electronic cigarettes as gifts in China: Findings from International Tobacco Control China Survey. Preventive Medicine Reports, 2022, 27, 101763.	1.8	3
70	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii108-iii112.	0.3	2
71	Methods of the 2020 (Wave 1) International Tobacco Control (ITC) Malaysia survey. Tobacco Induced Diseases, 2022, 20, 1-10.	0.6	2
72	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2022, 24, 1020-1027.	2.6	1

#	Article	IF	CITATIONS
73	Prevalence, perceptions and factors associated with menthol cigarette smoking: findings from the ITC Kenya and Zambia Surveys. Tobacco Control, 2023, 32, 709-714.	3.2	1