

Dean R Appling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4937593/publications.pdf>

Version: 2024-02-01

29
papers

1,819
citations

489802

18
h-index

620720

26
g-index

29
all docs

29
docs citations

29
times ranked

2515
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabotype analysis of Mthfd1l-null mouse embryos using desorption electrospray ionization mass spectrometry imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 3573-3582.	1.9	7
2	Deletion of neural tube defect-associated gene <i>Mthfd1l</i> causes reduced cranial mesenchyme density. <i>Birth Defects Research</i> , 2019, 111, 1520-1534.	0.8	6
3	Deletion of the neural tube defect-associated gene disrupts one-carbon and central energy metabolism in mouse embryos. <i>Journal of Biological Chemistry</i> , 2018, 293, 5821-5833.	1.6	21
4	Human mitochondrial MTHFD2 is a dual redox cofactor-specific methylenetetrahydrofolate dehydrogenase/methenyltetrahydrofolate cyclohydrolase. <i>Cancer & Metabolism</i> , 2017, 5, 11.	2.4	56
5	Lester Reed: A "complex" man who loved science. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 6247-6247.	3.3	2
6	Mitochondrial MTHFD2L Is a Dual Redox Cofactor-specific Methylenetetrahydrofolate Dehydrogenase/Methenyltetrahydrofolate Cyclohydrolase Expressed in Both Adult and Embryonic Tissues. <i>Journal of Biological Chemistry</i> , 2014, 289, 15507-15517.	1.6	44
7	Mitochondrial one-carbon metabolism and neural tube defects. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014, 100, 576-583.	1.6	8
8	Deletion of <i>Mthfd1l</i> causes embryonic lethality and neural tube and craniofacial defects in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 549-554.	3.3	149
9	Mammalian MTHFD2L Encodes a Mitochondrial Methylenetetrahydrofolate Dehydrogenase Isozyme Expressed in Adult Tissues. <i>Journal of Biological Chemistry</i> , 2011, 286, 5166-5174.	1.6	51
10	Mitochondrial C1-Tetrahydrofolate Synthase (MTHFD1L) Supports the Flow of Mitochondrial One-carbon Units into the Methyl Cycle in Embryos. <i>Journal of Biological Chemistry</i> , 2010, 285, 4612-4620.	1.6	107
11	Frank Chytil (1924-2010). <i>Journal of Nutrition</i> , 2010, 140, 1711-1713.	1.3	0
12	Compartmentalization of Mammalian Folate-Mediated One-Carbon Metabolism. <i>Annual Review of Nutrition</i> , 2010, 30, 57-81.	4.3	560
13	Identifying Novel Factors Involved In Yeast Mitochondrial Protein Synthesis. <i>FASEB Journal</i> , 2010, 24, 685.1.	0.2	0
14	Identifying the Cox24 Protein as a Factor Involved in Mitochondrial Protein Synthesis. <i>FASEB Journal</i> , 2010, 24, 685.2.	0.2	1
15	Human mitochondrial C1-tetrahydrofolate synthase: Submitochondrial localization of the full-length enzyme and characterization of a short isoform. <i>Archives of Biochemistry and Biophysics</i> , 2009, 481, 86-93.	1.4	23
16	Kinetic and Structural Analysis of Active Site Mutants of Monofunctional NAD-Dependent 5,10-Methylenetetrahydrofolate Dehydrogenase from <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 2005, 44, 13163-13171.	1.2	7
17	Purification and properties of cobalamin-independent methionine synthase from <i>Candida albicans</i> and <i>Saccharomyces cerevisiae</i> . <i>Archives of Biochemistry and Biophysics</i> , 2005, 441, 56-63.	1.4	26
18	Enzymatic characterization of human mitochondrial C1-tetrahydrofolate synthase. <i>Archives of Biochemistry and Biophysics</i> , 2005, 442, 196-205.	1.4	30

#	ARTICLE	IF	CITATIONS
19	Human Mitochondrial C1-Tetrahydrofolate Synthase. <i>Journal of Biological Chemistry</i> , 2003, 278, 43178-43187.	1.6	51
20	The X-ray structure of the NAD-dependent 5,10-methylenetetrahydrofolate dehydrogenase from <i>Saccharomyces cerevisiae</i> . <i>Protein Science</i> , 2000, 9, 1374-1381.	3.1	14
21	Monofunctional NAD-dependent 5,10-methylenetetrahydrofolate dehydrogenase from <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 1997, 281, 178-188.	0.4	5
22	Role of Mitochondrial and Cytoplasmic Serine Hydroxymethyltransferase Isozymes in de Novo Purine Synthesis in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 1997, 36, 14956-14964.	1.2	100
23	Metabolic Role of Cytoplasmic Isozymes of 5,10-Methylenetetrahydrofolate Dehydrogenase in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 1996, 35, 3122-3132.	1.2	55
24	¹³ C NMR Analysis of the Use of Alternative Donors to the Tetrahydrofolate-Dependent One-Carbon Pools in <i>Saccharomyces cerevisiae</i> . <i>Archives of Biochemistry and Biophysics</i> , 1996, 326, 158-165.	1.4	32
25	Crystallization of the NAD-dependent 5,10-methylenetetrahydrofolate dehydrogenase from <i>Saccharomyces cerevisiae</i> . , 1996, 26, 481-482.		2
26	Carbon-13 NMR analysis of intercompartmental flow of one-carbon units into choline and purines in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 1994, 33, 74-82.	1.2	52
27	Characterization of the folate-dependent mitochondrial oxidation of carbon 3 of serine. <i>Biochemistry</i> , 1993, 32, 4671-4676.	1.2	52
28	Compartmentation of folate-mediated one-carbon metabolism in eukaryotes. <i>FASEB Journal</i> , 1991, 5, 2645-2651.	0.2	321
29	Isolation and characterization of a novel eukaryotic monofunctional NAD ⁺ -dependent 5,10-methylenetetrahydrofolate dehydrogenase. <i>Biochemistry</i> , 1990, 29, 7089-7094.	1.2	37