

Inmaculada Doña

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4937688/publications.pdf>

Version: 2024-02-01

78
papers

2,333
citations

185998

28
h-index

223531

46
g-index

78
all docs

78
docs citations

78
times ranked

1620
citing authors

#	ARTICLE	IF	CITATIONS
1	The value of the basophil activation test in the evaluation of patients reporting allergic reactions to the BNT162b2 mRNA COVID-19 vaccine. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2067-2079.	2.7	26
2	Allergies and COVID-19 vaccines: An ENDA/EAACI Position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2292-2312.	2.7	55
3	Reply to correspondence: Basophil reactivity to BNT162b2 in COVID-19 convalescence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2266-2267.	2.7	1
4	Food-dependent NSAID-induced hypersensitivity (FDNIH) reactions: Unraveling the clinical features and risk factors. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1480-1492.	2.7	12
5	Genetic Variants Associated With Drug-Induced Hypersensitivity Reactions: towards Precision Medicine?. <i>Current Treatment Options in Allergy</i> , 2021, 8, 42-59.	0.9	0
6	Deep sequencing of prostaglandin-endoperoxide synthase (PTGE) genes reveals genetic susceptibility for cross-reactive hypersensitivity to NSAID. <i>British Journal of Pharmacology</i> , 2021, 178, 1218-1233.	2.7	7
7	Dendritic cells inclusion and cell subset assessment improve flow cytometry-based proliferation test in non-immediate drug hypersensitivity reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2123-2134.	2.7	13
8	Management of hypersensitivity reactions to chemotherapy and biologic agents: A survey of ARADyAL (Asthma, Adverse Drug Reactions and Allergy Network) Spanish allergy services. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2249-2253.	2.7	3
9	Single-dose prolonged drug provocation test, without previous skin testing, is safe for diagnosing children with mild non-immediate reactions to beta-lactams. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2544-2554.	2.7	22
10	Genetic Variants in Cytosolic Phospholipase A2 Associated With Nonsteroidal Anti-Inflammatory Drug-Induced Acute Urticaria/Angioedema. <i>Frontiers in Pharmacology</i> , 2021, 12, 667824.	1.6	7
11	Basophil Activation Test for Allergy Diagnosis. <i>Journal of Visualized Experiments</i> , 2021, , .	0.2	5
12	Polymorphisms in eicosanoid-related biosynthesis enzymes associated with acute urticaria/angioedema induced by nonsteroidal anti-inflammatory drug hypersensitivity. <i>British Journal of Dermatology</i> , 2021, 185, 815-824.	1.4	5
13	A new oral kallikrein inhibitor for long-term prophylaxis of hereditary angioedema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1619-1620.	2.7	0
14	Diagnostic Approach of Hypersensitivity Reactions to Cefazolin in a Large Prospective Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 4421-4430.e4.	2.0	12
15	Multiepitope Dendrimeric Antigen-Silica Particle Composites as Nano-Based Platforms for Specific Recognition of IgEs. <i>Frontiers in Immunology</i> , 2021, 12, 750109.	2.2	3
16	Statement of the Spanish Society of Allergology and Clinical Immunology on Provocation Tests With Aspirin/Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020, 30, 1-13.	0.6	9
17	GNAI2 variants predict nonsteroidal anti-inflammatory drug hypersensitivity in a genome-wide study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1250-1253.	2.7	8
18	Progress in understanding hypersensitivity reactions to nonsteroidal anti-inflammatory drugs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 561-575.	2.7	66

#	ARTICLE	IF	CITATIONS
19	Acetylsalicylic acid challenge optimal dose in nonsteroidal anti-inflammatory drugs hypersensitivity diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1501-1503.	2.7	1
20	Medical algorithm: Diagnosis and treatment of nonsteroidal antiinflammatory drugs hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1003-1005.	2.7	13
21	Advances and novel developments in drug hypersensitivity diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 3112-3123.	2.7	15
22	Platelet-Adherent Leukocytes Associated With Cutaneous Cross-Reactive Hypersensitivity to Nonsteroidal Anti-Inflammatory Drugs. <i>Frontiers in Pharmacology</i> , 2020, 11, 594427.	1.6	3
23	Evaluation of Subjects Experiencing Allergic Reactions to Non-Steroidal Anti-Inflammatory Drugs: Clinical Characteristics and Drugs Involved. <i>Frontiers in Pharmacology</i> , 2020, 11, 503.	1.6	3
24	Clinical Characterization and Diagnostic Approaches for Patients Reporting Hypersensitivity Reactions to Quinolones. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2707-2714.e2.	2.0	23
25	Diagnosis and management of the drug hypersensitivity reactions in Coronavirus disease 19: An EAACI Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2775-2793.	2.7	23
26	Spanish Guidelines for Diagnosis, Management, Treatment, and Prevention of DRESS Syndrome. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020, 30, 229-253.	0.6	57
27	Analysis of the Costs Associated With the Elective Evaluation of Patients Labelled as Allergic to Beta-Lactams or Nonsteroidal Antiinflammatory Agents. <i>Frontiers in Pharmacology</i> , 2020, 11, 584633.	1.6	4
28	Polymorphisms in CEP68 gene associated with risk of immediate selective reactions to non-steroidal anti-inflammatory drugs. <i>Pharmacogenomics Journal</i> , 2019, 19, 191-199.	0.9	12
29	Eicosanoid mediator profiles in different phenotypes of nonsteroidal anti-inflammatory drug-induced urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1135-1144.	2.7	23
30	Pharmacogenomics as a Tool for Management of Drug Hypersensitivity Reactions. <i>Current Treatment Options in Allergy</i> , 2019, 6, 1-17.	0.9	1
31	Expression of the Tim3-galectin-9 axis is altered in drug-induced maculopapular exanthema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1769-1779.	2.7	22
32	Algorithm for betalactam allergy diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1817-1819.	2.7	28
33	Phenotypes and Natural Evolution of Drug Hypersensitivity. <i>Current Treatment Options in Allergy</i> , 2019, 6, 27-41.	0.9	2
34	Diagnostic Approximation to Delabeling Beta-Lactam Allergic Patients. <i>Current Treatment Options in Allergy</i> , 2019, 6, 56-70.	0.9	6
35	The Basophil Activation Test Can Be of Value for Diagnosing Immediate Allergic Reactions to Omeprazole. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1628-1636.e2.	2.0	41
36	NSAIDs-hypersensitivity often induces a blended reaction pattern involving multiple organs. <i>Scientific Reports</i> , 2018, 8, 16710.	1.6	36

#	ARTICLE	IF	CITATIONS
37	Penicillin and Cephalosporin-Induced Anaphylaxis: an Update. <i>Current Treatment Options in Allergy</i> , 2018, 5, 188-203.	0.9	2
38	Practical Guidelines for Perioperative Hypersensitivity Reactions. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2018, 28, 216-232.	0.6	69
39	Diagnosing and managing patients with drug hypersensitivity. <i>Expert Review of Clinical Immunology</i> , 2018, 14, 29-41.	1.3	3
40	Natural evolution in patients with nonsteroidal anti-inflammatory drug-induced urticaria/angioedema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1346-1355.	2.7	39
41	Management of Respiratory Symptoms Induced by Non-Steroidal Anti-Inflammatory Drugs. <i>Current Treatment Options in Allergy</i> , 2017, 4, 268-282.	0.9	0
42	Response to Ebo et al., Letter to the Editor Regarding Update on Quinolone Allergy. <i>Current Allergy and Asthma Reports</i> , 2017, 17, 75.	2.4	1
43	Update on Quinolone Allergy. <i>Current Allergy and Asthma Reports</i> , 2017, 17, 56.	2.4	37
44	The Value of In Vitro Tests to Diminish Drug Challenges. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1222.	1.8	50
45	Epidemiology, Mechanisms, and Diagnosis of Drug-Induced Anaphylaxis. <i>Frontiers in Immunology</i> , 2017, 8, 614.	2.2	100
46	<i>In Vitro</i> Diagnostic Testing for Antibiotic Allergy. <i>Allergy, Asthma and Immunology Research</i> , 2017, 9, 288.	1.1	51
47	Copy number variation in ALOX5 and PTGER1 is associated with NSAIDs-induced urticaria and/or angioedema. <i>Pharmacogenetics and Genomics</i> , 2016, 26, 280-287.	0.7	15
48	ASA must be given to classify multiple NSAID-hypersensitivity patients as selective or cross-intolerant. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 576-578.	2.7	10
49	Mathematical models are not sufficient for the diagnosis of drug allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016, 4, 1015-1016.	2.0	1
50	The influence of the carrier molecule on amoxicillin recognition by specific IgE in patients with immediate hypersensitivity reactions to betalactams. <i>Scientific Reports</i> , 2016, 6, 35113.	1.6	24
51	Allergic Reactions to Metamizole: Immediate and Delayed Responses. <i>International Archives of Allergy and Immunology</i> , 2016, 169, 223-230.	0.9	37
52	Immediate hypersensitivity reactions to ibuprofen and other arylpropionic acid derivatives. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1048-1056.	2.7	19
53	Multiple nonsteroidal anti-inflammatory drug hypersensitivity without hypersensitivity to aspirin. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016, 4, 524-525.	2.0	15
54	Anaphylaxis to 2 NSAIDs in a Patient Who Tolerated ASA. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2016, 26, 266-268.	0.6	4

#	ARTICLE	IF	CITATIONS
55	The Addition of Benzylpenicillin Does Not Increase the Skin Test Sensitivity Obtained With Classic Î²-Lactam Determinants. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2016, 26, 52-4.	0.6	6
56	Genetic variants in arachidonic acid pathway genes associated with NSAID-exacerbated respiratory disease. <i>Pharmacogenomics</i> , 2015, 16, 825-839.	0.6	22
57	Variants of CEP68 Gene Are Associated with Acute Urticaria/Angioedema Induced by Multiple Non-Steroidal Anti-Inflammatory Drugs. <i>PLoS ONE</i> , 2014, 9, e90966.	1.1	17
58	<sc>NSAID</sc>-induced urticaria/angioedema does not evolve into chronic urticaria: a 12-year follow-up study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 438-444.	2.7	37
59	NSAIDs are the most frequent medicaments involved in hypersensitivity drug reactions. <i>European Annals of Allergy and Clinical Immunology</i> , 2014, 46, 63.	0.4	2
60	Trends in hypersensitivity drug reactions: more drugs, more response patterns, more heterogeneity. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2014, 24, 143-53; quiz 1 p following 153.	0.6	50
61	Practical guidelines for diagnosing hypersensitivity reactions to nonsteroidal anti-inflammatory drugs. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2014, 24, 308-23.	0.6	17
62	Mediator release after nasal aspirin provocation supports different phenotypes in subjects with hypersensitivity reactions to NSAIDs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 1001-1007.	2.7	29
63	Value of the clinical history in the diagnosis of urticaria/angioedema induced by <sc>NSAID</sc>s with cross-intolerance. <i>Clinical and Experimental Allergy</i> , 2013, 43, 85-91.	1.4	68
64	Fluoroquinolone Photodegradation Influences Specific Basophil Activation. <i>International Archives of Allergy and Immunology</i> , 2013, 160, 377-382.	0.9	28
65	Diagnosis of immediate hypersensitivity reactions to radiocontrast media. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 1203-1206.	2.7	80
66	Genome-wide association study in NSAID-induced acute urticaria/angioedema in Spanish and Han Chinese populations. <i>Pharmacogenomics</i> , 2013, 14, 1857-1869.	0.6	31
67	Hypersensitivity reactions to fluoroquinolones: analysis of the factors involved. <i>Clinical and Experimental Allergy</i> , 2013, 43, 560-567.	1.4	80
68	Synergistic Effect between Amoxicillin and TLR Ligands on Dendritic Cells from Amoxicillin-Delayed Allergic Patients. <i>PLoS ONE</i> , 2013, 8, e74198.	1.1	24
69	Genetic variants of the arachidonic acid pathway in non-steroidal anti-inflammatory drug-induced acute urticaria. <i>Clinical and Experimental Allergy</i> , 2012, 42, 1772-1781.	1.4	49
70	Effect of Pru p 3 on dendritic cell maturation and T-lymphocyte proliferation in peach allergic patients. <i>Annals of Allergy, Asthma and Immunology</i> , 2012, 109, 52-58.	0.5	25
71	Drug hypersensitivity reactions: response patterns, drug involved, and temporal variations in a large series of patients. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2012, 22, 363-71.	0.6	144
72	In vitro evaluation of IgE-mediated hypersensitivity reactions to quinolones. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 247-254.	2.7	137

#	ARTICLE	IF	CITATIONS
73	Response to a selective COXâ€² inhibitor in patients with urticaria/angioedema induced by nonsteroidal antiâ€inflammatory drugs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1428-1433.	2.7	53
74	Characteristics of subjects experiencing hypersensitivity to non-steroidal anti-inflammatory drugs: patterns of response. <i>Clinical and Experimental Allergy</i> , 2011, 41, 86-95.	1.4	173
75	IgEâ€mediated hypersensitivity reactions to methylprednisolone. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 1376-1380.	2.7	31
76	Clavulanic acid can be the component in amoxicillin-clavulanic acid responsible for immediate hypersensitivity reactions. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 502-505.e2.	1.5	127
77	Hypersensitivity Reactions to Non-Steroidal Anti-Inflammatory Drugs. <i>Current Drug Metabolism</i> , 2009, 10, 971-980.	0.7	57
78	Drug rash with eosinophilia and systemic symptoms after penicillin V administration in a patient with acquired C1 inhibitor acquired deficiency. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2009, 19, 325-7.	0.6	2