

Inmaculada Doa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4937688/inmaculada-dona-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,637
citations

24
h-index

38
g-index

78
ext. papers

2,004
ext. citations

5.4
avg, IF

4.42
L-index

#	Paper	IF	Citations
74	Allergies and COVID-19 vaccines: An ENDA/EAACI Position paper.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	9
73	Multiepitope Dendrimeric Antigen-Silica Particle Composites as Nano-Based Platforms for Specific Recognition of IgEs.. <i>Frontiers in Immunology</i> , 2021 , 12, 750109	8.4	0
72	The value of the basophil activation test in the evaluation of patients reporting allergic reactions to the BNT162b2 mRNA COVID-19 vaccine. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	4
71	Single-dose prolonged drug provocation test, without previous skin testing, is safe for diagnosing children with mild non-immediate reactions to beta-lactams. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2544-2554	9.3	4
70	Genetic Variants in Cytosolic Phospholipase A2 Associated With Nonsteroidal Anti-Inflammatory Drug-Induced Acute Urticaria/Angioedema. <i>Frontiers in Pharmacology</i> , 2021 , 12, 667824	5.6	1
69	Polymorphisms in eicosanoid-related biosynthesis enzymes associated with acute urticaria/angioedema induced by nonsteroidal anti-inflammatory drug hypersensitivity. <i>British Journal of Dermatology</i> , 2021 , 185, 815-824	4	1
68	Food-dependent NSAID-induced hypersensitivity (FDNIH) reactions: Unraveling the clinical features and risk factors. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1480-1492	9.3	4
67	Genetic Variants Associated With Drug-Induced Hypersensitivity Reactions: towards Precision Medicine?. <i>Current Treatment Options in Allergy</i> , 2021 , 8, 42-59	1	
66	Deep sequencing of prostaglandin-endoperoxide synthase (PTGE) genes reveals genetic susceptibility for cross-reactive hypersensitivity to NSAID. <i>British Journal of Pharmacology</i> , 2021 , 178, 1218-1233	8.6	2
65	Dendritic cells inclusion and cell-subset assessment improve flow-cytometry-based proliferation test in non-immediate drug hypersensitivity reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2123-2134	9.3	3
64	Management of hypersensitivity reactions to chemotherapy and biologic agents: A survey of ARADyAL (Asthma, Adverse Drug Reactions and Allergy Network) Spanish allergy services. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2249-2253	9.3	1
63	Diagnostic Approach of Hypersensitivity Reactions to Cefazolin in a Large Prospective Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 4421-4430.e4	5.4	1
62	Platelet-Adherent Leukocytes Associated With Cutaneous Cross-Reactive Hypersensitivity to Nonsteroidal Anti-Inflammatory Drugs. <i>Frontiers in Pharmacology</i> , 2020 , 11, 594427	5.6	0
61	Evaluation of Subjects Experiencing Allergic Reactions to Non-Steroidal Anti-Inflammatory Drugs: Clinical Characteristics and Drugs Involved. <i>Frontiers in Pharmacology</i> , 2020 , 11, 503	5.6	1
60	Clinical Characterization and Diagnostic Approaches for Patients Reporting Hypersensitivity Reactions to Quinolones. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 2707-2714.e2	5.4	8
59	Diagnosis and management of the drug hypersensitivity reactions in Coronavirus disease 19: An EAACI Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2775-2793	9.3	13
58	Spanish Guidelines for Diagnosis, Management, Treatment, and Prevention of DRESS Syndrome. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020 , 30, 229-253	2.3	14

57	Analysis of the Costs Associated With the Elective Evaluation of Patients Labelled as Allergic to Beta-Lactams or Nonsteroidal Antiinflammatory Agents. <i>Frontiers in Pharmacology</i> , 2020 , 11, 584633	5.6	0
56	GNAI2 variants predict nonsteroidal anti-inflammatory drug hypersensitivity in a genome-wide study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1250-1253	9.3	7
55	Progress in understanding hypersensitivity reactions to nonsteroidal anti-inflammatory drugs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 561-575	9.3	31
54	Acetylsalicylic acid challenge optimal dose in nonsteroidal anti-inflammatory drugs hypersensitivity diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1501-1503	9.3	1
53	Medical algorithm: Diagnosis and treatment of nonsteroidal antiinflammatory drugs hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1003-1005	9.3	7
52	Advances and novel developments in drug hypersensitivity diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 3112-3123	9.3	11
51	Statement of the Spanish Society of Allergology and Clinical Immunology on Provocation Tests With Aspirin/Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020 , 30, 1-13	2.3	3
50	Eicosanoid mediator profiles in different phenotypes of nonsteroidal anti-inflammatory drug-induced urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1135-1144	9.3	15
49	Pharmacogenomics as a Tool for Management of Drug Hypersensitivity Reactions. <i>Current Treatment Options in Allergy</i> , 2019 , 6, 1-17	1	1
48	Expression of the Tim3-galectin-9 axis is altered in drug-induced maculopapular exanthema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1769-1779	9.3	13
47	Phenotypes and Natural Evolution of Drug Hypersensitivity. <i>Current Treatment Options in Allergy</i> , 2019 , 6, 27-41	1	2
46	Diagnostic Approximation to Delabeling Beta-Lactam Allergic Patients. <i>Current Treatment Options in Allergy</i> , 2019 , 6, 56-70	1	6
45	Polymorphisms in CEP68 gene associated with risk of immediate selective reactions to non-steroidal anti-inflammatory drugs. <i>Pharmacogenomics Journal</i> , 2019 , 19, 191-199	3.5	11
44	The Basophil Activation Test Can Be of Value for Diagnosing Immediate Allergic Reactions to Omeprazole. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1628-1636.e2	5.4	29
43	Practical Guidelines for Perioperative Hypersensitivity Reactions. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2018 , 28, 216-232	2.3	39
42	Diagnosing and managing patients with drug hypersensitivity. <i>Expert Review of Clinical Immunology</i> , 2018 , 14, 29-41	5.1	2
41	NSAIDs-hypersensitivity often induces a blended reaction pattern involving multiple organs. <i>Scientific Reports</i> , 2018 , 8, 16710	4.9	22
40	Penicillin and Cephalosporin-Induced Anaphylaxis: an Update. <i>Current Treatment Options in Allergy</i> , 2018 , 5, 188-203	1	2

39	Natural evolution in patients with nonsteroidal anti-inflammatory drug-induced urticaria/angioedema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1346-1355	9.3	28
38	Management of Respiratory Symptoms Induced by Non-Steroidal Anti-Inflammatory Drugs. <i>Current Treatment Options in Allergy</i> , 2017 , 4, 268-282	1	
37	Response to Ebo et al., Letter to the Editor Regarding Update on Quinolone Allergy. <i>Current Allergy and Asthma Reports</i> , 2017 , 17, 75	5.6	0
36	In Vitro Diagnostic Testing for Antibiotic Allergy. <i>Allergy, Asthma and Immunology Research</i> , 2017 , 9, 288-298	5.9	40
35	Update on Quinolone Allergy. <i>Current Allergy and Asthma Reports</i> , 2017 , 17, 56	5.6	28
34	The Value of In Vitro Tests to Diminish Drug Challenges. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	37
33	Epidemiology, Mechanisms, and Diagnosis of Drug-Induced Anaphylaxis. <i>Frontiers in Immunology</i> , 2017 , 8, 614	8.4	65
32	The influence of the carrier molecule on amoxicillin recognition by specific IgE in patients with immediate hypersensitivity reactions to betalactams. <i>Scientific Reports</i> , 2016 , 6, 35113	4.9	19
31	Allergic Reactions to Metamizole: Immediate and Delayed Responses. <i>International Archives of Allergy and Immunology</i> , 2016 , 169, 223-30	3.7	23
30	Immediate hypersensitivity reactions to ibuprofen and other arylpropionic acid derivatives. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1048-56	9.3	14
29	Multiple nonsteroidal anti-inflammatory drug hypersensitivity without hypersensitivity to aspirin. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 524-5	5.4	10
28	Anaphylaxis to 2 NSAIDs in a Patient Who Tolerated ASA. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2016 , 26, 266-8	2.3	3
27	Copy number variation in ALOX5 and PTGER1 is associated with NSAIDs-induced urticaria and/or angioedema. <i>Pharmacogenetics and Genomics</i> , 2016 , 26, 280-7	1.9	13
26	ASA must be given to classify multiple NSAID-hypersensitivity patients as selective or cross-intolerant. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 576-8	9.3	10
25	Mathematical models are not sufficient for the diagnosis of drug allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 1015-6	5.4	1
24	The Addition of Benzylpenicillin Does Not Increase the Skin Test Sensitivity Obtained With Classic β -Lactam Determinants. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2016 , 26, 52-4	2.3	5
23	Genetic variants in arachidonic acid pathway genes associated with NSAID-exacerbated respiratory disease. <i>Pharmacogenomics</i> , 2015 , 16, 825-39	2.6	19
22	NSAID-induced urticaria/angioedema does not evolve into chronic urticaria: a 12-year follow-up study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 438-44	9.3	30

21	Variants of CEP68 gene are associated with acute urticaria/angioedema induced by multiple non-steroidal anti-inflammatory drugs. <i>PLoS ONE</i> , 2014 , 9, e90966	3.7	17
20	NSAIDs are the most frequent medicaments involved in hypersensitivity drug reactions. <i>European Annals of Allergy and Clinical Immunology</i> , 2014 , 46, 63	1.3	1
19	Trends in hypersensitivity drug reactions: more drugs, more response patterns, more heterogeneity. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2014 , 24, 143-53; quiz 1 p following 153	2.3	38
18	Practical guidelines for diagnosing hypersensitivity reactions to nonsteroidal anti-inflammatory drugs. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2014 , 24, 308-23	2.3	12
17	Mediator release after nasal aspirin provocation supports different phenotypes in subjects with hypersensitivity reactions to NSAIDs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1001-7	9.3	26
16	Value of the clinical history in the diagnosis of urticaria/angioedema induced by NSAIDs with cross-intolerance. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 85-91	4.1	58
15	Fluoroquinolone photodegradation influences specific basophil activation. <i>International Archives of Allergy and Immunology</i> , 2013 , 160, 377-82	3.7	27
14	Diagnosis of immediate hypersensitivity reactions to radiocontrast media. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1203-6	9.3	55
13	Genome-wide association study in NSAID-induced acute urticaria/angioedema in Spanish and Han Chinese populations. <i>Pharmacogenomics</i> , 2013 , 14, 1857-69	2.6	27
12	Hypersensitivity reactions to fluoroquinolones: analysis of the factors involved. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 560-7	4.1	61
11	Synergistic effect between amoxicillin and TLR ligands on dendritic cells from amoxicillin-delayed allergic patients. <i>PLoS ONE</i> , 2013 , 8, e74198	3.7	20
10	Genetic variants of the arachidonic acid pathway in non-steroidal anti-inflammatory drug-induced acute urticaria. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 1772-81	4.1	43
9	Effect of Pru p 3 on dendritic cell maturation and T-lymphocyte proliferation in peach allergic patients. <i>Annals of Allergy, Asthma and Immunology</i> , 2012 , 109, 52-8	3.2	20
8	Drug hypersensitivity reactions: response patterns, drug involved, and temporal variations in a large series of patients. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2012 , 22, 363-71	2.3	118
7	In vitro evaluation of IgE-mediated hypersensitivity reactions to quinolones. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 247-54	9.3	117
6	Response to a selective COX-2 inhibitor in patients with urticaria/angioedema induced by nonsteroidal anti-inflammatory drugs. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1428-33	9.3	45
5	Characteristics of subjects experiencing hypersensitivity to non-steroidal anti-inflammatory drugs: patterns of response. <i>Clinical and Experimental Allergy</i> , 2011 , 41, 86-95	4.1	144
4	IgE-mediated hypersensitivity reactions to methylprednisolone. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 1376-80	9.3	25

3	Clavulanic acid can be the component in amoxicillin-clavulanic acid responsible for immediate hypersensitivity reactions. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 502-505.e2	11.5	104
2	Hypersensitivity reactions to non-steroidal anti-inflammatory drugs. <i>Current Drug Metabolism</i> , 2009 , 10, 971-80	3.5	48
1	Drug rash with eosinophilia and systemic symptoms after penicillin V administration in a patient with acquired C1 inhibitor acquired deficiency. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2009 , 19, 325-7	2.3	2