

Ji-Won Son

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4937956/ji-won-son-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,560
citations

34
h-index

49
g-index

183
ext. papers

4,140
ext. citations

6.8
avg, IF

5.25
L-index

#	Paper	IF	Citations
168	Low-temperature processing technique of Ruddlesden-Popper cathode for high-performance solid oxide fuel cells. <i>Journal of Alloys and Compounds</i> , 2021 , 868, 159092	5.7	4
167	A nanoarchitected cermet composite with extremely low Ni content for stable high-performance solid oxide fuel cells. <i>Acta Materialia</i> , 2021 , 206, 116580	8.4	4
166	Influence of sintering activators on electrical property of BaZr _{0.85} Y _{0.15} O _{3-δ} -proton-conducting electrolyte. <i>Journal of Power Sources</i> , 2021 , 507, 230296	8.9	1
165	Naturally diffused sintering aid for highly conductive bilayer electrolytes in solid oxide cells. <i>Science Advances</i> , 2021 , 7, eabj8590	14.3	4
164	Protonic ceramic electrolysis cells for fuel production: a brief review. <i>Journal of the Korean Ceramic Society</i> , 2020 , 57, 480-494	2.2	11
163	Multiscale structured low-temperature solid oxide fuel cells with 13 W power at 500 °C. <i>Energy and Environmental Science</i> , 2020 , 13, 3459-3468	35.4	15
162	Fast Magneto-Ionic Switching of Interface Anisotropy Using Ytria-Stabilized Zirconia Gate Oxide. <i>Nano Letters</i> , 2020 , 20, 3435-3441	11.5	25
161	Engineering of Charged Defects at Perovskite Oxide Surfaces for Exceptionally Stable Solid Oxide Fuel Cell Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 21494-21504	9.5	26
160	Effect of secondary metal catalysts on butane internal steam reforming operation of thin-film solid oxide fuel cells at 500-600 °C. <i>Applied Catalysis B: Environmental</i> , 2020 , 263, 118349	21.8	14
159	Direct Measurement of Ion Diffusivity in Oxide Thin Film by Using Isotope Tracers and Secondary Ion Mass Spectrometry. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2020 , 7, 405-410	3.8	
158	Solid oxide fuel cells with zirconia/ceria bilayer electrolytes via roll calendaring process. <i>Journal of Alloys and Compounds</i> , 2020 , 846, 156318	5.7	10
157	Improved electrochemical performance and durability of butane-operating low-temperature solid oxide fuel cell through palladium infiltration. <i>International Journal of Energy Research</i> , 2020 , 44, 9995-10007	4.5	11
156	Performance analysis of a planar solid oxide fuel cell stack between 750°C and 500°C. <i>Journal of Power Sources</i> , 2020 , 474, 228671	8.9	1
155	Thermal analysis of a 1-kW hydrogen-fueled solid oxide fuel cell stack by three-dimensional numerical simulation. <i>Energy Conversion and Management</i> , 2020 , 222, 113213	10.6	4
154	A micro-patterned electrode/electrolyte interface fabricated by soft-lithography for facile oxygen reduction in solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16534-16541	13	4
153	Highly active and thermally stable single-atom catalysts for high-temperature electrochemical devices. <i>Energy and Environmental Science</i> , 2020 , 13, 4903-4920	35.4	15
152	Suppression of processing defects in large-scale anode of planar solid oxide fuel cell via multi-layer roll calendaring. <i>Journal of Alloys and Compounds</i> , 2020 , 812, 152113	5.7	2

151	Promotion of Pt/CeO catalyst by hydrogen treatment for low-temperature CO oxidation.. <i>RSC Advances</i> , 2019 , 9, 27002-27012	3.7	31
150	Interpretation of Impedance Spectra of Solid Oxide Fuel Cells: L-Curve Criterion for Determination of Regularization Parameter in Distribution Function of Relaxation Times Technique. <i>Jom</i> , 2019 , 71, 3825-3834 ¹⁰	2.1	10
149	Enhanced sinterability and electrochemical performance of solid oxide fuel cells via a roll calendaring process. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 9958-9967	13	8
148	Palladium incorporation at the anode of thin-film solid oxide fuel cells and its effect on direct utilization of butane fuel at 600 °C. <i>Applied Energy</i> , 2019 , 243, 155-164	10.7	13
147	Powder Packing Behavior and Constrained Sintering in Powder Processing of Solid Oxide Fuel Cells (SOFCs). <i>Journal of the Korean Ceramic Society</i> , 2019 , 56, 130-145	2.2	9
146	Enhanced catalytic activity of nanostructured, A-site deficient (La _{0.7} Sr _{0.3}) _{0.95} (Co _{0.2} Fe _{0.8})O _{3-δ} for SOFC cathodes. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 25102-25111	13	25
145	Atomistic Assessments of Lithium-Ion Conduction Behavior in Glass-Ceramic Lithium Thiophosphates. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13-18	9.5	11
144	A highly activated and integrated nanoscale interlayer of cathodes in low-temperature solid oxide fuel cells via precursor-solution electrospray method. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 4476-4483	6.7	5
143	Sintered powder-base cathode over vacuum-deposited thin-film electrolyte of low-temperature solid oxide fuel cell: Performance and stability. <i>Electrochimica Acta</i> , 2019 , 296, 1055-1063	6.7	12
142	Electrochemical analysis of high-performance protonic ceramic fuel cells based on a columnar-structured thin electrolyte. <i>Applied Energy</i> , 2019 , 233-234, 29-36	10.7	29
141	Synthesis and investigation on stability and electrical conductivity of Ti-doped Ba ₃ CaTa _{2-x} Ti _x O ₉ (0 ≤ x ≤ 1.0) complex oxides. <i>Journal of Alloys and Compounds</i> , 2019 , 775, 736-741	5.7	1
140	Suppression of Cation Segregation in (La,Sr)CoO by Elastic Energy Minimization. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 8057-8065	9.5	29
139	Three-dimensional thermal stress analysis of the re-oxidized Ni-YSZ anode functional layer in solid oxide fuel cells. <i>Journal of Alloys and Compounds</i> , 2018 , 752, 148-154	5.7	11
138	Identification of an Actual Strain-Induced Effect on Fast Ion Conduction in a Thin-Film Electrolyte. <i>Nano Letters</i> , 2018 , 18, 2794-2801	11.5	7
137	Configuring PS _x tetrahedral clusters in Li-excess Li ₇ P ₃ S ₁₁ solid electrolyte. <i>APL Materials</i> , 2018 , 6, 047907	9.7	8
136	3D Evaluation of Porous Zeolite Absorbents Using FIB-SEM Tomography. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2018 , 5, 195-199	3.8	4
135	Highly durable solid oxide fuel cells: suppressing chemical degradation via rational design of a diffusion-blocking layer. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15083-15094	13	19
134	High-Performance Protonic Ceramic Fuel Cells with 1 μm Thick Y:Ba(Ce, Zr)O ₃ Electrolytes. <i>Advanced Energy Materials</i> , 2018 , 8, 1801315	21.8	51

133	Open-cell voltage and electrical conductivity of a protonic ceramic electrolyte under two chemical potential gradients. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 14997-15001	3.6	8
132	A 5 cm ² protonic ceramic fuel cell with a power density of 1.3 W cm ⁻² at 600 °C. <i>Nature Energy</i> , 2018 , 3, 870-875	62.3	125
131	Columnar Grain Size Effect on Cross-Plane Conductivity of Yttria-Stabilized Zirconia Thin Films. <i>Journal of the Electrochemical Society</i> , 2018 , 165, F671-F676	3.9	1
130	Collateral hydrogenation over proton-conducting Ni/BaZrYO catalysts for promoting CO methanation.. <i>RSC Advances</i> , 2018 , 8, 32095-32101	3.7	5
129	Surface Tuning of Solid Oxide Fuel Cell Cathode by Atomic Layer Deposition. <i>Advanced Energy Materials</i> , 2018 , 8, 1802506	21.8	30
128	Comprehensive Understanding of Cathodic and Anodic Polarization Effects on Stability of Nanoscale Oxygen Electrode for Reversible Solid Oxide Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39608-39614	9.5	4
127	Thermally Induced S-Sublattice Transition of LiPS for Fast Lithium-Ion Conduction. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 5592-5597	6.4	10
126	Catalytic behavior of metal catalysts in high-temperature RWGS reaction: In-situ FT-IR experiments and first-principles calculations. <i>Scientific Reports</i> , 2017 , 7, 41207	4.9	39
125	Demonstrating the potential of yttrium-doped barium zirconate electrolyte for high-performance fuel cells. <i>Nature Communications</i> , 2017 , 8, 14553	17.4	143
124	Nano-tailoring of infiltrated catalysts for high-temperature solid oxide regenerative fuel cells. <i>Nano Energy</i> , 2017 , 36, 9-20	17.1	64
123	Thermal conditions and heat transfer characteristics of high-temperature solid oxide fuel cells investigated by three-dimensional numerical simulations. <i>Energy</i> , 2017 , 120, 293-305	7.9	23
122	Acceleration tests: Degradation of anode-supported planar solid oxide fuel cells at elevated operating temperatures. <i>Journal of Power Sources</i> , 2017 , 360, 284-293	8.9	43
121	Fabrication of dense and defect-free diffusion barrier layer via constrained sintering for solid oxide fuel cells. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 3219-3223	6	13
120	High Performance Anode-Supported Solid Oxide Fuel Cells with Thin Film Yttria-Stabilized Zirconia Membrane Prepared by Aerosol-Assisted Chemical Vapor Deposition. <i>Journal of the Electrochemical Society</i> , 2017 , 164, F484-F490	3.9	14
119	Incorporation of a Pd catalyst at the fuel electrode of a thin-film-based solid oxide cell by multi-layer deposition and its impact on low-temperature co-electrolysis. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7433-7444	13	16
118	Highly controlled thermal behavior of a conjugated gadolinia-doped ceria nanoparticles synthesized by particle-dispersed glycine-nitrate process. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 2159-2168	6	4
117	Tailoring ceramic membrane structures of solid oxide fuel cells via polymer-assisted electrospray deposition. <i>Journal of Membrane Science</i> , 2017 , 544, 234-242	9.6	8
116	Synthesis and conductivity behaviour of proton conducting (1-x)Ba0.6Sr0.4Ce0.75Zr0.10Y0.15O3-xGDC (x=0, 0.2, 0.5) composite electrolytes. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4710-4718	3.8	4

115	In-situ nano-alloying Pd-Ni for economical control of syngas production from high-temperature thermo-electrochemical reduction of steam/CO ₂ . <i>Applied Catalysis B: Environmental</i> , 2017 , 200, 265-273	21.8	44
114	Effects of mixing state of composite powders on sintering behavior of cathode for solid oxide fuel cells. <i>Ceramics International</i> , 2017 , 43, 11642-11647	5.1	2
113	Strain-Induced Tailoring of Oxygen-Ion Transport in Highly Doped CeO Electrolyte: Effects of Biaxial Extrinsic and Local Lattice Strain. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42415-42419	9.5	8
112	On the sol-gel synthesis and characterization of (BaSr)(CeZr)O ₃ -based fuel cell electrolytes. <i>Ionics</i> , 2016 , 22, 2529-2538	2.7	6
111	Degradation of hydration kinetics of proton-conducting Ba(Zr _{0.84} Y _{0.15} Cu _{0.01})O _{3-δ} during conductivity-relaxation experiment. <i>Journal of Power Sources</i> , 2016 , 332, 299-304	8.9	3
110	Catalytic Effect of Pd-Ni Bimetallic Catalysts on High-Temperature Co-Electrolysis of Steam/CO ₂ Mixtures. <i>Journal of the Electrochemical Society</i> , 2016 , 163, F3171-F3178	3.9	13
109	Low-temperature co-sintering technique for the fabrication of multi-layer functional ceramics for solid oxide fuel cells. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1417-1425	6	16
108	Optical absorption and XPS studies of (Ba _{1-x} Sr _x)(Ce _{0.75} Zr _{0.10} Y _{0.15})O _{3-δ} electrolytes for protonic ceramic fuel cells. <i>Ceramics International</i> , 2016 , 42, 10366-10372	5.1	17
107	Record-low sintering-temperature (600°C) of solid-oxide fuel cell electrolyte. <i>Journal of Alloys and Compounds</i> , 2016 , 672, 397-402	5.7	14
106	Low-temperature sintering of Ba(Zr,Y)O ₃ -based proton conducting oxides using BaO-CuO eutectic flux as sintering aid. <i>Ceramics International</i> , 2016 , 42, 10476-10481	5.1	18
105	Fabrication of lanthanum strontium cobalt ferrite (LSCF) cathodes for high performance solid oxide fuel cells using a low price commercial inkjet printer. <i>Journal of Power Sources</i> , 2016 , 306, 503-509	8.9	40
104	Thermal Evolution of BaO-CuO Flux as Sintering Aid for Proton Conducting Ceramic Fuel Cells. <i>Journal of the Korean Ceramic Society</i> , 2016 , 53, 506-510	2.2	
103	Constrained Sintering in Fabrication of Solid Oxide Fuel Cells. <i>Materials</i> , 2016 , 9,	3.5	12
102	High-performance and robust operation of anode-supported solid oxide fuel cells in mixed-gas atmosphere. <i>International Journal of Energy Research</i> , 2016 , 40, 726-732	4.5	5
101	High-performance thin-film protonic ceramic fuel cells fabricated on anode supports with a non-proton-conducting ceramic matrix. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6395-6403	13	35
100	The effect of fuel utilization on heat and mass transfer within solid oxide fuel cells examined by three-dimensional numerical simulations. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 97, 77-93	4.9	41
99	Scale-Up of Thin-Film Deposition-Based Solid Oxide Fuel Cell by Sputtering, a Commercially Viable Thin-Film Technology. <i>Journal of the Electrochemical Society</i> , 2016 , 163, F613-F617	3.9	19
98	High-Performance Protonic Ceramic Fuel Cells with Thin-Film Yttrium-Doped Barium Cerate-Zirconate Electrolytes on Compositionally Gradient Anodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 9097-103	9.5	34

97	Impact of nanostructured anode on low-temperature performance of thin-film-based anode-supported solid oxide fuel cells. <i>Journal of Power Sources</i> , 2016 , 315, 324-330	8.9	45
96	Effect of Ba-deficiency on the phase and structural stability of (BaSr)(CeZr)O ₃ -based proton conducting oxides. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 11022-11031	6.7	14
95	Influence of Sintering Additive on the Electrical Conductivity, Chemical Stability and Sinterability of BaCe _{0.55} Zr _{0.3} Y _{0.15} O _{3-δ} . <i>ECS Transactions</i> , 2015 , 68, 467-471	1	1
94	Design and processing parameters of La ₂ NiO ₄ -based cathode for anode-supported planar solid oxide fuel cells (SOFCs). <i>Journal of Power Sources</i> , 2015 , 297, 370-378	8.9	23
93	Fabrication of Large-area Multi-scale-architected Thin-Film SOFC via Commercially Viable Thin-film Technology. <i>ECS Transactions</i> , 2015 , 68, 1915-1920	1	3
92	Gradient Anode Functional Layer for Thin Y:BaZr _x Ce _{1-x} O ₃ Electrolyte in Low-Temperature Solid Oxide Fuel Cells. <i>ECS Transactions</i> , 2015 , 68, 1527-1530	1	2
91	Effects of crystallinity and impurities on the electrical conductivity of Li _{0.5} Ba _{0.5} ZrO ₃ thin films. <i>Thin Solid Films</i> , 2015 , 576, 55-60	2.2	47
90	Specific considerations for obtaining appropriate La _{1-x} Sr _x Ga _{1-y} Mg _y O ₃ thin films using pulsed-laser deposition and its influence on the performance of solid-oxide fuel cells. <i>Journal of Power Sources</i> , 2015 , 274, 41-47	8.9	14
89	Sandwiched ultra-thin yttria-stabilized zirconia layer to effectively and reliably block reduction of thin-film gadolinia-doped ceria electrolyte. <i>Journal of the Ceramic Society of Japan</i> , 2015 , 123, 263-267	1	4
88	Suppressing Lateral Conduction Loss of Thin-film Cathode by Inserting a Denser Bridging Layer. <i>Journal of the Korean Ceramic Society</i> , 2015 , 52, 304-307	2.2	1
87	Fabrication of NiO-Y:BaZrO ₃ Composite Anode for Thin Film-Protonic Ceramic Fuel Cells using Tape-Casting. <i>Journal of the Korean Ceramic Society</i> , 2015 , 52, 320-324	2.2	4
86	Facile fabrication of YSZ/GDC multi-layers by using a split target in pulsed laser deposition and their structural and electrical properties. <i>Journal of Electroceramics</i> , 2014 , 33, 25-30	1.5	1
85	Influence of background oxygen pressure on film properties of pulsed laser deposited Y:BaZrO ₃ . <i>Thin Solid Films</i> , 2014 , 552, 24-31	2.2	17
84	Micro ceramic fuel cells with multilayered yttrium-doped barium cerate and zirconate thin film electrolytes. <i>Journal of Power Sources</i> , 2014 , 248, 1163-1169	8.9	30
83	Highly Dense Mn-Co Spinel Coating for Protection of Metallic Interconnect of Solid Oxide Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2014 , 161, F1389-F1394	3.9	45
82	Three-dimensional microstructure of high-performance pulsed-laser deposited Ni-YSZ SOFC anodes. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 15249-55	3.6	28
81	Role of Ceria-Zirconia Solid Solution with High Oxygen Storage Capacity in Cermet Anodes of Solid Oxide Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2014 , 161, F883-F888	3.9	8
80	Fabrication of anode-supported protonic ceramic fuel cell with Ba(Zr _{0.85} Y _{0.15})O ₃ ∥Ba(Ce _{0.9} Y _{0.1})O ₃ dual-layer electrolyte. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 12812-12818	6.7	23

79	Fabrication of thin-film gadolinia-doped ceria (GDC) interdiffusion barrier layers for intermediate-temperature solid oxide fuel cells (IT-SOFCs) by chemical solution deposition (CSD). <i>Ceramics International</i> , 2014 , 40, 8135-8142	5.1	19
78	High performance air electrode for solid oxide regenerative fuel cells fabricated by infiltration of nano-catalysts. <i>Journal of Power Sources</i> , 2014 , 250, 15-20	8.9	48
77	Synthesis, sintering and conductivity behavior of ceria-doped Scandia-stabilized zirconia. <i>Solid State Ionics</i> , 2014 , 263, 103-109	3.3	32
76	Influence of current collector and cathode area discrepancy on performance evaluation of solid oxide fuel cell with thin-film-processed cathode. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2014 , 1, 313-316	3.8	15
75	Physical and Electrochemical Characteristics of Pulsed Laser Deposited $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3/\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_2$ Nanocomposites as a Function of the Mixing Ratio. <i>Journal of the Electrochemical Society</i> , 2014 , 161, F16-F22	3.9	12
74	Effect of internal and external constraints on sintering behavior of thin film electrolytes for solid oxide fuel cells (SOFCs). <i>Ceramics International</i> , 2014 , 40, 13131-13138	5.1	7
73	High performance Bi-layered electrolytes via atomic layer deposition for solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 253, 114-122	8.9	31
72	Gas transport in hydrogen electrode of solid oxide regenerative fuel cells for power generation and hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 3868-3878	6.7	33
71	Thermo-mechanical stability of multi-scale-architected thin-film-based solid oxide fuel cells assessed by thermal cycling tests. <i>Journal of Power Sources</i> , 2014 , 249, 125-130	8.9	33
70	Lattice-strain effect on oxygen vacancy formation in gadolinium-doped ceria. <i>Journal of Electroceramics</i> , 2014 , 32, 72-77	1.5	20
69	The potential and challenges of thin-film electrolyte and nanostructured electrode for yttria-stabilized zirconia-base anode-supported solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 247, 105-111	8.9	89
68	$\text{BaCeO}_3\text{-BaZrO}_3$ Solid Solution (BCZY) as a High Performance Electrolyte of Protonic Ceramic Fuel Cells (PCFCs). <i>Journal of the Korean Ceramic Society</i> , 2014 , 51, 271-277	2.2	6
67	Optimization of current collection to reduce the lateral conduction loss of thin-film-processed cathodes. <i>Journal of Power Sources</i> , 2013 , 230, 109-114	8.9	29
66	Ceria-based electrolyte reinforced by sol-gel technique for intermediate-temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 9867-9872	6.7	14
65	Micro-Protonic Ceramic Fuel Cells with Y:BaZrO_3 Electrolyte Prepared by Pulsed Laser Deposition (PLD). <i>ECS Transactions</i> , 2013 , 57, 935-938	1	1
64	Microstructure-polarization relations in nickel/ gadolinia-doped ceria anode for intermediate-temperature solid oxide fuel cells. <i>Ceramics International</i> , 2013 , 39, 4713-4718	5.1	13
63	Microstructure refinement of pulsed laser deposited $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$ thin-film cathodes for solid oxide fuel cell. <i>Metals and Materials International</i> , 2013 , 19, 1347-1349	2.4	
62	Enhanced oxygen diffusion in epitaxial lanthanum-strontium-cobaltite thin film cathodes for micro solid oxide fuel cells. <i>Energy and Environmental Science</i> , 2013 , 6, 116-120	35.4	30

61	Influence of wet atmosphere on electrical and transport properties of lanthanum strontium cobalt ferrite cathode materials for protonic ceramic fuel cells. <i>Solid State Ionics</i> , 2013 , 249-250, 112-116	3.3	1
60	Fabrication and characterization of Ba(Zr _{0.84} Y _{0.15} Cu _{0.01})O _{3-δ} electrolyte-based protonic ceramic fuel cells. <i>Ceramics International</i> , 2013 , 39, 9605-9611	5.1	16
59	Fabrication and characterization of all-ceramic solid oxide fuel cells based on composite oxide anode. <i>Journal of Power Sources</i> , 2013 , 241, 440-448	8.9	20
58	Structural optimization of (La, Sr)CoO ₃ -based multilayered composite cathode for solid-oxide fuel cells. <i>Journal of Power Sources</i> , 2013 , 228, 97-103	8.9	9
57	Determination of proton transference number of Ba(Zr _{0.84} Y _{0.15} Cu _{0.01})O _{3-δ} via electrochemical concentration cell test. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 2833-2838	2.6	7
56	The Effect of Post-Annealing on the Properties of a Pulsed-Laser-Deposited La _{0.6} Sr _{0.4} CoO _{3-δ} /Ce _{0.9} Gd _{0.1} O _{2-δ} Nano-Composite Cathode. <i>Journal of the Electrochemical Society</i> , 2013 , 160, F1027-F1032	3.9	13
55	Ultimate Performance of Anode-Supported SOFC by Realizing Thin-Film Electrolyte and Nano-Structure Electrode. <i>ECS Transactions</i> , 2013 , 57, 969-973	1	1
54	The thermomechanical stability of micro-solid oxide fuel cells fabricated on anodized aluminum oxide membranes. <i>Journal of Power Sources</i> , 2012 , 210, 178-183	8.9	34
53	Thin film yttria-stabilized zirconia electrolyte for intermediate-temperature solid oxide fuel cells (IT-SOFCs) by chemical solution deposition. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 1733-1741	6	28
52	Structural Characterization and Catalytic Activity of Ce _{0.65} Zr _{0.25} RE _{0.1} O _{2-δ} Nanocrystalline Powders Synthesized by the Glycine-Nitrate Process. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 3467-3476	3.8	66
51	Proton Conduction in Highly Textured Y:BaZrO ₃ and Y:BaZrCeO ₃ Thin Films Fabricated by Pulsed Laser Deposition. <i>ECS Transactions</i> , 2012 , 45, 129-133	1	2
50	The effect of an ultra-thin zirconia blocking layer on the performance of a 1- μ m-thick gadolinia-doped ceria electrolyte solid-oxide fuel cell. <i>Journal of Power Sources</i> , 2012 , 206, 91-96	8.9	49
49	Extremely thin bilayer electrolyte for solid oxide fuel cells (SOFCs) fabricated by chemical solution deposition (CSD). <i>Advanced Materials</i> , 2012 , 24, 3373-7	24	103
48	Effect of Elastic Network of Ceramic Fillers on Thermal Cycle Stability of a Solid Oxide Fuel Cell Stack. <i>Advanced Energy Materials</i> , 2012 , 2, 461-468	21.8	20
47	Cobalt oxide co-doping effect on the sinterability and electrical conductivity of nano-crystalline Gd-doped ceria. <i>Ceramics International</i> , 2012 , 38, S497-S500	5.1	10
46	Study on the Electrode Reaction Mechanism of Pulsed-Laser Deposited Thin-Film La _{1-x} Sr _x CoO _{3-δ} (x = 0.2, 0.4) Cathodes. <i>Journal of the Electrochemical Society</i> , 2012 , 159, F639-F643	3.9	20
45	Thin Film Yttria-Stabilized Zirconia (YSZ) Electrolyte Fabricated by a Novel Chemical Solution Deposition (CSD) Process for Solid Oxide Fuel Cells (SOFCs). <i>Journal of Nanoelectronics and Optoelectronics</i> , 2012 , 7, 554-558	1.3	2
44	Electrical Characterization of Ultrathin Film Electrolytes for Micro-SOFCs. <i>Journal of the Korean Ceramic Society</i> , 2012 , 49, 404-411	2.2	3

43	Illusional Nano-size effect due to artifacts of in-plane conductivity measurements of ultra-thin films. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 6133-7	3.6	38
42	Low temperature fabrication of nano-structured porous LSM/YSZ composite cathode film by aerosol deposition. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 2627-2630	5.7	28
41	A comparative study of catalytic partial oxidation of methane over CeO ₂ supported metallic catalysts. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 6414-9	1.3	7
40	Three dimensional representations of partial ionic and electronic conductivity based on defect structure analysis of BaZr _{0.85} Y _{0.15} O ₃ . <i>Solid State Ionics</i> , 2011 , 203, 9-17	3.3	39
39	High-Performance Micro-Solid Oxide Fuel Cells Fabricated on Nanoporous Anodic Aluminum Oxide Templates. <i>Advanced Functional Materials</i> , 2011 , 21, 1154-1159	15.6	133
38	Viable AC Two-Probe Impedance Spectroscopy Based on Spatially-Limited Contact Probe for SOFC Cathode. <i>ECS Transactions</i> , 2011 , 35, 1995-1999	1	
37	Effect of nickel nano-particle sintering on methane reforming activity of Ni-CGO cermet anodes for internal steam reforming SOFCs. <i>Applied Catalysis B: Environmental</i> , 2011 , 101, 531-539	21.8	51
36	Microstructural factors of electrodes affecting the performance of anode-supported thin film yttria-stabilized zirconia electrolyte (~1 μ m) solid oxide fuel cells. <i>Journal of Power Sources</i> , 2011 , 196, 7169-7174	8.9	56
35	Surface modification of anode substrate via nano-powder slurry spin coating for the thin film electrolyte of solid oxide fuel cell. <i>Thin Solid Films</i> , 2011 , 519, 2534-2539	2.2	6
34	Limitation of Thickness Increment of Lanthanum Strontium Cobaltite Cathode Fabricated by Pulsed Laser Deposition. <i>Journal of the Electrochemical Society</i> , 2011 , 158, B1	3.9	21
33	Pulsed Laser Deposition of La _{0.6} Sr _{0.4} CoO ₃ /Ce _{0.9} Gd _{0.1} O ₂ Nano-Composite and Its Application to Gradient-Structured Thin-film Cathode of SOFC. <i>Journal of the Electrochemical Society</i> , 2011 , 158, B1000	3.9	25
32	Transmission Electron Microscopy Study on Microstructure and Interfacial Property of Thin Film Electrolyte SOFC. <i>Electrochemical and Solid-State Letters</i> , 2011 , 14, B26		19
31	Performance of Solid Oxide Fuel Cell with Gradient-structured Thin-film Cathode Composed of Pulsed-laser-deposited Lanthanum Strontium Manganite-Yttria-stabilized Zirconia Composite. <i>Journal of the Korean Ceramic Society</i> , 2011 , 48, 487-492	2.2	2
30	Superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method. <i>Journal of Alloys and Compounds</i> , 2010 , 495, 238-241	5.7	48
29	Fabrication of Solid Oxide Fuel Cells via Thin Film Techniques. <i>Materials Science Forum</i> , 2010 , 654-656, 2787-2790	0.4	3
28	Comparisons of the system performance for the small solid oxide fuel cell applications. <i>Current Applied Physics</i> , 2010 , 10, S29-S33	2.6	3
27	Substrate effect on the electrical properties of sputtered YSZ thin films for co-planar SOFC applications. <i>Journal of Electroceramics</i> , 2010 , 24, 153-160	1.5	19
26	Direct Applicability of La _{0.6} Sr _{0.4} CoO ₃ Thin Film Cathode to Yttria Stabilised Zirconia Electrolytes at T \leq 50 $^{\circ}$ C. <i>Fuel Cells</i> , 2010 , 10, 1057-1065	2.9	40

25	Effects of B-site substitution on the surface adsorption properties and catalytic activities of La _{0.8} Sr _{0.2} (Mn _{1-x} Cox)O ₃ . <i>Applied Catalysis A: General</i> , 2010 , 387, 203-208	5.1	8
24	Suppression of Ni agglomeration in PLD fabricated Ni-YSZ composite for surface modification of SOFC anode. <i>Journal of the European Ceramic Society</i> , 2010 , 30, 3415-3423	6	54
23	Thin Film (La _{0.7} Sr _{0.3}) _{0.95} MnO ₃ -Fabricated by Pulsed Laser Deposition and Its Application as a Solid Oxide Fuel Cell Cathode for Low-Temperature Operation. <i>Journal of the Korean Ceramic Society</i> , 2010 , 47, 75-81	2.2	9
22	Fabrication of Thin Solid Oxide Film Fuel Cells. <i>Journal of the Korean Ceramic Society</i> , 2010 , 47, 82-85	2.2	3
21	Low Temperature Performance Improvement of SOFC with Thin Film Electrolyte and Electrodes Fabricated by Pulsed Laser Deposition. <i>Journal of the Electrochemical Society</i> , 2009 , 156, B1484	3.9	71
20	Physical and Microstructural Properties of NiO- and Ni-YSZ Composite Thin Films Fabricated by Pulsed-Laser Deposition at T ₇₀₀ °C. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 3059-3064	3.8	42
19	Superior compositional homogeneity and long-term catalytic stability of Ni _{0.75} Zr _{0.25} O ₂ cermets prepared via glycine nitrate process. <i>Catalysis Communications</i> , 2009 , 10, 1334-1338	3.2	9
18	Electrochemical performance of calcium cobaltite nano-plates. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 4056-60	1.3	1
17	Advanced planar SOFC stack with improved thermo-mechanical reliability and electrochemical performance. <i>Solid State Ionics</i> , 2008 , 179, 1454-1458	3.3	7
16	Synthesis of nano-crystalline Ce _{0.9} Gd _{0.1} O _{1.95} electrolyte by novel sol-gel thermolysis process for IT-SOFCs. <i>Journal of the European Ceramic Society</i> , 2008 , 28, 3107-3112	6	51
15	Fabrication and Characterization of Composite Sealants for Low Temperature (600~650°C)SOFCs. <i>Journal of the Korean Ceramic Society</i> , 2008 , 45, 802-806	2.2	4
14	Fabrication and Characterization of Miniaturized SOFC by Colloidal Process. <i>ECS Transactions</i> , 2007 , 7, 743-748	1	3
13	SOFCs with Sc-Doped Zirconia Electrolyte and Co-Containing Perovskite Cathodes. <i>Journal of the Electrochemical Society</i> , 2007 , 154, B480	3.9	28
12	Oxidation Behavior of Tungsten in H ₂ O ₂ - and Fe(NO ₃) ₃ -Base Aqueous Slurries. <i>Journal of the Electrochemical Society</i> , 2006 , 153, B169	3.9	26
11	Characterization of Thin-Film YSZ Deposited via EB-PVD Technique in Anode-supported SOFCs. <i>Journal of the Electrochemical Society</i> , 2006 , 153, A961	3.9	24
10	Particle size effects on temperature-dependent performance of LiCoO ₂ in lithium batteries. <i>Journal of Power Sources</i> , 2006 , 158, 1419-1424	8.9	33
9	Fabrication and performance evaluation of 3-cell SOFC stack based on planar 10 cm × 10 cm anode-supported cells. <i>Journal of Power Sources</i> , 2006 , 159, 478-483	8.9	60
8	Characterization of the electrode and electrolyte interfaces of LSGM-based SOFCs. <i>Solid State Ionics</i> , 2006 , 177, 2155-2158	3.3	42

7	Pulsed laser deposition of single phase LiNbO ₃ thin film waveguides. <i>Journal of Electroceramics</i> , 2006 , 17, 591-595	1.5	45
6	Direct-write e-beam sub-micron domain engineering in liquid phase epitaxy (LPE) LiNbO ₃ thin films and single crystal LiNbO ₃ . <i>Journal of Crystal Growth</i> , 2005 , 280, 135-144	1.6	3
5	Sub-micron ferroelectric domain engineering in liquid phase epitaxy LiNbO ₃ by direct-write e-beam techniques. <i>Journal of Crystal Growth</i> , 2005 , 281, 492-500	1.6	13
4	Enhanced Densification of In ₂ O ₃ Ceramics by Presintering with Low Pressure (5 MPa). <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2489-2492	3.8	17
3	Direct-Write E-beam Submicron Domain Engineering in LiNbO ₃ Thin Films Grown by Liquid Phase Epitaxy. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 784, 1081		
2	Parametric Studies on Suppression of Secondary Phases in LiNbO ₃ Thin Films Deposited by Pulsed Laser Deposition. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 784, 11241		
1	Achieving performance and longevity with butane-operated low-temperature solid oxide fuel cells using low-cost Cu and CeO ₂ catalysts. <i>Journal of Materials Chemistry A</i> ,	13	1