

# Marek Bajda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/493802/publications.pdf>

Version: 2024-02-01

83  
papers

2,376  
citations

236612

25  
h-index

223531

46  
g-index

85  
all docs

85  
docs citations

85  
times ranked

3328  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multilevel virtual screening approach for discovery of thymidine phosphorylase inhibitors as potential anticancer agents. <i>Journal of Molecular Structure</i> , 2022, 1249, 131648.	1.8	0
2	New hybrids of tacrine and indomethacin as multifunctional acetylcholinesterase inhibitors. <i>Chemical Papers</i> , 2021, 75, 249-264.	1.0	7
3	Pyridinium-2-carbaldoximes with quinolinium carboxamide moiety are simultaneous reactivators of acetylcholinesterase and butyrylcholinesterase inhibited by nerve agent surrogates. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 437-449.	2.5	4
4	Biological evaluation and molecular docking of novel 1,3,4-thiadiazole-resorcinol conjugates as multifunctional cholinesterases inhibitors. <i>Bioorganic Chemistry</i> , 2021, 107, 104617.	2.0	19
5	Dual Inhibitors of Amyloid- $\beta^2$ and Tau Aggregation with Amyloid- $\beta^2$ Disaggregating Properties: Extended <i>In Cellulo</i> , <i>In Silico</i> , and Kinetic Studies of Multifunctional Anti-Alzheimer's™ Agents. <i>ACS Chemical Neuroscience</i> , 2021, 12, 2057-2068.	1.7	36
6	Guanidine Derivatives: How Simple Structural Modification of Histamine H <sub>3</sub> R Antagonists Has Led to the Discovery of Potent Muscarinic M <sub>2</sub> R/M <sub>4</sub> R Antagonists. <i>ACS Chemical Neuroscience</i> , 2021, 12, 2503-2519.	1.7	7
7	Biphenylalkoxyamine Derivatives as Histamine H <sub>3</sub> Receptor Ligands with Butyrylcholinesterase Inhibitory Activity. <i>Molecules</i> , 2021, 26, 3580.	1.7	3
8	Design, Synthesis, and In Vitro Antiproliferative Activity of Hydantoin and Purine Derivatives with the 4-Acetylphenylpiperazinylalkyl Moiety. <i>Materials</i> , 2021, 14, 4156.	1.3	1
9	Novel Functionalized Amino Acids as Inhibitors of GABA Transporters with Analgesic Activity. <i>ACS Chemical Neuroscience</i> , 2021, 12, 3073-3100.	1.7	6
10	Cyanobiphenyls: Novel H <sub>3</sub> receptor ligands with cholinesterase and MAO B inhibitory activity as multitarget compounds for potential treatment of Alzheimer's™ disease. <i>Bioorganic Chemistry</i> , 2021, 114, 105129.	2.0	8
11	Development of tricyclic N-benzyl-4-hydroxybutanamide derivatives as inhibitors of GABA transporters mGAT1-4 with anticonvulsant, antinociceptive, and antidepressant activity. <i>European Journal of Medicinal Chemistry</i> , 2021, 221, 113512.	2.6	6
12	Molecular Modeling Studies on the Multistep Reactivation Process of Organophosphate-Inhibited Acetylcholinesterase and Butyrylcholinesterase. <i>Biomolecules</i> , 2021, 11, 169.	1.8	6
13	Search for new multi-target compounds against Alzheimer's™ disease among histamine H <sub>3</sub> receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2020, 185, 111785.	2.6	27
14	Rational design of new multitarget histamine H <sub>3</sub> receptor ligands as potential candidates for treatment of Alzheimer's™ disease. <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112743.	2.6	17
15	Multidirectional <i>in vitro</i> and <i>in cellulo</i> studies as a tool for identification of multi-target-directed ligands aiming at symptoms and causes of Alzheimer's™ disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2020, 35, 1944-1952.	2.5	9
16	Structure modeling of $\beta^3$ -aminobutyric acid transporters as Molecular basics of ligand selectivity. <i>International Journal of Biological Macromolecules</i> , 2020, 158, 1380-1389.	3.6	10
17	$\beta^3$ -Aminobutyric acid transporters as relevant biological target: Their function, structure, inhibitors and role in the therapy of different diseases. <i>International Journal of Biological Macromolecules</i> , 2020, 158, 750-772.	3.6	27
18	New Tetrahydroacridine Hybrids with Dichlorobenzoic Acid Moiety Demonstrating Multifunctional Potential for the Treatment of Alzheimer's™ Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3765.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Structure Modeling of the Norepinephrine Transporter. <i>Biomolecules</i> , 2020, 10, 102.	1.8	12
20	Novel application of capillary electrophoresis with a liposome coated capillary for prediction of blood-brain barrier permeability. <i>Talanta</i> , 2020, 217, 121023.	2.9	13
21	Synthesis, physicochemical and biological evaluation of tacrine derivative labeled with technetium-99m and gallium-68 as a prospective diagnostic tool for early diagnosis of Alzheimer's disease. <i>Bioorganic Chemistry</i> , 2019, 91, 103136.	2.0	7
22	Discovery of New Cyclopentaquinoline Analogues as Multifunctional Agents for the Treatment of Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2019, 20, 498.	1.8	12
23	Search for multifunctional agents against Alzheimer's disease among non-imidazole histamine H3 receptor ligands. In vitro and in vivo pharmacological evaluation and computational studies of piperazine derivatives. <i>Bioorganic Chemistry</i> , 2019, 90, 103084.	2.0	13
24	EC359: A First-in-Class Small-Molecule Inhibitor for Targeting Oncogenic LIFR Signaling in Triple-Negative Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1341-1354.	1.9	41
25	Biological Evaluation, Molecular Docking, and SAR Studies of Novel 2-(2,4-Dihydroxyphenyl)-1H-Benzimidazole Analogues. <i>Biomolecules</i> , 2019, 9, 870.	1.8	12
26	Characteristics of metabolic stability and the cell permeability of 2-pyrimidinyl-piperazinyl-alkyl derivatives of 1H-imidazo[2,1-b]purine-2,4(3H,8H)-dione with antidepressant and anxiolytic-like activities. <i>Chemical Biology and Drug Design</i> , 2019, 93, 511-521.	1.5	8
27	Identification of 1,2,4-triazoles as new thymidine phosphorylase inhibitors: Future anti-tumor drugs. <i>Bioorganic Chemistry</i> , 2019, 85, 209-220.	2.0	41
28	Abstract 4716: Therapeutic utility of EC359 for targeting oncogenic LIFR signaling in triple negative breast cancer. , 2019, , .		0
29	Novel carbamate derivatives as selective butyrylcholinesterase inhibitors. <i>Bioorganic Chemistry</i> , 2018, 78, 29-38.	2.0	18
30	Design, Synthesis, and Biological Evaluation of 1-Benzylamino-2-hydroxyalkyl Derivatives as New Potential Disease-Modifying Multifunctional Anti-Alzheimer's Agents. <i>ACS Chemical Neuroscience</i> , 2018, 9, 1074-1094.	1.7	47
31	Tetrahydroacridine derivatives with dichloronicotinic acid moiety as attractive, multipotent agents for Alzheimer's disease treatment. <i>European Journal of Medicinal Chemistry</i> , 2018, 145, 760-769.	2.6	21
32	New cyclopentaquinoline hybrids with multifunctional capacities for the treatment of Alzheimer's disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018, 33, 158-170.	2.5	17
33	Novel pyridine-2,4,6-tricarbohydrazide thiourea compounds as small key organic molecules for the potential treatment of type 2 diabetes mellitus: <i>in vitro</i> studies against yeast $\beta$ - and $\alpha$ -glucosidase and <i>in silico</i> molecular modeling. <i>Archiv Der Pharmazie</i> , 2018, 351, 1700236.	2.1	3
34	4-tert-Pentylphenoxyalkyl derivatives as Histamine H3 receptor ligands and monoamine oxidase B inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 3596-3600.	1.0	13
35	Determination of ligand efficiency indices in a group of 7H-purine-2,6-dione derivatives with psychotropic activity using micellar electrokinetic chromatography. <i>Electrophoresis</i> , 2018, 39, 2446-2453.	1.3	3
36	Design, Synthesis, and Biological Evaluation of 2-(Benzylamino-2-Hydroxyalkyl)Isoindoline-1,3-Diones Derivatives as Potential Disease-Modifying Multifunctional Anti-Alzheimer Agents. <i>Molecules</i> , 2018, 23, 347.	1.7	27

#	ARTICLE	IF	CITATIONS
37	Lipophilic properties of anti-Alzheimer's agents determined by micellar electrokinetic chromatography and reversed-phase thin-layer chromatography. <i>Electrophoresis</i> , 2017, 38, 1268-1275.	1.3	9
38	Tetrahydroacridine derivatives with fluorobenzoic acid moiety as multifunctional agents for Alzheimer's disease treatment. <i>Bioorganic Chemistry</i> , 2017, 72, 315-322.	2.0	17
39	Synthesis, physicochemical and biological studies of technetium-99m labeled tacrine derivative as a diagnostic tool for evaluation of cholinesterase level. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 912-920.	1.4	9
40	Design, synthesis and biological evaluation of new phthalimide and saccharin derivatives with alicyclic amines targeting cholinesterases, beta-secretase and amyloid beta aggregation. <i>European Journal of Medicinal Chemistry</i> , 2017, 125, 676-695.	2.6	85
41	Computational approach for the assessment of inhibitory potency against beta-amyloid aggregation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 212-216.	1.0	16
42	Hybrid approach to structure modeling of the histamine H3 receptor: Multi-level assessment as a tool for model verification. <i>PLoS ONE</i> , 2017, 12, e0186108.	1.1	14
43	Synthesis, Molecular Modelling and Biological Evaluation of Novel Heterodimeric, Multiple Ligands Targeting Cholinesterases and Amyloid Beta. <i>Molecules</i> , 2016, 21, 410.	1.7	29
44	Organocatalyzed Novel Synthetic Methodology for Highly Functionalized Piperidines as Potent $\beta$ -Glucosidase Inhibitors. <i>Archiv Der Pharmazie</i> , 2016, 349, 724-732.	2.1	9
45	Cholinesterase inhibitory activity of chlorophenoxy derivatives as Histamine H3 receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 4140-4145.	1.0	20
46	A Hybrid Approach to Structure and Function Modeling of G Protein-Coupled Receptors. <i>Journal of Chemical Information and Modeling</i> , 2016, 56, 630-641.	2.5	14
47	Novel biphenyl bis-sulfonamides as acetyl and butyrylcholinesterase inhibitors: Synthesis, biological evaluation and molecular modeling studies. <i>Bioorganic Chemistry</i> , 2016, 64, 13-20.	2.0	56
48	The Lipophilicity Estimation of Selected Dermatological Drugs Using Micellar Electrokinetic Chromatography Method. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015, 38, 1435-1438.	0.5	2
49	Multiple Ligands Targeting Cholinesterases and $\beta$ -Amyloid: Synthesis, Biological Evaluation of Heterodimeric Compounds with Benzylamine Pharmacophore. <i>Archiv Der Pharmazie</i> , 2015, 348, 556-563.	2.1	11
50	Design and synthesis of new barbituric- and thiobarbituric acid derivatives as potent urease inhibitors: Structure activity relationship and molecular modeling studies. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6049-6058.	1.4	53
51	Isindoline-1,3-dione derivatives targeting cholinesterases: Design, synthesis and biological evaluation of potential anti-Alzheimer's agents. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1629-1637.	1.4	44
52	Development of multifunctional, heterodimeric isindoline-1,3-dione derivatives as cholinesterase and $\beta$ -amyloid aggregation inhibitors with neuroprotective properties. <i>European Journal of Medicinal Chemistry</i> , 2015, 92, 738-749.	2.6	60
53	Synthesis, biological evaluation and molecular modeling of new tetrahydroacridine derivatives as potential multifunctional agents for the treatment of Alzheimer's disease. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 5610-5618.	1.4	26
54	Synthesis, thymidine phosphorylase inhibition and molecular modeling studies of 1,3,4-oxadiazole-2-thione derivatives. <i>Bioorganic Chemistry</i> , 2015, 60, 37-41.	2.0	21

#	ARTICLE	IF	CITATIONS
55	Synthesis of new N-benzylpiperidine derivatives as cholinesterase inhibitors with $\beta$ -amyloid anti-aggregation properties and beneficial effects on memory in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 2445-2457.	1.4	42
56	Study of early stages of amyloid A $\beta$ 13-23 formation using molecular dynamics simulation in implicit environments. <i>Computational Biology and Chemistry</i> , 2015, 56, 13-18.	1.1	7
57	Pyridine sulfonamide as a small key organic molecule for the potential treatment of type-II diabetes mellitus and Alzheimer's disease: In vitro studies against yeast $\beta$ -glucosidase, acetylcholinesterase and butyrylcholinesterase. <i>Bioorganic Chemistry</i> , 2015, 63, 64-71.	2.0	51
58	Discovery of butyrylcholinesterase inhibitors among derivatives of azaphenothiazines. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2015, 30, 98-106.	2.5	19
59	Organocatalyzed solvent free an efficient novel synthesis of 2,4,5-trisubstituted imidazoles for $\beta$ -glucosidase inhibition to treat diabetes. <i>Bioorganic Chemistry</i> , 2015, 58, 65-71.	2.0	51
60	Design and Synthesis of New Dual Binding Site Cholinesterase Inhibitors: in vitro Inhibition Studies with in silico Docking. <i>Letters in Drug Design and Discovery</i> , 2014, 11, 331-338.	0.4	23
61	Application of Computational Methods for the Design of BACE-1 Inhibitors: Validation of in Silico Modelling. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5128-5139.	1.8	17
62	Synthesis and biological evaluation of novel oxadiazole derivatives: A new class of thymidine phosphorylase inhibitors as potential anti-tumor agents. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 1008-1015.	1.4	51
63	Novel synthesis of dihydropyrimidines for $\beta$ -glucosidase inhibition to treat type 2 diabetes: In vitro biological evaluation and in silico docking. <i>Bioorganic Chemistry</i> , 2014, 54, 96-104.	2.0	49
64	Advances in GPCR Modeling Evaluated by the GPCR Dock 2013 Assessment: Meeting New Challenges. <i>Structure</i> , 2014, 22, 1120-1139.	1.6	149
65	New Tacrine Analogs as Acetylcholinesterase Inhibitors – Theoretical Study with Chemometric Analysis. <i>Molecules</i> , 2013, 18, 2878-2894.	1.7	12
66	Determination of lipophilicity of $\beta$ -butyrolactone derivatives with anticonvulsant and analgesic activity using micellar electrokinetic chromatography. <i>Electrophoresis</i> , 2013, 34, 3079-3085.	1.3	6
67	Synthesis and biological evaluation of 1,3,4-thiadiazole analogues as novel AChE and BuChE inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2013, 62, 311-319.	2.6	61
68	Structure-Based Search for New Inhibitors of Cholinesterases. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5608-5632.	1.8	200
69	2,3-Dihydro-1H-cyclopenta[b]quinoline Derivatives as Acetylcholinesterase Inhibitors – Synthesis, Radiolabeling and Biodistribution. <i>International Journal of Molecular Sciences</i> , 2012, 13, 10067-10090.	1.8	24
70	Synthesis, Biological Activity and Molecular Modeling of 4-Fluoro-N-[1-(1,2,3,4-tetrahydroacridin-9-ylamino)-alkyl]-benzamide Derivatives as Cholinesterase Inhibitors. <i>Arzneimittelforschung</i> , 2012, 62, 655-660.	0.5	7
71	Search for anticonvulsant and analgesic active derivatives of dihydrofuran-2(3H)-one. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 6533-6544.	1.4	12
72	Synthesis and Biological Activity of New 2,3-dihydro-1H-cyclopenta[b]-quinoline Derivatives as Acetylcholinesterase Inhibitors. <i>Letters in Drug Design and Discovery</i> , 2012, 9, 645-654.	0.4	10

#	ARTICLE	IF	CITATIONS
73	Design, Synthesis and Evaluation of Novel 2-(Aminoalkyl)-isoindoline-1,3-dione Derivatives as Dual-Targeting Site Acetylcholinesterase Inhibitors. <i>Archiv Der Pharmazie</i> , 2012, 345, 509-516.	2.1	48
74	Dual-Targeting Diether Derivatives of Piperidine and Homopiperidine with Histamine H <sub>3</sub> Receptor Antagonistic and Anticholinesterase Activity. <i>Archiv Der Pharmazie</i> , 2012, 345, 591-597.	2.1	25
75	Antiarhythmic properties of phenylpiperazine derivatives of phenytoin with $\hat{1}$ -adrenoceptor affinities. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 2290-2303.	1.4	29
76	Multi-Target-Directed Ligands in Alzheimer's Disease Treatment. <i>Current Medicinal Chemistry</i> , 2011, 18, 4949-4975.	1.2	219
77	Chromatographic and computational studies of the physicochemical properties of cholinesterase inhibitors - alkyl- and arylcarbamate derivatives of N-benzylpiperidine and N-benzylpiperazine. <i>Journal of Planar Chromatography - Modern TLC</i> , 2010, 23, 359-364.	0.6	2
78	Novel alkyl- and arylcarbamate derivatives with N-benzylpiperidine and N-benzylpiperazine moieties as cholinesterases inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 5602-5611.	2.6	21
79	Application of a Library of Artificial Receptors Formed by Self-Organization of Lipidated Peptides Immobilized on Cellulose for Preliminary Studies of Binding of N-Phenylpiperazines. <i>QSAR and Combinatorial Science</i> , 2009, 28, 728-736.	1.5	3
80	Electrophoretically mediated microanalysis technique as a tool for the rapid screening of novel acetylcholinesterase inhibitors. <i>Acta Poloniae Pharmaceutica</i> , 2009, 66, 357-62.	0.3	8
81	Determination of lipophilicity of $\hat{1}$ -(4-phenylpiperazine) derivatives of N-benzylamides using chromatographic and computational methods. <i>Biomedical Chromatography</i> , 2008, 22, 428-432.	0.8	10
82	Recent Developments in Cholinesterases Inhibitors for Alzheimers Disease Treatment. <i>Current Medicinal Chemistry</i> , 2007, 14, 2654-2679.	1.2	186
83	Investigation of lipophilicity of anticancer-active thioquinoline derivatives. <i>Biomedical Chromatography</i> , 2007, 21, 123-131.	0.8	32