

# Alan Michael Fryday

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4938407/publications.pdf>

Version: 2024-02-01

88  
papers

850  
citations

566801

15  
h-index

642321

23  
g-index

90  
all docs

90  
docs citations

90  
times ranked

520  
citing authors

#	ARTICLE	IF	CITATIONS
1	A preliminary investigation of the lichen biota associated with recently deglaciated terrain in southeastern Alaska. <i>Botany</i> , 2022, 100, 313-328.	0.5	0
2	(2872) Proposal to conserve the name <i>Huea</i> (Ascomycota: Teloschistales) with a conserved type. <i>Taxon</i> , 2022, 71, 465-466.	0.4	1
3	Two new species of Ostropales (Lecanoromycetes) and other significant records of lichenized fungi from southeastern Alaska. <i>Bryologist</i> , 2021, 124, .	0.1	1
4	(2794) Proposal to conserve the name <i>Coccotrema</i> against <i>Lepolichen</i> (Ascomycota, Lecanoromycetes, Coccotremataceae). <i>Taxon</i> , 2021, 70, 203-204.	0.4	0
5	A new species of <i>Aspicilia</i> (Megasperaceae), with a new lichenicolous <i>Sagediopsis</i> (Adelococcaceae), from the Falkland Islands. <i>Lichenologist</i> , 2021, 53, 307-315.	0.5	1
6	Structure and Chemical Analysis of Major Specialized Metabolites Produced by the Lichen <i>Evernia prunastri</i> . <i>Chemistry and Biodiversity</i> , 2020, 17, e1900465.	1.0	9
7	<i>Lecanora muscigena</i> (Lichenized Ascomycota, Lecanorales), a new lichen species in the <i>Lecanora fuscescens</i> group from South Georgia. <i>New Zealand Journal of Botany</i> , 2020, 58, 145-152.	0.8	1
8	High levels of endemism and local differentiation in the fungal and algal symbionts of saxicolous lecideoid lichens along a latitudinal gradient in southern South America. <i>Lichenologist</i> , 2020, 52, 287-303.	0.5	20
9	Bryophytes and Lichens of Letterewe By Oliver Moore. 2019. Ross-shire, Scotland: Letterewe Estate. Pp. 343. Design: IBO, Irma Boom, Eva van Bemmelen. Dimensions 6.75Å—Å8.75Åin. (17.15Å—Å22.2Åcm), weight 1.7Ålb (0.78Åkg). ISBN 978-90-824953-1-7. Hardback. Price: Å£50Å+Åpostage. To order: email mkamstra@ubmc.nl. <i>Lichenologist</i> , 2020, 52, 257-258.	0.5	0
10	Lichens and associated fungi from Glacier Bay National Park, Alaska. <i>Lichenologist</i> , 2020, 52, 61-181.	0.5	49
11	Burrowsia, a new genus of lichenized fungi (Caliciaceae), plus the new species <i>B. cataractae</i> and <i>Scoliosporum fabisporum</i> , from Mpumalanga, South Africa. <i>South African Journal of Botany</i> , 2020, 132, 471-481.	1.2	3
12	<i>Ramalina flaccidissima</i> (Ramalinaceae) is the correct name for the lichen taxon currently known as <i>R. terebrata</i> . <i>New Zealand Journal of Botany</i> , 2020, 58, 268-274.	0.8	0
13	<i>Lecidea phaeophysata</i> : a new saxicolous lichen species from western and southern Europe with a key to saxicolous lecideoid lichens present on Atlantic coasts. <i>Lichenologist</i> , 2019, 51, 193-204.	0.5	0
14	Eleven new species of crustose lichenized fungi from the Falkland Islands (Islas Malvinas). <i>Lichenologist</i> , 2019, 51, 235-267.	0.5	3
15	<i>Psoroma nivale</i> (Pannariaceae, lichenized Ascomycota) a new species with dark, elongate squamules and bacilliform ascospores from arctic QuÅbec, Canada. <i>Lichenologist</i> , 2019, 51, 419-429.	0.5	2
16	A new species of <i>Acarospora</i> (Acarosporaceae, Acarosporales, lichenized Ascomycota) from the Falkland Islands (Islas Malvinas). <i>Phytotaxa</i> , 2018, 340, 86.	0.1	2
17	A remarkable, endohymenial species of <i>Arthothelium</i> (Arthoniales) from Campbell Island, New Zealand. <i>Lichenologist</i> , 2017, 49, 93-97.	0.5	5
18	Insights into the genus <i>Austrella</i> (Pannariaceae, Peltigerales), including a new species from the Falkland Islands. <i>Lichenologist</i> , 2017, 49, 57-65.	0.5	8

#	ARTICLE	IF	CITATIONS
19	Additions to the lichenized fungi biota of North America and Alaska from collections held in the University of Alaska Museum of the North herbarium (ALA). <i>Arctic Science</i> , 2017, 3, 577-584.	0.9	8
20	The genus <i>Endocena</i> (Lecanophilaceae): DNA evidence suggests the same fungus forms different morphologies. <i>Lichenologist</i> , 2017, 49, 347-363.	0.5	12
21	The genus <i>Xenolecia</i> (Lecideaceae s. lat., Lecanoromycetidae inc. sed.), including a second species in the genus from Campbell Island, New Zealand. <i>Lichenologist</i> , 2017, 49, 365-372.	0.5	2
22	One Hundred New Provincial, National, and Continental Lichen and Allied Fungi Records from Parc National de la Gaspésie, Québec, Canada. <i>Northeastern Naturalist</i> , 2017, 24, 446-466.	0.1	11
23	<i>Ochrolechia kerguelensis</i> sp. nov. from the Southern Hemisphere and <i>O. antarctica</i> reinstated from the synonymy of <i>O. parella</i> . <i>Phytotaxa</i> , 2016, 280, 129.	0.1	6
24	First supplement to the lichen checklist of South Africa. <i>Bothalia</i> , 2016, 46, .	0.2	4
25	Common Lichens of Northeastern North America: A Field Guide (Memoirs of The New York Botanical Garden Volume 112) by Troy McMullin and Frances Anderson. 2015. 192 pp. 138 color photos, 138 b/w illustrations. ISBN 978-0-89327-511-2. \$38.99 (hardcover). The New York Botanical Garden Press, Brooklyn, New York.. <a href="#">Phytotaxa, 2016, 118, 222-234.</a>	0.0	0
26	<i>Ameliella</i> - A Bryicolous Lichen Genus Rediscovered in North America after 50 Years. <i>Evansia</i> , 2015, 32, 171-175.	0.1	2
27	Diagnostics for a troubled backbone: testing topological hypotheses of trapelioid lichenized fungi in a large-scale phylogeny of Ostropomycetidae (Lecanoromycetes). <i>Fungal Diversity</i> , 2015, 73, 239-258.	4.7	46
28	A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa. <i>Bothalia</i> , 2015, 45, .	0.2	4
29	Online appendix 3: A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa. <i>Bothalia</i> , 2015, 45, .	0.2	0
30	Online appendix 2: A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa. <i>Bothalia</i> , 2015, 45, .	0.2	0
31	Online appendix 4: A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa. <i>Bothalia</i> , 2015, 45, .	0.2	1
32	Online appendix 1: A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa. <i>Bothalia</i> , 2015, 45, .	0.2	0
33	Brian Coppins "A liber amicorum. <i>Lichenologist</i> , 2014, 46, 245-246.	0.5	1
34	A contribution to the family Lecideaceae s. lat. (Lecanoromycetidae inc. sed., lichenized) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 circumscriptions. <i>Lichenologist</i> , 2014, 46, 389-412.	0.5	18
35	Global assessment of genetic variation and phenotypic plasticity in the lichen-forming species <i>Tephromela atra</i> . <i>Fungal Diversity</i> , 2014, 64, 233-251.	4.7	57
36	<i>Bryobilimbia</i> , a new generic name for <i>Lecidea hypnorum</i> and closely related species. <i>Lichenologist</i> , 2014, 46, 25-37.	0.5	22

#	ARTICLE	IF	CITATIONS
37	Additional lichen records and mineralogical data from metal-contaminated sites in Maine. <i>Rhodora</i> , 2014, 116, 323-347.	0.0	9
38	Lichens of Six Vernal Pools in Acadia National Park, Maine, USA. <i>Evansia</i> , 2014, 31, 31-39.	0.1	1
39	Common Interior Alaska Cryptogams G.A Laursen , R.D Seppelt . Fairbanks, Alaska. University of Alaska Press. 2009. 218 +xxii pp ISBN: [ISBN 978-1-60223-058-3]. Price \$28.95 (softcover).. <i>Bryologist</i> , 2013, 116, 95-95.	0.1	2
40	Absence of anthraquinone pigments is paraphyletic and a phylogenetically unreliable character in the <i>Teloschistaceae</i> . <i>Lichenologist</i> , 2012, 44, 401-418.	0.5	21
41	Investigation of the importance of rock chemistry for saxicolous lichen communities of the New Idria serpentinite mass, San Benito County, California, USA. <i>Lichenologist</i> , 2012, 44, 695-714.	0.5	39
42	New taxa, reports, and names of lichenized and lichenicolous fungi, mainly from the Scottish Highlands. <i>Lichenologist</i> , 2012, 44, 723-737.	0.5	14
43	New species, combinations and records of lichenized fungi from the Falkland Islands (Islas Malvinas). <i>Lichenologist</i> , 2012, 44, 483-500.	0.5	16
44	New species and combinations in <i>Calvitimela</i> and <i>Tephromela</i> from the southern subpolar region. <i>Lichenologist</i> , 2011, 43, 225-239.	0.5	12
45	Studies in lichens and lichenicolous fungi: more notes on taxa from North America 6. <i>Mycotaxon</i> , 2010, 111, 423-429.	0.1	6
46	Two additions to the lichen genus <i>Cliostomum</i> Fr. ( <i>Ramalinaceae</i> ) with broad ascospores. <i>Lichenologist</i> , 2010, 42, 539-545.	0.5	4
47	Reassessment of the genus <i>Catillochroma</i> (lichenized Ascomycota, <i>Ramalinaceae</i> ). <i>Lichenologist</i> , 2010, 42, 587-600.	0.5	16
48	(1862) Proposal to conserve the name <i>Psoroma versicolor</i> ( <i>Degeliella versicolor</i> ) against <i>Psoroma subdescendens</i> (lichenized <i>Ascomycota</i> , <i>Pannariaceae</i> ). <i>Taxon</i> , 2009, 58, 293-293.	0.4	3
49	Lichens and bryophytes of the alpine and subalpine zones of Katahdin, Maine, I: Overview, ecology, climate and conservation aspects. <i>Bryologist</i> , 2009, 112, 651-672.	0.1	10
50	Lichens and bryophytes of the alpine and subalpine zones on Katahdin, Maine, II: Lichens. <i>Bryologist</i> , 2009, 112, 673-703.	0.1	13
51	The genus <i>Fuscidea</i> ( <i>Fuscideaceae</i> , lichenized Ascomycota) in North America. <i>Lichenologist</i> , 2008, 40, 295-328.	0.5	18
52	Three new species of lichenized fungi with cephalodia from the southern New Zealand shelf islands (Campbell Plateau). <i>Lichenologist</i> , 2008, 40, 283-294.	0.5	12
53	<i>Ameliella</i> , a new genus of lichen-forming fungi from north-west Europe and western Canada. <i>Lichenologist</i> , 2008, 40, 387-397.	0.5	7
54	A new species of <i>Megalaria</i> from Îles Kerguelen in the southern Indian Ocean. <i>Lichenologist</i> , 2007, 39, 371-375.	0.5	5

#	ARTICLE	IF	CITATIONS
55	A second species of <i>Lithographa</i> with submuriform ascospores. <i>Lichenologist</i> , 2007, 39, 245-250.	0.5	8
56	New and interesting North American lichen records from the alpine and sub-alpine zones of Mt. Katahdin, Maine. <i>Bryologist</i> , 2006, 109, 570-578.	0.1	13
57	Reassessment of some lichen species described by Josiah Lowe, and notes on some other North American lecideoid lichens. <i>Bryologist</i> , 2006, 109, 9-17.	0.1	7
58	New reports of lichens from Argentine Tierra del Fuego and the Falkland Islands (Islas Malvinas). <i>Bryologist</i> , 2006, 109, 372-380.	0.1	7
59	New or previously misunderstood species of <i>Lithographa</i> and <i>Rimularia</i> (Agyriaceae) from the southern subpolar region and western Canada. <i>Lichenologist</i> , 2006, 38, 93-107.	0.5	8
60	<i>Nimisia deusta</i> , the correct name for <i>N. fuegiae</i> , with additional notes on morphology, chemical composition, and distribution. <i>Lichenologist</i> , 2005, 37, 313-319.	0.5	5
61	bryophytes and lichens of a calcium-rich spring seep isolated on the granitic terrain of Mt. Katahdin, Maine, U.S.A.. <i>Rhodora</i> , 2005, 107, 339-358.	0.0	10
62	The genus <i>Porpidia</i> in northern and western Europe, with special emphasis on collections from the British Isles. <i>Lichenologist</i> , 2005, 37, 1-35.	0.5	44
63	(1656) Proposal to reject the name <i>Lecidea flavocoerulescens</i> (lichenized Ascomycota, Porpidiaceae ). <i>Taxon</i> , 2005, 54, 181-182.	0.4	3
64	A New Species of <i>Fuscopannaria</i> with a Green Photobiont, and Other Taxonomic Innovations and New Records of Lichenized-Fungi from Alaska. <i>Bryologist</i> , 2004, 107, 173-179.	0.1	14
65	A reassessment of the genera <i>Chromatochlamys</i> and <i>Thelenella</i> , and a new species of <i>Strigula</i> from the British Isles. <i>Lichenologist</i> , 2004, 36, 89-95.	0.5	9
66	<i>Rhizocarpon anaperum</i> new to Svalbard. <i>Lichenologist</i> , 2004, 36, 343-344.	0.5	6
67	(1578) Proposal to reject the name <i>Lecidea atro-alba</i> var. <i>concreta</i> Ach. (lichenized Ascomycota, ) Tj ETQq1 1 0.784314 rgBT /Overloc 0,4 1	0.4	1
68	Distribution and importance of the lichen vegetation of the Scottish Highlands. <i>Botanical Journal of Scotland</i> , 2002, 54, 133-151.	0.3	9
69	<i>Rhizocarpon Timdalii</i> , a New Lichen Species from North-West Europe and North-east North America. <i>Lichenologist</i> , 2002, 34, 95-100.	0.5	7
70	A revision of the species of the <i>Rhizocarpon hochstetteri</i> group occurring in the British Isles. <i>Lichenologist</i> , 2002, 34, 451-477.	0.5	18
71	Phytosociology of Terricolous Lichen Vegetation in the Cairngorm Mountains, Scotland. <i>Lichenologist</i> , 2001, 33, 331-351.	0.5	9
72	The lichen vegetation associated with areas of late snow-lie in the Scottish Highlands. <i>Lichenologist</i> , 2001, 33, 121-150.	0.5	21

#	ARTICLE	IF	CITATIONS
73	The Lichen Collection of Henry Imshaug at the Michigan State University Herbarium (msc). <i>Bryologist</i> , 2001, 104, 464-467.	0.1	21
74	Effects of grazing animals on upland/montane lichen vegetation in Great Britain. <i>Botanical Journal of Scotland</i> , 2001, 53, 1-19.	0.3	7
75	A New Species of <i>Schaereria</i> (Lichenized Fungi) from the Falkland Islands. <i>Bryologist</i> , 2001, 104, 109-114.	0.1	9
76	On <i>Rhizocarpon Obscuratum</i> (ACH.) Massal., with notes on some Related Species in the British Isles. <i>Lichenologist</i> , 2000, 32, 207-224.	0.5	20
77	American Arctic Lichens. Volume 2: The Microlichens. By W. Thomson John. Madison: University Wisconsin Press. 12 1996 (1997). Pp. xi + 675, numerous maps and illustrations. 229-13460-1. Distributed in the UK by The Eurospan Group, 3 Henrietta Street, Covent Garden, London WC2E 8LU. Price £79.95.. <i>Lichenologist</i> , 1999, 31, 403-405.	0.5	0
78	Montane lichens in Scotland. <i>Botanical Journal of Scotland</i> , 1997, 49, 367-374.	0.3	8
79	Keys to Sterile, Crustose Saxicolous and Terricolous Lichens Occurring in the British Isles. <i>Lichenologist</i> , 1997, 29, 301.	0.5	7
80	Keys to Sterile, Crustose Saxicolous and Terricolous Lichens Occurring in the British Isles. <i>Lichenologist</i> , 1997, 29, 301-332.	0.5	15
81	Three New Species in the Catillariaceae From the Central Highlands of Scotland. <i>Lichenologist</i> , 1996, 28, 507.	0.5	7
82	A New Crustose Stereocaulon From the Mountains of Scotland and Wales. <i>Lichenologist</i> , 1996, 28, 513.	0.5	1
83	The Lichen Vegetation of Some Previously Overlooked High-Level Habitats in North Wales. <i>Lichenologist</i> , 1996, 28, 521.	0.5	6
84	Three New Species in the Catillariaceae From the Central Highlands of Scotland. <i>Lichenologist</i> , 1996, 28, 507-512.	0.5	12
85	A New Crustose Stereocaulon From the Mountains of Scotland and Wales. <i>Lichenologist</i> , 1996, 28, 513-519.	0.5	16
86	The Lichen Vegetation of Some Previously Overlooked High-Level Habitats in North Wales. <i>Lichenologist</i> , 1996, 28, 521-541.	0.5	13
87	An acid deficient population of <i>Lambiella psephota</i> from Antarctica and a new combination in the genus from Campbell Island with a world-wide key to the genus. <i>Biological Diversity and Conservation</i> , 0, , .	0.3	0
88	Lichens of Ultramafic Substrates in North America: A Review. <i>Botany</i> , 0, , .	0.5	0