

# Gabriela Xavier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4938591/publications.pdf>

Version: 2024-02-01

22  
papers

270  
citations

933447

10  
h-index

940533

16  
g-index

31  
all docs

31  
docs citations

31  
times ranked

564  
citing authors

#	ARTICLE	IF	CITATIONS
1	Telomere shortening in late-life depression: A potential marker of depression severity. <i>Brain and Behavior</i> , 2021, 11, e2255.	2.2	17
2	Ageing biological markers in a cohort of antipsychotic-naïve first-episode psychosis patients. <i>Psychoneuroendocrinology</i> , 2021, 132, 105350.	2.7	7
3	LINE-1 hypomethylation is associated with poor risperidone response in a first episode of psychosis cohort. <i>Epigenomics</i> , 2020, 12, 1041-1051.	2.1	7
4	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 99.	4.8	3
5	Blood gene expression changes after Risperidone treatment in an antipsychotic-naïve cohort of first episode of psychosis patients. <i>Schizophrenia Research</i> , 2020, 220, 285-286.	2.0	3
6	SCHIZOPHRENIA RELATED MIRNAS SELECTION IN A BRAZILIAN SAMPLE. <i>European Neuropsychopharmacology</i> , 2019, 29, S1007.	0.7	0
7	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019, 11, 146.	4.1	13
8	Effects of the interaction between genetic factors and maltreatment on child and adolescent psychiatric disorders. <i>Psychiatry Research</i> , 2019, 273, 575-577.	3.3	0
9	GENOME-WIDE DNA METHYLATION ANALYSIS IN A LONGITUDINAL COHORT OF ANTIPSYCHOTIC-NAIVE FIRST EPISODE OF PSYCHOSIS PATIENTS. <i>European Neuropsychopharmacology</i> , 2019, 29, S1007-S1008.	0.7	0
10	Gene expression over the course of schizophrenia: from clinical high-risk for psychosis to chronic stages. <i>NPJ Schizophrenia</i> , 2019, 5, 5.	3.6	16
11	Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. <i>Journal of Psychosomatic Research</i> , 2019, 127, 109864.	2.6	2
12	Accessing Gene Expression in Treatment-Resistant Schizophrenia. <i>Molecular Neurobiology</i> , 2018, 55, 7000-7008.	4.0	23
13	Leukocyte telomere length variation in different stages of schizophrenia. <i>Journal of Psychiatric Research</i> , 2018, 96, 218-223.	3.1	25
14	Long Sleep Duration, Insomnia, and Insomnia With Short Objective Sleep Duration Are Independently Associated With Short Telomere Length. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 2037-2045.	2.6	30
15	Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018, 107, 104-109.	3.1	11
16	AVALIAÇÃO DO DOR LOMBAR CRÔNICA EM PRATICANTES DE MUSCULAÇÃO: estudo clínico, controlado, randomizado e duplo cego. <i>Revista FisiSenectus</i> , 2018, 5, 38.	0.1	0
17	Shorter leukocyte telomere length in patients at ultra high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, 538-542.	0.7	25
18	Gene Expression Alterations Related To Mania And Psychotic Symptoms In Peripheral Blood of Patients with A First Episode of Psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, S403-S404.	0.7	0

#	ARTICLE	IF	CITATIONS
19	The effect of the severity of obstructive sleep apnea syndrome on telomere length. <i>Oncotarget</i> , 2016, 7, 69216-69224.	1.8	27
20	Gene expression alterations related to mania and psychosis in peripheral blood of patients with a first episode of psychosis. <i>Translational Psychiatry</i> , 2016, 6, e908-e908.	4.8	26
21	Low expression of Gria1 and Grin1 glutamate receptors in the nucleus accumbens of Spontaneously Hypertensive Rats (SHR). <i>Psychiatry Research</i> , 2015, 229, 690-694.	3.3	11
22	Increased expression of NDEL1 and MBP genes in the peripheral blood of antipsychotic-naïve patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, 2416-2425.	0.7	23