Xinping Xi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4941679/publications.pdf

Version: 2024-02-01

72	1,112	19	28
papers	citations	h-index	g-index
72	72	72	1073
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Evaluation of the bioactivity of a mastoparan peptide from wasp venom and of its analogues designed through targeted engineering. International Journal of Biological Sciences, 2018, 14, 599-607.	6.4	65
2	Dermaseptin-PH: A Novel Peptide with Antimicrobial and Anticancer Activities from the Skin Secretion of the South American Orange-Legged Leaf Frog, Pithecopus (Phyllomedusa) hypochondrialis. Molecules, 2017, 22, 1805.	3.8	59
3	In vitro and clinical data analysis of Osteopontin as a prognostic indicator in colorectal cancer. Journal of Cellular and Molecular Medicine, 2018, 22, 4097-4105.	3.6	42
4	AaeAP1 and AaeAP2: Novel Antimicrobial Peptides from the Venom of the Scorpion, Androctonus aeneas: Structural Characterisation, Molecular Cloning of Biosynthetic Precursor-Encoding cDNAs and Engineering of Analogues with Enhanced Antimicrobial and Anticancer Activities. Toxins, 2015, 7, 219-237.	3.4	39
5	A novel membrane-disruptive antimicrobial peptide from frog skin secretion against cystic fibrosis isolates and evaluation of anti-MRSA effect using Galleria mellonella model. Biochimica Et Biophysica Acta - General Subjects, 2019, 1863, 849-856.	2.4	39
6	Triggering of cancer cell cycle arrest by a novel scorpion venomâ€derived peptide—Gonearrestide. Journal of Cellular and Molecular Medicine, 2018, 22, 4460-4473.	3.6	38
7	Two Novel Dermaseptin-Like Antimicrobial Peptides with Anticancer Activities from the Skin Secretion of Pachymedusa dacnicolor. Toxins, 2016, 8, 144.	3.4	35
8	Targeted Modification of a Novel Amphibian Antimicrobial Peptide from Phyllomedusa tarsius to Enhance Its Activity against MRSA and Microbial Biofilm. Frontiers in Microbiology, 2017, 8, 628.	3.5	35
9	Identification and Characterisation of the Antimicrobial Peptide, Phylloseptin-PT, from the Skin Secretion of Phyllomedusa tarsius, and Comparison of Activity with Designed, Cationicity-Enhanced Analogues and Diastereomers. Molecules, 2016, 21, 1667.	3.8	34
10	CD133 in brain tumor: the prognostic factor. Oncotarget, 2017, 8, 11144-11159.	1.8	34
11	A novel antimicrobial peptide, Ranatuerin-2PLx, showing therapeutic potential in inhibiting proliferation of cancer cells. Bioscience Reports, 2018, 38, .	2.4	29
12	A Review on Bradykinin-Related Peptides Isolated from Amphibian Skin Secretion. Toxins, 2015, 7, 951-970.	3.4	27
13	Evaluating the Bioactivity of a Novel Broad-Spectrum Antimicrobial Peptide Brevinin-1GHa from the Frog Skin Secretion of Hylarana guentheri and Its Analogues. Toxins, 2018, 10, 413.	3.4	25
14	<p>Structure–activity relationship of an antimicrobial peptide, Phylloseptin-PHa: balance of hydrophobicity and charge determines the selectivity of bioactivities</p> . Drug Design, Development and Therapy, 2019, Volume 13, 447-458.	4.3	23
15	Modification Targeting the "Rana Box―Motif of a Novel Nigrocin Peptide From Hylarana latouchii Enhances and Broadens Its Potency Against Multiple Bacteria. Frontiers in Microbiology, 2018, 9, 2846.	3.5	22
16	Evaluating the Bioactivity of a Novel Antimicrobial and Anticancer Peptide, Dermaseptin-PS4(Der-PS4), from the Skin Secretion of Phyllomedusa sauvagii. Molecules, 2019, 24, 2974.	3.8	21
17	Aggregation and Its Influence on the Bioactivities of a Novel Antimicrobial Peptide, Temporin-PF, and Its Analogues. International Journal of Molecular Sciences, 2021, 22, 4509.	4.1	21
18	Recent Advances and Challenges in Nanodelivery Systems for Antimicrobial Peptides (AMPs). Antibiotics, 2021, 10, 990.	3.7	21

#	Article	IF	CITATIONS
19	Medusins: A new class of antimicrobial peptides from the skin secretions of phyllomedusine frogs. Biochimie, 2013, 95, 1288-1296.	2.6	20
20	Phylloseptin-PBaâ€"A Novel Broad-Spectrum Antimicrobial Peptide from the Skin Secretion of the Peruvian Purple-Sided Leaf Frog (Phyllomedusa Baltea) Which Exhibits Cancer Cell Cytotoxicity. Toxins, 2015, 7, 5182-5193.	3.4	20
21	PSN-PC: A Novel Antimicrobial and Anti-Biofilm Peptide from the Skin Secretion of Phyllomedusa-camba with Cytotoxicity on Human Lung Cancer Cell. Molecules, 2017, 22, 1896.	3.8	19
22	Identification of <10 KD peptides in the water extraction of Venenum Bufonis from Bufo gargarizans using Nano LC–MS/MS and De novo sequencing. Journal of Pharmaceutical and Biomedical Analysis, 2018, 157, 156-164.	2.8	19
23	Brevinin-1GHd: a novel <i>Hylarana guentheri</i> skin secretion-derived Brevinin-1 type peptide with antimicrobial and anticancer therapeutic potential. Bioscience Reports, 2020, 40, .	2.4	19
24	Bioevaluation of Ranatuerin-2Pb from the Frog Skin Secretion of Rana pipiens and its Truncated Analogues. Biomolecules, 2019, 9, 249.	4.0	18
25	A Combined Molecular Cloning and Mass Spectrometric Method to Identify, Characterize, and Design Frenatin Peptides from the Skin Secretion of Litoria infrafrenata. Molecules, 2016, 21, 1429.	3.8	17
26	Discovery of Phylloseptins that Defense against Gram-Positive Bacteria and Inhibit the Proliferation of the Non-Small Cell Lung Cancer Cell Line, from the Skin Secretions of Phyllomedusa Frogs. Molecules, 2017, 22, 1428.	3.8	17
27	Biological Activities of Cationicity-Enhanced and Hydrophobicity-Optimized Analogues of an Antimicrobial Peptide, Dermaseptin-PS3, from the Skin Secretion of Phyllomedusa sauvagii. Toxins, 2018, 10, 320.	3.4	17
28	Enhanced Antimicrobial Activity of N-Terminal Derivatives of a Novel Brevinin-1 Peptide from The Skin Secretion of Odorrana schmackeri. Toxins, 2020, 12, 484.	3.4	17
29	Identification and Rational Design of a Novel Antibacterial Peptide Dermaseptin-AC from the Skin Secretion of the Red-Eyed Tree Frog Agalychnis callidryas. Antibiotics, 2020, 9, 243.	3.7	15
30	Novel Frog Skin-Derived Peptide Dermaseptin-PP for Lung Cancer Treatment: In vitro/vivo Evaluation and Anti-tumor Mechanisms Study. Frontiers in Chemistry, 2020, 8, 476.	3.6	15
31	Brevinin-2GHk from Sylvirana guentheri and the Design of Truncated Analogs Exhibiting the Enhancement of Antimicrobial Activity. Antibiotics, 2020, 9, 85.	3.7	15
32	Bradykinin-related peptides (BRPs) from skin secretions of three genera of phyllomedusine leaf frogs and their comparative pharmacological effects on mammalian smooth muscles. Peptides, 2014, 52, 122-133.	2.4	13
33	Discovery and Rational Design of a Novel Bowman-Birk Related Protease Inhibitor. Biomolecules, 2019, 9, 280.	4.0	13
34	Identification and target-modifications of temporin-PE: A novel antimicrobial peptide in the defensive skin secretions of the edible frog, Pelophylax kl. esculentus. Biochemical and Biophysical Research Communications, 2018, 495, 2539-2546.	2.1	12
35	A Novel Dermaseptin Isolated from the Skin Secretion of Phyllomedusa tarsius and Its Cationicity-Enhanced Analogue Exhibiting Effective Antimicrobial and Anti-Proliferative Activities. Biomolecules, 2019, 9, 628.	4.0	12
36	Design of N-Terminal Derivatives from a Novel Dermaseptin Exhibiting Broad-Spectrum Antimicrobial Activity against Isolates from Cystic Fibrosis Patients. Biomolecules, 2019, 9, 646.	4.0	12

#	Article	IF	CITATIONS
37	Broad-Spectrum Antimicrobial Activity and Improved Stability of a D-Amino Acid Enantiomer of DMPC-10A, the Designed Derivative of Dermaseptin Truncates. Antibiotics, 2020, 9, 627.	3.7	12
38	Modification and Targeted Design of N-Terminal Truncates Derived from Brevinin with Improved Therapeutic Efficacy. Biology, 2020, 9, 209.	2.8	12
39	Discovery of Novel Bacterial Cell-Penetrating Phylloseptins in Defensive Skin Secretions of the South American Hylid Frogs, Phyllomedusa duellmani and Phyllomedusa coelestis. Toxins, 2016, 8, 255.	3.4	11
40	A Bowman-Birk type chymotrypsin inhibitor peptide from the amphibian, Hylarana erythraea. Scientific Reports, 2018, 8, 5851.	3.3	11
41	Discovery of Distinctin-Like-Peptide-PH (DLP-PH) From the Skin Secretion of Phyllomedusa hypochondrialis, a Prototype of a Novel Family of Antimicrobial Peptide. Frontiers in Microbiology, 2018, 9, 541.	3.5	10
42	A Novel Amphibian Antimicrobial Peptide, Phylloseptin-PV1, Exhibits Effective Anti-staphylococcal Activity Without Inducing Either Hepatic or Renal Toxicity in Mice. Frontiers in Microbiology, 2020, 11, 565158.	3.5	10
43	A Novel Antimicrobial Peptide (Kassinatuerin-3) Isolated from the Skin Secretion of the African Frog, Kassina senegalensis. Biology, 2020, 9, 148.	2.8	10
44	Discovery of two skin-derived dermaseptins and design of a TAT-fusion analogue with broad-spectrum antimicrobial activity and low cytotoxicity on healthy cells. PeerJ, 2018, 6, e5635.	2.0	10
45	Characterisation of a novel peptide, Brevininâ€1H, from the skin secretion of <i>Amolops hainanensis</i> and rational design of several analogues. Chemical Biology and Drug Design, 2021, 97, 273-282.	3.2	9
46	Pharmacological Effects of Two Novel Bombesin-Like Peptides from the Skin Secretions of Chinese Piebald Odorous Frog (Odorrana schmackeri) and European Edible Frog (Pelophylax kl. esculentus) on Smooth Muscle. Molecules, 2017, 22, 1798.	3.8	8
47	Identification and Target-Modification of SL-BBI: A Novel Bowman–Birk Type Trypsin Inhibitor from Sylvirana latouchii. Biomolecules, 2020, 10, 1254.	4.0	8
48	Senegalin: a novel antimicrobial/myotropic hexadecapeptide from the skin secretion of the African running frog, Kassina senegalensis. Amino Acids, 2013, 44, 1347-1355.	2.7	7
49	Novel Kazal-type proteinase inhibitors from the skin secretion of the Splendid leaf frog, Cruziohyla calcarifer. EuPA Open Proteomics, 2017, 15, 1-13.	2.5	7
50	Ranacyclin-NF, a Novel Bowman–Birk Type Protease Inhibitor from the Skin Secretion of the East Asian Frog, Pelophylax nigromaculatus. Biology, 2020, 9, 149.	2.8	7
51	Study on the Structure-Activity Relationship of an Antimicrobial Peptide, Brevinin-2GUb, from the Skin Secretion of Hylarana guentheri. Antibiotics, 2021, 10, 895.	3.7	7
52	A Novel Kunitzin-Like Trypsin Inhibitor Isolated from Defensive Skin Secretion of Odorrana versabilis. Biomolecules, 2019, 9, 254.	4.0	6
53	Generation of truncated derivatives through in silico enzymatic digest of peptide GV30 target MRSA both in vitro and in vivo. Computational and Structural Biotechnology Journal, 2021, 19, 4984-4996.	4.1	6
54	A Novel Bradykinin-Related Peptide, RVA-Thr6-BK, from the Skin Secretion of the Hejiang Frog; Ordorrana hejiangensis: Effects of Mammalian Isolated Smooth Muscle. Toxins, 2019, 11, 376.	3.4	5

#	Article	IF	Citations
55	In vitro activities of a novel antimicrobial peptide isolated from phyllomedusa tomopterna. Microbial Pathogenesis, 2021, 153, 104795.	2.9	5
56	<i>In Vitro</i> and <i>In Vivo</i> Studies on the Antibacterial Activity and Safety of a New Antimicrobial Peptide Dermaseptin-AC. Microbiology Spectrum, 2021, 9, e0131821.	3.0	5
57	Exploration of the Structure–Function Relationships of a Novel Frog Skin Secretion-Derived Bioactive Peptide, t-DPH1, through Use of Rational Design, Cationicity Enhancement and In Vitro Studies. Antibiotics, 2021, 10, 1529.	3.7	5
58	Engineering and Structural Insights of a Novel BBI-like Protease Inhibitor Livisin from the Frog Skin Secretion. Toxins, 2022, 14, 273.	3.4	5
59	Discovery of a Novel Antimicrobial Peptide, Temporin-PKE, from the Skin Secretion of Pelophylax kl. esculentus, and Evaluation of Its Structure-Activity Relationships. Biomolecules, 2022, 12, 759.	4.0	5
60	Structure–Activity Relationship and Molecular Docking of a Kunitz-Like Trypsin Inhibitor, Kunitzin-AH, from the Skin Secretion of Amolops hainanensis. Pharmaceutics, 2021, 13, 966.	4.5	4
61	Modification Strategy of D-leucine Residue Addition on a Novel Peptide from Odorrana schmackeri, with Enhanced Bioactivity and In Vivo Efficacy. Toxins, 2021, 13, 611.	3.4	4
62	Balteatide: A Novel Antimicrobial Decapeptide from the Skin Secretion of the Purple-Sided Leaf Frog, Phyllomedusa baltea. Scientific World Journal, The, 2014, 2014, 1-8.	2.1	3
63	Baltikinin: A New Myotropic Tryptophyllin-3 Peptide Isolated from the Skin Secretion of the Purple-Sided Leaf Frog, Phyllomedusa baltea. Toxins, 2016, 8, 213.	3.4	3
64	Identification of a Novel Vasodilatory Octapeptide from the Skin Secretion of the African Hyperoliid Frog, Kassina senegalensis. Molecules, 2017, 22, 1215.	3.8	3
65	Identification of novel Amurin-2 variants from the skin secretion of Rana amurensis, and the design of cationicity-enhanced analogues. Biochemical and Biophysical Research Communications, 2018, 497, 943-949.	2.1	3
66	Pharmacological Effects of a Novel Bradykinin-Related Peptide (RR-18) from the Skin Secretion of the Hejiang Frog (Ordorrana hejiangensis) on Smooth Muscle. Biomedicines, 2020, 8, 225.	3.2	3
67	Bioevaluation and Targeted Modification of Temporin-FL From the Skin Secretion of Dark-Spotted Frog (Pelophylax nigromaculatus). Frontiers in Molecular Biosciences, 2021, 8, 707013.	3.5	3
68	In Vitro & Studies on Identifying and Designing Temporin-1CEh from the Skin Secretion of Rana chensinensis as the Optimised Antibacterial Prototype Drug. Pharmaceutics, 2022, 14, 604.	4.5	3
69	Discovery of Novel Caeridins from the Skin Secretion of the Australian White's Tree Frog, Litoria caerulea. International Journal of Genomics, 2018, 2018, 1-18.	1.6	1
70	Cloning of a novel trypsin inhibitor from the Traditional Chinese medicine decoction pieces, Radix Trichosanthis. Analytical Biochemistry, 2019, 578, 23-28.	2.4	1
71	Kassporin-KS1: A Novel Pentadecapeptide from the Skin Secretion of Kassina senegalensis: Studies on the Structure-Activity Relationships of Site-Specific "Glycine-Lysine―Motif Insertions. Antibiotics, 2022, 11, 243.	3.7	1
72	Identification of a new myotropic decapeptide from the skin secretion of the red-eyed leaf frog, Agalychnis callidryas. PLoS ONE, 2020, 15, e0243326.	2.5	0