
## Liang-Jen Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4942728/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | International trends in antipsychotic use: A study in 16 countries, 2005–2014. European<br>Neuropsychopharmacology, 2017, 27, 1064-1076.  | 0.3 | 185       |
| 2  | Depression and Suicide Risk in Hemodialysis Patients With Chronic Renal Failure. Psychosomatics, 2010, 51, 528-528.e6.  | 2.5 | 121       |
| 3  | Depression and Anxiety in Adults With Hidradenitis Suppurativa. JAMA Dermatology, 2019, 155, 939.   | 2.0 | 100       |
| 4  | Gut microbiota and dietary patterns in children with attention-deficit/hyperactivity disorder.<br>European Child and Adolescent Psychiatry, 2020, 29, 287-297.  | 2.8 | 87        |
| 5  | The effects of storage temperature and duration of blood samples on DNA and RNA qualities. PLoS ONE, 2017, 12, e0184692.  | 1.1 | 83        |
| 6  | Depression and Suicide Risk in Hemodialysis Patients With Chronic Renal Failure. Psychosomatics,<br>2010, 51, 528-528.e6.   | 2.5 | 64        |
| 7  | Leukocyte telomere length in patients with bipolar disorder: An updated meta-analysis and subgroup<br>analysis by mood status. Psychiatry Research, 2018, 270, 41-49.   | 1.7 | 53        |
| 8  | Heavy Metals' Effect on Susceptibility to Attention-Deficit/Hyperactivity Disorder: Implication of Lead,<br>Cadmium, and Antimony. International Journal of Environmental Research and Public Health, 2018, 15,<br>1221.                      | 1.2 | 52        |
| 9  | Active Job, Healthy Job? Occupational Stress and Depression among Hospital Physicians in Taiwan.<br>Industrial Health, 2011, 49, 173-184.   | 0.4 | 50        |
| 10 | Prevalence rates of youths diagnosed with and medicated for ADHD in a nationwide survey in Taiwan from 2000 to 2011. Epidemiology and Psychiatric Sciences, 2017, 26, 624-634.  | 1.8 | 45        |
| 11 | Persistence of psychotic symptoms as an indicator of cognitive impairment in methamphetamine users.<br>Drug and Alcohol Dependence, 2015, 148, 158-164.   | 1.6 | 43        |
| 12 | Salivary dehydroepiandrosterone, but not cortisol, is associated with attention deficit hyperactivity<br>disorder. World Journal of Biological Psychiatry, 2011, 12, 99-109.  | 1.3 | 42        |
| 13 | Attention-deficit/hyperactivity disorder, methylphenidate use and the risk of developing schizophrenia<br>spectrum disorders: A nationwide population-based study in Taiwan. Schizophrenia Research, 2015, 168,<br>161-167.                   | 1.1 | 41        |
| 14 | Attention deficit–hyperactivity disorder is associated with allergic symptoms and low levels of hemoglobin and serotonin. Scientific Reports, 2018, 8, 10229.   | 1.6 | 41        |
| 15 | The Effects of Add-On Low-Dose Memantine on Cytokine Levels in Bipolar II Depression. Journal of<br>Clinical Psychopharmacology, 2014, 34, 337-343.   | 0.7 | 39        |
| 16 | Depression, anxiety, quality of life, and predictors of depressive disorders in caregivers of patients<br>with head and neck cancer: A six-month follow-up study. Journal of Psychosomatic Research, 2017, 100,<br>29-34.                     | 1.2 | 39        |
| 17 | Cyberbullying Victimization and Perpetration in Adolescents with High-Functioning Autism Spectrum<br>Disorder: Correlations with Depression, Anxiety, and Suicidality. Journal of Autism and<br>Developmental Disorders, 2019, 49, 4170-4180. | 1.7 | 39        |
| 18 | Predictors of Relapse and Dropout During a 12-Week Relapse Prevention Program for<br>Methamphetamine Users. Journal of Psychoactive Drugs, 2015, 47, 317-324.   | 1.0 | 38        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Attention-deficit hyperactivity disorder, its pharmacotherapy, and the risk of developing bipolar<br>disorder: A nationwide population-based study in Taiwan. Journal of Psychiatric Research, 2016, 72,<br>6-14.  | 1.5 | 38        |
| 20 | Comorbidity of narcolepsy and depressive disorders: a nationwide population-based study in Taiwan.<br>Sleep Medicine, 2017, 39, 95-100.  | 0.8 | 38        |
| 21 | Attention-deficit hyperactivity disorder, its treatment with medication and the probability of<br>developing a depressive disorder: A nationwide population-based study in Taiwan. Journal of Affective<br>Disorders, 2016, 189, 110-117.  | 2.0 | 37        |
| 22 | Inflammation's Association with Metabolic Profiles before and after a Twelve-Week Clinical Trial in<br>Drug-NaÃ⁻ve Patients with Bipolar II Disorder. PLoS ONE, 2013, 8, e66847.   | 1.1 | 36        |
| 23 | Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892. | 1.2 | 33        |
| 24 | Serum miRNA as a possible biomarker in the diagnosis of bipolar II disorder. Scientific Reports, 2020, 10, 1131.   | 1.6 | 33        |
| 25 | Initiation and Persistence of Pharmacotherapy for Youths with Attention Deficit Hyperactivity<br>Disorder in Taiwan. PLoS ONE, 2016, 11, e0161061.   | 1.1 | 32        |
| 26 | Efficacy of repetitive transcranial magnetic stimulation for Tourette syndrome: A systematic review and meta-analysis. Brain Stimulation, 2018, 11, 1110-1118.   | 0.7 | 32        |
| 27 | The Relationship between Psychological Factors, Inflammation, and Nutrition in Patients with<br>Chronic Renal Failure Undergoing Hemodialysis. International Journal of Psychiatry in Medicine, 2012,<br>44, 105-118.  | 0.8 | 30        |
| 28 | The Differential Levels of Inflammatory Cytokines and BDNF among Bipolar Spectrum Disorders.<br>International Journal of Neuropsychopharmacology, 2016, 19, pyw012.  | 1.0 | 30        |
| 29 | Trends in Anxiolytic-Hypnotic Use and Polypharmacy in Taiwan, 2002–2009: A Nationwide,<br>Population-Based Survey. Psychiatric Services, 2014, 65, 208-214.  | 1.1 | 29        |
| 30 | Prevalence and related factors of psychological distress among cancer inpatients using routine<br>Distress Thermometer and Chinese Health Questionnaire screening. Neuropsychiatric Disease and<br>Treatment, 2016, Volume 12, 2765-2773.  | 1.0 | 27        |
| 31 | The Chinese Version of the Brief Assessment of Cognition in Schizophrenia: Data of a Large-Scale<br>Mandarin-Speaking Population. Archives of Clinical Neuropsychology, 2017, 32, 289-296.   | 0.3 | 27        |
| 32 | Cognitive profile of ketamine-dependent patients compared with methamphetamine-dependent patients and healthy controls. Psychopharmacology, 2018, 235, 2113-2121.  | 1.5 | 26        |
| 33 | Validation of the Chinese version of Brief Assessment of Cognition in Schizophrenia.<br>Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2819-2826.  | 1.0 | 25        |
| 34 | Methods of suicide predict the risks and method-switching of subsequent suicide attempts: a community cohort study in Taiwan. Neuropsychiatric Disease and Treatment, 2014, 10, 711.   | 1.0 | 24        |
| 35 | A comparison of psychological well-being and quality of life between spouse and non-spouse<br>caregivers in patients with head and neck cancer: a 6-month follow-up study. Neuropsychiatric Disease<br>and Treatment, 2018, Volume 14, 1697-1704.  | 1.0 | 24        |
| 36 | Blood-Bourne MicroRNA Biomarker Evaluation in Attention-Deficit/Hyperactivity Disorder of Han<br>Chinese Individuals: An Exploratory Study. Frontiers in Psychiatry, 2018, 9, 227.   | 1.3 | 23        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Dietary Profiles, Nutritional Biochemistry Status, and Attention-Deficit/Hyperactivity Disorder: Path<br>Analysis for a Case-Control Study. Journal of Clinical Medicine, 2019, 8, 709.   | 1.0 | 23        |
| 38 | Gray matter volume and microRNA levels in patients with attention-deficit/hyperactivity disorder.<br>European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 1037-1045.   | 1.8 | 22        |
| 39 | Zolpidem dependence and withdrawal seizure-report of two cases. Psychiatria Danubina, 2011, 23, 76-8.   | 0.2 | 22        |
| 40 | Courses of aripiprazole-associated tardive dyskinesia: Report of two cases. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 743-744.  | 2.5 | 21        |
| 41 | Clinical symptoms and performance on the continuous performance test in children with attention<br>deficit hyperactivity disorder between subtypes: a natural follow-up study for 6 months. BMC<br>Psychiatry, 2011, 11, 65.  | 1.1 | 21        |
| 42 | Add-on memantine to valproate treatment increased HDL-C in bipolar II disorder. Journal of Psychiatric Research, 2013, 47, 1343-1348.   | 1.5 | 21        |
| 43 | Adjunctive effects of aripiprazole on metabolic profiles: Comparison of patients treated with<br>olanzapine to patients treated with other atypical antipsychotic drugs. Progress in<br>Neuro-Psychopharmacology and Biological Psychiatry, 2013, 40, 260-266.  | 2.5 | 21        |
| 44 | The Trend in Morning Levels of Salivary Cortisol in Children With ADHD During 6 Months of Methylphenidate Treatment. Journal of Attention Disorders, 2017, 21, 254-261.   | 1.5 | 21        |
| 45 | Self-Reported and Parent-Reported School Bullying in Adolescents with High Functioning Autism<br>Spectrum Disorder: The Roles of Autistic Social Impairment, Attention-Deficit/Hyperactivity and<br>Oppositional Defiant Disorder Symptoms. International Journal of Environmental Research and Public<br>Health. 2019. 16. 1117. | 1.2 | 21        |
| 46 | Long-term neurocognitive effects of methylphenidate in patients with attention deficit hyperactivity disorder, even at drug-free status. BMC Psychiatry, 2012, 12, 194.   | 1.1 | 20        |
| 47 | The correlation between plasma brain-derived neurotrophic factor and cognitive function in bipolar disorder is modulated by the BDNF Val66Met polymorphism. Scientific Reports, 2016, 6, 37950.   | 1.6 | 20        |
| 48 | Potential role of pre- and postnatal testosterone levels in attention-deficit/hyperactivity disorder: is there a sex difference?. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1331-1339.   | 1.0 | 20        |
| 49 | Increased serum levels of cysteine in patients with schizophrenia: A potential marker of cognitive function preservation. Schizophrenia Research, 2018, 192, 391-397.   | 1.1 | 20        |
| 50 | Defining cognitive and functional profiles in schizophrenia and affective disorders. BMC Psychiatry, 2020, 20, 39.  | 1.1 | 20        |
| 51 | The Psychological Impact of Hemodialysis on Patients with Chronic Renal Failure. , 0, , .   |     | 19        |
| 52 | Association of salivary dehydroepiandrosterone levels and symptoms in patients with attention<br>deficit hyperactivity disorder during six months of treatment with methylphenidate.<br>Psychoneuroendocrinology, 2011, 36, 1209-1216.  | 1.3 | 18        |
| 53 | Workplace Sexual Harassment in Two General Hospitals in Taiwan: The Incidence, Perception, and<br>Gender Differences. Journal of Occupational Health, 2012, 54, 56-63.  | 1.0 | 18        |
| 54 | Prescription of psychotropic drugs in patients with chronic renal failure on hemodialysis. Renal<br>Failure, 2014, 36, 1545-1549.   | 0.8 | 18        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Switching suicide methods as a predictor of completed suicide in individuals with repeated self-harm:<br>A community cohort study in northern Taiwan. Australian and New Zealand Journal of Psychiatry,<br>2015, 49, 65-73.  | 1.3 | 18        |
| 56 | Differences in Clinical Features of Methamphetamine Users with Persistent Psychosis and Patients with Schizophrenia. Psychopathology, 2016, 49, 108-115.   | 1.1 | 18        |
| 57 | The effectiveness of music therapy for individuals with Rett syndrome and their families. Journal of the Formosan Medical Association, 2019, 118, 1633-1643.   | 0.8 | 18        |
| 58 | Differentiating bipolar disorders from unipolar depression by applying the Brief Assessment of Cognition in Affective Disorders. Psychological Medicine, 2018, 48, 929-938.  | 2.7 | 17        |
| 59 | Lithium concentration and recurrence risk during maintenance treatment of bipolar disorder:<br>Multicenter cohort and metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 144, 368-378.                                    | 2.2 | 17        |
| 60 | Low-dose memantine attenuated methadone dose in opioid-dependent patients: a 12-week double-blind randomized controlled trial. Scientific Reports, 2015, 5, 10140.   | 1.6 | 16        |
| 61 | A Placebo-Controlled Trial of Dextromethorphan as an Adjunct in Opioid-Dependent Patients<br>Undergoing Methadone Maintenance Treatment. International Journal of Neuropsychopharmacology,<br>2015, 18, pyv008-pyv008.       | 1.0 | 16        |
| 62 | Peripheral Brain-Derived Neurotrophic Factor and Contactin-1 Levels in Patients with Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Medicine, 2019, 8, 1366.  | 1.0 | 16        |
| 63 | Gender differences in the prevalence, comorbidities and antipsychotic prescription of early-onset schizophrenia: a nationwide population-based study in Taiwan. European Child and Adolescent Psychiatry, 2019, 28, 759-767. | 2.8 | 16        |
| 64 | Comparing clinical responses and the biomarkers of BDNF and cytokines between subthreshold bipolar disorder and bipolar II disorder. Scientific Reports, 2016, 6, 27431.   | 1.6 | 15        |
| 65 | Gender differences in the relationships among neurosteroid serum levels, cognitive function, and quality of life. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2389-2399.  | 1.0 | 15        |
| 66 | Gender differences in susceptibility to schizophrenia: Potential implication of neurosteroids.<br>Psychoneuroendocrinology, 2017, 84, 87-93.   | 1.3 | 14        |
| 67 | Anxiety comorbidities in patients with major depressive disorder: the role of attachment.<br>International Journal of Psychiatry in Clinical Practice, 2019, 23, 286-292.  | 1.2 | 14        |
| 68 | Dehydroepiandrosterone sulfate, free testosterone, and sex hormone-binding globulin on<br>susceptibility to attention-deficit/hyperactivity disorder. Psychoneuroendocrinology, 2019, 103,<br>212-218.                       | 1.3 | 14        |
| 69 | <p>Validation of the Chinese Version of the Shame and Stigma Scale in Patients with Head and<br/>Neck Cancer</p> . Cancer Management and Research, 2019, Volume 11, 10297-10305.   | 0.9 | 14        |
| 70 | Validity of Visual and Auditory Attention Tests for Detecting ADHD. Journal of Attention Disorders, 2021, 25, 1160-1169.   | 1.5 | 14        |
| 71 | The Rate of Fatality and Demographic Characteristics Associated With Various Suicide Methods.<br>Crisis, 2014, 35, 245-252.  | 0.9 | 14        |
| 72 | Dietary and nutrient status of children with attention-deficit/ hyperactivity disorder: a case-control study. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 1325-1331.   | 0.3 | 14        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Comparative effectiveness of antidepressants on geriatric depression: Real-world evidence from a population-based study. Journal of Affective Disorders, 2022, 296, 609-615.   | 2.0 | 14        |
| 74 | Two meta-analyses of the association between atopic diseases and core symptoms of attention deficit hyperactivity disorder. Scientific Reports, 2022, 12, 3377.  | 1.6 | 14        |
| 75 | Neurocognitive effects of aripiprazole in adolescents and young adults with schizophrenia. Nordic<br>Journal of Psychiatry, 2014, 68, 219-224.   | 0.7 | 13        |
| 76 | The Effectiveness of Aripiprazole for Tics, Social Adjustment, and Parental Stress in Children and<br>Adolescents with Tourette's Disorder. Journal of Child and Adolescent Psychopharmacology, 2016, 26,<br>442-448.                                  | 0.7 | 13        |
| 77 | Mental health of caregivers of individuals with disabilities: Relation to Suicidal Ideation.<br>Comprehensive Psychiatry, 2018, 81, 22-27.   | 1.5 | 13        |
| 78 | Phthalates, Para-Hydroxybenzoic Acids, Bisphenol-A, and Gonadal Hormones' Effects on Susceptibility<br>to Attention-Deficit/Hyperactivity Disorder. Toxics, 2020, 8, 57.   | 1.6 | 13        |
| 79 | Effect of Bifidobacterium bifidum on Clinical Characteristics and Gut Microbiota in<br>Attention-Deficit/Hyperactivity Disorder. Journal of Personalized Medicine, 2022, 12, 227.  | 1.1 | 13        |
| 80 | Genotype variant associated with add-on memantine in bipolar II disorder. International Journal of<br>Neuropsychopharmacology, 2014, 17, 189-197.  | 1.0 | 12        |
| 81 | A potential interaction between COMT and MTHFR genetic variants in Han Chinese patients with bipolar II disorder. Scientific Reports, 2015, 5, 8813.   | 1.6 | 12        |
| 82 | Neurocognitive Performance and Behavioral Symptoms in Patients with<br>Attention-Deficit/Hyperactivity Disorder During Twenty-Four Months of Treatment with<br>Methylphenidate. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 246-253. | 0.7 | 12        |
| 83 | β-hydroxybutyrate, pyruvate and metabolic profiles in patients with schizophrenia: A case control study. Psychoneuroendocrinology, 2016, 73, 1-8.  | 1.3 | 12        |
| 84 | More inflammation but less brain-derived neurotrophic factor in antisocial personality disorder.<br>Psychoneuroendocrinology, 2017, 85, 42-48.   | 1.3 | 12        |
| 85 | Difference in long-term relapse rates between youths with ketamine use and those with stimulants use. Substance Abuse Treatment, Prevention, and Policy, 2018, 13, 50.   | 1.0 | 12        |
| 86 | The association between urinary Alzheimer-associated neuronal thread protein and cognitive<br>impairment in late-life depression: a controlled pilot study. International Journal of Biological<br>Sciences, 2018, 14, 1497-1502.                      | 2.6 | 12        |
| 87 | Could schizoaffective disorder, schizophrenia and bipolar I disorder be distinguishable using cognitive profiles?. Psychiatry Research, 2018, 266, 79-84.  | 1.7 | 12        |
| 88 | Allergic diseases do not impair the cognitive development of children but do damage the mental<br>health of their caregivers. Scientific Reports, 2020, 10, 13854.   | 1.6 | 12        |
| 89 | Defining cognitive profiles of depressive patients using the Brief Assessment of Cognition in Affective Disorders. Peerl, 2019, 7, e7432.  | 0.9 | 12        |
| 90 | Gut microbiota and plasma cytokine levels in patients with attention-deficit/hyperactivity disorder.<br>Translational Psychiatry, 2022, 12, 76.  | 2.4 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Factors Associated With Drug-Related Psychiatric Disorders and Suicide Attempts Among Illicit Drug<br>Users in Taiwan. Substance Use and Misuse, 2012, 47, 1185-1188.   | 0.7 | 11        |
| 92  | Gender Differences in the Behavioral Symptoms and Neuropsychological Performance of Patients<br>with Attention-Deficit/Hyperactivity Disorder Treated with Methylphenidate: A Two-Year Follow-up<br>Study. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 501-508. | 0.7 | 11        |
| 93  | Serum DHEA-S concentration correlates with clinical symptoms and neurocognitive function in patients with bipolar II disorder: A case-controlled study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 74, 31-35.  | 2.5 | 11        |
| 94  | Comparison of the effectiveness of brand-name and generic antipsychotic drugs for treating patients with schizophrenia in Taiwan. Schizophrenia Research, 2018, 193, 107-113.   | 1.1 | 11        |
| 95  | Cognitive Development After Kawasaki Disease ― Clinical Study and Validation Using a Nationwide<br>Population-Based Cohort ―. Circulation Journal, 2018, 82, 517-523.   | 0.7 | 11        |
| 96  | Comparative efficacy and acceptability of treatments for restless legs syndrome in end-stage renal<br>disease: a systematic review and network meta-analysis. Nephrology Dialysis Transplantation, 2020, 35,<br>1609-1618.  | 0.4 | 11        |
| 97  | DNA Methylation in LIME1 and SPTBN2 Genes Is Associated with Attention Deficit in Children. Children, 2021, 8, 92.  | 0.6 | 11        |
| 98  | MicroRNAs serve as prediction and treatment-response biomarkers of attention-deficit/hyperactivity disorder and promote the differentiation of neuronal cells by repressing the apoptosis pathway.<br>Translational Psychiatry, 2022, 12, 67.                                     | 2.4 | 11        |
| 99  | Association between Kawasaki Disease and Autism: A Population-Based Study in Taiwan. International<br>Journal of Environmental Research and Public Health, 2014, 11, 3705-3716.   | 1.2 | 10        |
| 100 | Depression, 5HTTLPR and BDNF Val66Met polymorphisms, and plasma BDNF levels in hemodialysis patients with chronic renal failure. Neuropsychiatric Disease and Treatment, 2014, 10, 1235.  | 1.0 | 10        |
| 101 | Neurocognitive Profiles of Methamphetamine Users: Comparison of Those With or Without<br>Concomitant Ketamine Use. Substance Use and Misuse, 2015, 50, 1778-1785.   | 0.7 | 10        |
| 102 | A family-oriented therapy program for youths with substance abuse: long-term outcomes related to relapse and academic or social status. Neuropsychiatric Disease and Treatment, 2016, 12, 699.  | 1.0 | 10        |
| 103 | Seasonal Patterns of Medications for Treating Attention-Deficit/Hyperactivity Disorder: Comparison of Methylphenidate and Atomoxetine. Clinical Therapeutics, 2016, 38, 595-602.  | 1.1 | 10        |
| 104 | Prevalence and Associated Factors of Depressive Disorder in Caregivers of Individuals With Parkinson<br>Disease. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 418-425.  | 1.2 | 10        |
| 105 | A dyadic study of psychological well-being of individuals with Parkinson's disease and their caregivers. Scientific Reports, 2021, 11, 957.   | 1.6 | 10        |
| 106 | Effects of aerobic walking on cognitive function in patients with schizophrenia: A randomized controlled trial. Journal of Psychiatric Research, 2021, 134, 173-180.  | 1.5 | 10        |
| 107 | Neurocognitive effects of aripiprazole in adolescents and young adults with bipolar disorder. Nordic<br>Journal of Psychiatry, 2012, 66, 276-282.   | 0.7 | 9         |
| 108 | Risk of Mortality Among Patients Treated With Antipsychotic Medications. Journal of Clinical<br>Psychopharmacology, 2016, 36, 9-17.   | 0.7 | 9         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | The DRD3 Ser9Gly Polymorphism Predicted Metabolic Change in Drug-Naive Patients With Bipolar II<br>Disorder. Medicine (United States), 2016, 95, e3488.  | 0.4 | 9         |
| 110 | Polymorphisms of STS gene and SULT2A1 gene and neurosteroid levels in Han Chinese boys with attention-deficit/hyperactivity disorder: an exploratory investigation. Scientific Reports, 2017, 7, 45595.  | 1.6 | 9         |
| 111 | Mitochondrial-associated protein biomarkers in patients with attention-deficit/hyperactivity disorder.<br>Mitochondrion, 2019, 49, 83-88.  | 1.6 | 9         |
| 112 | Peripheral BDNF correlated with miRNA in BD-II patients. Journal of Psychiatric Research, 2021, 136, 184-189.  | 1.5 | 9         |
| 113 | Prevalence and Outcomes of Major Psychiatric Disorders Preceding Index Surgery for Degenerative<br>Thoracic/Lumbar Spine Disease. International Journal of Environmental Research and Public Health,<br>2021, 18, 5391.                                  | 1.2 | 9         |
| 114 | Month of birth and mental disorders: A populationâ€based study and validation using global<br>metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 144, 153-167.  | 2.2 | 9         |
| 115 | Rapid initiation of quetiapine well tolerated as compared with the conventional initiation regimen in patients with schizophrenia or schizoaffective disorders. Kaohsiung Journal of Medical Sciences, 2011, 27, 508-513.                                | 0.8 | 8         |
| 116 | Polymorphisms of COMTVal158Metand DAT13′-UTR VNTRin Illicit Drug Use and Drug-Related Psychiatric<br>Disorders. Substance Use and Misuse, 2014, 49, 1385-1391.   | 0.7 | 8         |
| 117 | Salivary Neurosteroid Levels and Behavioural Profiles of Children with<br>Attention-Deficit/Hyperactivity Disorder During Six Months of Methylphenidate Treatment. Journal of<br>Child and Adolescent Psychopharmacology, 2014, 24, 336-340.             | 0.7 | 8         |
| 118 | Addâ€On Memantine Treatment for Bipolar II Disorder Comorbid with Alcohol Dependence: A 12â€Week<br>Followâ€Up Study. Alcoholism: Clinical and Experimental Research, 2018, 42, 1044-1050.   | 1.4 | 8         |
| 119 | Novel plasma metabolite markers of attention-deficit/hyperactivity disorder identified using<br>high-performance chemical isotope labelling-based liquid chromatography-mass spectrometry. World<br>Journal of Biological Psychiatry, 2021, 22, 139-148. | 1.3 | 8         |
| 120 | Predictors of five-year relapse rates of youths with substance abuse who underwent a family-oriented therapy program. Annals of General Psychiatry, 2020, 19, 17.  | 1.2 | 8         |
| 121 | Comparison of prevalence and associated factors of depressive disorder between patients with head and neck cancer and those with lung cancer at a tertiary hospital in Taiwan: a cross-sectional study. BMJ Open, 2020, 10, e037918.                     | 0.8 | 8         |
| 122 | Impact of negative media publicity on attention-deficit/hyperactivity disorder medication in Taiwan.<br>Pharmacoepidemiology and Drug Safety, 2016, 25, 45-53.   | 0.9 | 7         |
| 123 | Trend, characteristics, and pharmacotherapy of adults diagnosed with attention-deficit/hyperactivity<br>disorder: a nationwide survey in Taiwan. Neuropsychiatric Disease and Treatment, 2017, Volume 13,<br>643-651.                                    | 1.0 | 7         |
| 124 | The correlation between longitudinal changes in hypothalamic–pituitary–adrenal<br>(HPA)-axis activity and changes in neurocognitive function in mixed-state bipolar II disorder.<br>Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2703-2713.  | 1.0 | 7         |
| 125 | Correlation between attentionâ€deficit/hyperactivity disorder, its pharmacotherapy and thyroid<br>dysfunction: A nationwide populationâ€based study in Taiwan. Clinical Endocrinology, 2018, 89, 496-504.  | 1.2 | 7         |
| 126 | Peanut Sensitivity and Allergic Rhinitis in Young Children are Associated with Attention-Deficit<br>Hyperactivity Disorder Symptoms in Adolescence. Neuropsychiatric Disease and Treatment, 2020,<br>Volume 16, 1349-1357.                               | 1.0 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Comorbidity of Narcolepsy and Psychotic Disorders: A Nationwide Population-Based Study in Taiwan.<br>Frontiers in Psychiatry, 2020, 11, 205.   | 1.3 | 7         |
| 128 | Combination of dextromethorphan and memantine in treating bipolar spectrum disorder: a 12-week double-blind randomized clinical trial. International Journal of Bipolar Disorders, 2020, 8, 11.  | 0.8 | 7         |
| 129 | Does Methylphenidate Reduce Testosterone Levels in Humans? A Prospective Study in Children with<br>Attention-Deficit/Hyperactivity Disorder. International Journal of Neuropsychopharmacology, 2017,<br>20, pyw101.                            | 1.0 | 6         |
| 130 | The COMT Val158Met Polymorphism Is Associated With Response to Add-on Dextromethorphan<br>Treatment in Bipolar Disorder. Journal of Clinical Psychopharmacology, 2017, 37, 94-98.  | 0.7 | 6         |
| 131 | A National Population Cohort Study Showed That Exposure to General Anesthesia in Early Childhood<br>Is Associated with an Increase in the Risk of Developmental Delay. Children, 2021, 8, 840.   | 0.6 | 6         |
| 132 | Changes in Behaviour Symptoms of Patients with Attention Deficit/Hyperactivity Disorder during Treatment: Observation from Different Informants. Psychiatry Investigation, 2013, 10, 1.  | 0.7 | 6         |
| 133 | Predicting Serum Levels of Lithium-Treated Patients: A Supervised Machine Learning Approach.<br>Biomedicines, 2021, 9, 1558.   | 1.4 | 6         |
| 134 | Incremental Validity of Multi-Method and Multi-Informant Evaluations in the Clinical Diagnosis of Preschool ADHD. Journal of Attention Disorders, 2022, 26, 1293-1303.   | 1.5 | 6         |
| 135 | Long-term effectiveness of aripiprazole in adolescents and young adults with bipolar disorder: A naturalistic study. International Journal of Psychiatry in Clinical Practice, 2010, 14, 252-256.  | 1.2 | 5         |
| 136 | Biperiden-Induced Delirium in an Adolescent Patient. Journal of Child and Adolescent<br>Psychopharmacology, 2011, 21, 499-500.   | 0.7 | 5         |
| 137 | Risk Factors for HIV, Viral Hepatitis, and Syphilis among Heroin Users in Northern Taiwan. Substance<br>Use and Misuse, 2013, 48, 89-98.   | 0.7 | 5         |
| 138 | A family-oriented treatment program for youths with ketamine abuse and their caregivers: a pilot study in Taiwan. Neuropsychiatric Disease and Treatment, 2015, 11, 1921.  | 1.0 | 5         |
| 139 | ALDH2 polymorphism, associated with attenuating negative symptoms in patients with schizophrenia treated with add-on dextromethorphan. Journal of Psychiatric Research, 2015, 69, 50-56.   | 1.5 | 5         |
| 140 | <b><i>TPH1</i></b> and <b><i>5-HTTLPR</i></b> Genes<br>Specifically Interact in Opiate Dependence but Not in Alcohol Dependence. European Addiction<br>Research, 2016, 22, 201-209.  | 1.3 | 5         |
| 141 | The Chinese version of the Brief Assessment of Cognition in Affective Disorders: normative data of a Mandarin-speaking population. Clinical Neuropsychologist, 2018, 32, 1-14.   | 1.5 | 5         |
| 142 | Stigma, depression, and anxiety among patients with head and neck cancer. Supportive Care in Cancer, 2021, , 1.  | 1.0 | 5         |
| 143 | Serum levels of β-hydroxybutyrate and pyruvate, metabolic changes and cognitive function in patients with schizophrenia during antipsychotic treatment: a preliminary study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 799-808. | 1.0 | 4         |
| 144 | Testicular Function After Long-Term Methylphenidate Treatment in Boys with<br>Attention-Deficit/Hyperactivity Disorder. Journal of Child and Adolescent Psychopharmacology, 2019,<br>29, 433-438.  | 0.7 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Potential disturbance of methylphenidate of gonadal hormones or pubescent development in patients<br>with attention-deficit/hyperactivity disorder: A twelve-month follow-up study. Progress in<br>Neuro-Psychopharmacology and Biological Psychiatry, 2021, 108, 110181. | 2.5 | 4         |
| 146 | Differences in Psychiatric Comorbidities and Gender Distribution among Three Clusters of<br>Personality Disorders: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2021, 10,<br>3294.  | 1.0 | 4         |
| 147 | Is Case Management Effective for Long-Lasting Suicide Prevention?. Crisis, 2015, 36, 194-201.   | 0.9 | 4         |
| 148 | Interrelationships among growth hormone, thyroid function, and endocrine-disrupting chemicals on<br>the susceptibility to attention-deficit/hyperactivity disorder. European Child and Adolescent<br>Psychiatry, 2023, 32, 1391-1401.                                     | 2.8 | 4         |
| 149 | BST-1 as a serum protein biomarker involved in neutrophil infiltration in schizophrenia. World<br>Journal of Biological Psychiatry, 2022, 23, 537-547.  | 1.3 | 4         |
| 150 | Second Wave of the Study of Taiwanese Caregivers of Children with ADHD in the COVID-19 Pandemic:<br>Intentions to Vaccinate Their Children for COVID-19, and Related Factors. Vaccines, 2022, 10, 753.  | 2.1 | 4         |
| 151 | Effectiveness of aripiprazole in adolescents and young adults with schizophrenia spectrum disorders:<br>comparison of firstâ€episode to recurrent psychosis. Microbial Biotechnology, 2013, 7, 89-93.   | 0.9 | 3         |
| 152 | Health care service utilization and associated factors among heroin users in northern Taiwan.<br>Addictive Behaviors, 2013, 38, 2635-2638.  | 1.7 | 3         |
| 153 | The Potential Role of Neuroendocrine in Patients with Attention-Deficit/Hyperactivity Disorder. , 0, , .  |     | 3         |
| 154 | Treatment-emergent depression and anxiety between peginterferon alpha-2a versus alpha-2b plus<br>ribavirin for chronic hepatitis C. BMC Psychiatry, 2016, 16, 424.  | 1.1 | 3         |
| 155 | Differences in prescribing psychotropic drugs for elderly with depression. Acta Neuropsychiatrica, 2016, 28, 296-303.   | 1.0 | 3         |
| 156 | Screening for Psychologic Distress in Taiwanese Cancer Inpatients Using the National Comprehensive<br>Cancer Network Distress Thermometer: The Effects of Patients' Sex and Chemotherapy Experience.<br>Psychosomatics, 2017, 58, 496-505.                                | 2.5 | 3         |
| 157 | Social adjustment and family function after drug switch from IR -methylphenidate to<br>OROS-methylphenidate in patients with attention-deficit/hyperactivity disorder. Neuropsychiatric<br>Disease and Treatment, 2018, Volume 14, 2783-2791.                             | 1.0 | 3         |
| 158 | Brand-Name Antidepressants Outperform Their Generic Counterparts in Preventing Hospitalization<br>for Depression: The Real-World Evidence from Taiwan. International Journal of<br>Neuropsychopharmacology, 2020, 23, 653-661.  | 1.0 | 3         |
| 159 | Impact of Drug Adherence on Oppositional Defiant Disorder and Conduct Disorder Among Patients<br>With Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2018, 79, .   | 1.1 | 3         |
| 160 | Muscle relaxation for individuals having tattoos removed through laser treatment: possible effects regarding anxiety and pain. Lasers in Medical Science, 2016, 31, 1069-1074.  | 1.0 | 2         |
| 161 | ALDH2 modulated changes in cytokine levels and cognitive function in bipolar disorder: A 12-week follow-up study. Australian and New Zealand Journal of Psychiatry, 2018, 52, 680-689.  | 1.3 | 2         |
| 162 | Attention-Deficit/Hyperactivity Disorder, Its Pharmacotherapy, and Adrenal Gland Dysfunction: A<br>Nationwide Population-Based Study in Taiwan. International Journal of Environmental Research and<br>Public Health, 2020, 17, 3709.                                     | 1.2 | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Lack of association between erythropoietin treatment and risk of depression in patients with<br>end-stage kidney disease on maintenance dialysis: a nationwide database study in Taiwan. Therapeutic<br>Advances in Chronic Disease, 2021, 12, 204062232199569. | 1.1 | 2         |
| 164 | Cognitive development of children with Kawasaki disease and the parenting stress of their caregivers<br>in Taiwan: a case–control study. BMJ Open, 2021, 11, e042996.   | 0.8 | 2         |
| 165 | Contemporary psychiatric intervention for chronic schizophrenia patients incarcerated in a religious asylum in Taiwan. Journal of the Formosan Medical Association, 2021, 120, 1620-1626.   | 0.8 | 2         |
| 166 | Multiple types of harassment victimization in adolescents with autism spectrum disorder: Related factors and effects on mental health problems. Journal of the Formosan Medical Association, 2022, 121, 2161-2171.  | 0.8 | 2         |
| 167 | Growth Hormone and Thyroid Function in Children with Attention Deficit Hyperactivity Disorder<br>Undergoing Drug Therapy. Journal of Clinical Endocrinology and Metabolism, 2022, , .   | 1.8 | 2         |
| 168 | The comparative effectiveness of antidepressants for youths with major depressive disorder: a nationwide population-based study in Taiwan. Therapeutic Advances in Chronic Disease, 2022, 13, 204062232210981.  | 1.1 | 2         |
| 169 | Cytokine Levels and Neuropsychological Function among Patients with Attention-Deficit/Hyperactivity<br>Disorder and Atopic Diseases. Journal of Personalized Medicine, 2022, 12, 1155.  | 1.1 | 2         |
| 170 | Comorbidity of attention-deficit/hyperactivity disorder, Tourette's syndrome and bipolar I disorder in an adolescent patient with schizencephaly. General Hospital Psychiatry, 2012, 34, 702.e1-702.e3.   | 1.2 | 1         |
| 171 | Quetiapine fumarate augmentation for patients with a primary anxiety disorder or a mood disorder: a pilot study. BMC Psychiatry, 2012, 12, 162.   | 1.1 | 1         |
| 172 | Dietary Profiles, Nutritional Biochemistry Status, and Attention-deficit/hyperactivity Disorder: Path<br>Analysis for a Case-control Study (P18-106-19). Current Developments in Nutrition, 2019, 3,<br>nzz039.P18-106-19.                                      | 0.1 | 1         |
| 173 | l-Cystine is associated with the dysconnectivity of the default-mode network and salience network in attention-deficit/hyperactivity disorder. Psychoneuroendocrinology, 2021, 125, 105105.   | 1.3 | 1         |
| 174 | Music-Based Intervention Ameliorates Mecp2-Loss-Mediated Sociability Repression in Mice through the Prefrontal Cortex FNDC5/BDNF Pathway. International Journal of Molecular Sciences, 2021, 22, 7174.  | 1.8 | 1         |
| 175 | Psychological Reactions of Hospital Workers to a Pandemic: A Comparison of SARS-CoV-2 in 2020 and SARS in 2003. International Journal of Environmental Research and Public Health, 2022, 19, 833.   | 1.2 | 1         |
| 176 | Prevalence and Risk Factors of Depression between Patients with Parkinson's Disease and Their<br>Caregivers: A One-Year Prospective Study. Healthcare (Switzerland), 2022, 10, 1305.  | 1.0 | 1         |
| 177 | Poster #247 NEURO-COGNITIVE PRESENTATIONS OF METHAMPHETAMINE ABUSERS WITH AND WITHOUT PSYCHOSIS COMPARED TO SCHIZOPHRENICS. Schizophrenia Research, 2012, 136, S179.  | 1.1 | 0         |
| 178 | Response to "Risperidone and sulpiride: Brands vs generics― Schizophrenia Research, 2018, 195, 274.   | 1.1 | 0         |
| 179 | Interaction between COMT and MTHFR genetic variants protect against risk for bipolar II disorder in<br>Han Chinese. Brain Disorders & Therapy, 2015, 04, .  | 0.1 | 0         |
| 180 | Dr Wang and Colleagues Reply. Journal of Clinical Psychiatry, 2019, 80, .   | 1.1 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Month of birth and the risk of narcolepsy: a systematic review and meta-analysis. Journal of Clinical Sleep Medicine, 2022, 18, 1113-1120. | 1.4 | О         |