

Thomas Chaillou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4943823/publications.pdf>

Version: 2024-02-01

31
papers

819
citations

623734

14
h-index

501196

28
g-index

32
all docs

32
docs citations

32
times ranked

1374
citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing the resting time between drop jumps lessens delayed-onset muscle soreness and limits the extent of prolonged low-frequency force depression in human knee extensor muscles. <i>European Journal of Applied Physiology</i> , 2022, 122, 255-266.	2.5	1
2	High-intensity resistance exercise is not as effective as traditional high-intensity interval exercise for increasing the cardiorespiratory response and energy expenditure in recreationally active subjects. <i>European Journal of Applied Physiology</i> , 2022, 122, 459-474.	2.5	4
3	Exercise reduces intramuscular stress and counteracts muscle weakness in mice with breast cancer. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1151-1163.	7.3	12
4	Functional Impact of Post-exercise Cooling and Heating on Recovery and Training Adaptations: Application to Resistance, Endurance, and Sprint Exercise. <i>Sports Medicine - Open</i> , 2022, 8, 37.	3.1	8
5	Carbohydrate restriction following strenuous glycogen-depleting exercise does not potentiate the acute molecular response associated with mitochondrial biogenesis in human skeletal muscle. <i>European Journal of Applied Physiology</i> , 2021, 121, 1219-1232.	2.5	1
6	Mitochondrial NDUFA4L2 is a novel regulator of skeletal muscle mass and force. <i>FASEB Journal</i> , 2021, 35, e22010.	0.5	6
7	Carbohydrates do not accelerate force recovery after glycogen-depleting followed by high-intensity exercise in humans. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 998-1007.	2.9	8
8	Cold water immersion puts the chill on muscle protein synthesis after resistance exercise. <i>Journal of Physiology</i> , 2020, 598, 1123-1124.	2.9	0
9	Glutamine-stimulated in vitro hypertrophy is preserved in muscle cells from older women. <i>Mechanisms of Ageing and Development</i> , 2020, 187, 111228.	4.6	2
10	LIM and cysteine-rich domains 1 (LMCD1) regulates skeletal muscle hypertrophy, calcium handling, and force. <i>Skeletal Muscle</i> , 2019, 9, 26.	4.2	25
11	Intact single muscle fibres from SOD1 ^{G93A} amyotrophic lateral sclerosis mice display preserved specific force, fatigue resistance and training-like adaptations. <i>Journal of Physiology</i> , 2019, 597, 3133-3146.	2.9	8
12	Mechanisms of prolonged low-frequency force depression: in vivo studies get us closer to the truth. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019, 316, R502-R503.	1.8	5
13	Mild hypothermia affects the morphology and impairs glutamine-induced anabolic response in human primary myotubes. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C101-C110.	4.6	9
14	Life-long reduction in myomiR expression does not adversely affect skeletal muscle morphology. <i>Scientific Reports</i> , 2019, 9, 5483.	3.3	29
15	Ribosome specialization and its potential role in the control of protein translation and skeletal muscle size. <i>Journal of Applied Physiology</i> , 2019, 127, 599-607.	2.5	28
16	Skeletal Muscle Fiber Type in Hypoxia: Adaptation to High-Altitude Exposure and Under Conditions of Pathological Hypoxia. <i>Frontiers in Physiology</i> , 2018, 9, 1450.	2.8	43
17	Commentaries on Viewpoint: Human skeletal muscle wasting in hypoxia: a matter of hypoxic dose?. <i>Journal of Applied Physiology</i> , 2017, 122, 409-411.	2.5	5
18	Post-exercise recovery of contractile function and endurance in humans and mice is accelerated by heating and slowed by cooling skeletal muscle. <i>Journal of Physiology</i> , 2017, 595, 7413-7426.	2.9	52

#	ARTICLE	IF	CITATIONS
19	Docetaxel does not impair skeletal muscle force production in a murine model of cancer chemotherapy. <i>Physiological Reports</i> , 2017, 5, e13261.	1.7	10
20	Impaired ribosome biogenesis could contribute to anabolic resistance to strength exercise in the elderly. <i>Journal of Physiology</i> , 2017, 595, 1447-1448.	2.9	7
21	Regulation of myogenesis and skeletal muscle regeneration: effects of oxygen levels on satellite cell activity. <i>FASEB Journal</i> , 2016, 30, 3929-3941.	0.5	62
22	Expression of Muscle-Specific Ribosomal Protein L3-Like Impairs Myotube Growth. <i>Journal of Cellular Physiology</i> , 2016, 231, 1894-1902.	4.1	45
23	Intracellular Ca ²⁺ handling and myofibrillar Ca ²⁺ sensitivity are defective in single muscle fibres of aged humans. <i>Journal of Physiology</i> , 2015, 593, 3237-3238.	2.9	0
24	The role of microRNAs in skeletal muscle health and disease. <i>Frontiers in Bioscience - Landmark</i> , 2015, 20, 37-77.	3.0	56
25	Identification of a conserved set of upregulated genes in mouse skeletal muscle hypertrophy and regrowth. <i>Journal of Applied Physiology</i> , 2015, 118, 86-97.	2.5	26
26	Blunted hypertrophic response in aged skeletal muscle is associated with decreased ribosome biogenesis. <i>Journal of Applied Physiology</i> , 2015, 119, 321-327.	2.5	75
27	Effect of hypoxia exposure on the recovery of skeletal muscle phenotype during regeneration. <i>Molecular and Cellular Biochemistry</i> , 2014, 390, 31-40.	3.1	17
28	Ribosome Biogenesis: Emerging Evidence for a Central Role in the Regulation of Skeletal Muscle Mass. <i>Journal of Cellular Physiology</i> , 2014, 229, 1584-1594.	4.1	152
29	Time course of gene expression during mouse skeletal muscle hypertrophy. <i>Journal of Applied Physiology</i> , 2013, 115, 1065-1074.	2.5	78
30	Hypoxia transiently affects skeletal muscle hypertrophy in a functional overload model. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R643-R654.	1.8	34
31	Pitfalls of reverse transcription quantitative polymerase chain reaction standardization: Volume-related inhibitors of reverse transcription. <i>Analytical Biochemistry</i> , 2011, 415, 151-157.	2.4	11