

Gareth Ambler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4943979/publications.pdf>

Version: 2024-02-01

83
papers

4,084
citations

159525

30
h-index

123376

61
g-index

83
all docs

83
docs citations

83
times ranked

6423
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral Anticoagulants in the Oldest Old with Recent Stroke and Atrial Fibrillation. <i>Annals of Neurology</i> , 2022, 91, 78-88.	2.8	8
2	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.	2.0	7
3	Magnetic resonance imaging-based scores of small vessel diseases: Associations with intracerebral haemorrhage location. <i>Journal of the Neurological Sciences</i> , 2022, 434, 120165.	0.3	1
4	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.	6.0	30
5	Discriminating between CPAP success and failure in COVID-19 patients with severe respiratory failure. <i>Intensive Care Medicine</i> , 2021, 47, 237-239.	3.9	24
6	Small Vessel Disease and Ischemic Stroke Risk During Anticoagulation for Atrial Fibrillation After Cerebral Ischemia. <i>Stroke</i> , 2021, 52, 91-99.	1.0	40
7	A comparison of methods for analysing multiple outcome measures in randomised controlled trials using a simulation study. <i>Biometrical Journal</i> , 2021, 63, 599-615.	0.6	15
8	Is social support pre-treatment associated with prognosis for adults with depression in primary care?. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 392-405.	2.2	17
9	Small vessel disease burden and intracerebral haemorrhage in patients taking oral anticoagulants. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 805-814.	0.9	17
10	The contribution of depressive disorder characteristics™ to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.	2.7	28
11	Estimation of required sample size for external validation of risk models for binary outcomes. <i>Statistical Methods in Medical Research</i> , 2021, 30, 2187-2206.	0.7	25
12	Development of imaging-based risk scores for prediction of intracranial haemorrhage and ischaemic stroke in patients taking antithrombotic therapy after ischaemic stroke or transient ischaemic attack: a pooled analysis of individual patient data from cohort studies. <i>Lancet Neurology</i> , The, 2021, 20, 294-303.	4.9	37
13	Tocilizumab in COVID-19: a meta-analysis, trial sequential analysis, and meta-regression of randomized-controlled trials. <i>Intensive Care Medicine</i> , 2021, 47, 641-652.	3.9	57
14	Convalescent plasma for COVID-19: a meta-analysis, trial sequential analysis, and meta-regression. <i>British Journal of Anaesthesia</i> , 2021, 127, 834-844.	1.5	13
15	Clinical Features of Vaccine-Induced Immune Thrombocytopenia and Thrombosis. <i>New England Journal of Medicine</i> , 2021, 385, 1680-1689.	13.9	425
16	Influence of IL-6 levels on patient survival in COVID-19. <i>Journal of Critical Care</i> , 2021, 66, 123-125.	1.0	7
17	Differences in the organisation of early pregnancy units and the effect of senior clinician presence, volume of patients and weekend opening on emergency hospital admissions: Findings from the VESPA Study. <i>PLoS ONE</i> , 2021, 16, e0260534.	1.1	2
18	Intravenous Thrombolysis Before Mechanical Thrombectomy for Acute Ischemic Stroke: A Meta-Analysis. <i>Journal of the American Heart Association</i> , 2021, 10, e022303.	1.6	17

#	ARTICLE	IF	CITATIONS
19	Protocol for a prospective double-blind, randomised, placebo-controlled feasibility trial of octreotide infusion during liver transplantation. <i>BMJ Open</i> , 2021, 11, e055864.	0.8	2
20	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.	1.1	10
21	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2020, 216, 314-322.	1.7	33
22	Cognitive Impairment Before Atrial Fibrillation-Related Ischemic Events: Neuroimaging and Prognostic Associations. <i>Journal of the American Heart Association</i> , 2020, 9, e014537.	1.6	17
23	Efficacy of Repeat Selective Laser Trabeculoplasty in Medication-Naive Open-Angle Glaucoma and Ocular Hypertension during the LiGHT Trial. <i>Ophthalmology</i> , 2020, 127, 467-476.	2.5	27
24	Association between critical care admission and 6-month functional outcome after spontaneous intracerebral haemorrhage. <i>Journal of the Neurological Sciences</i> , 2020, 418, 117141.	0.3	1
25	Assessment of the Subarachnoid Hemorrhage International Trialists (SAHIT) Models for Dichotomized Long-Term Functional Outcome Prediction After Aneurysmal Subarachnoid Hemorrhage in a United Kingdom Multicenter Cohort Study. <i>Neurosurgery</i> , 2020, 87, 1269-1276.	0.6	6
26	Laser treatment for glaucoma – Authors' reply. <i>Lancet, The</i> , 2020, 396, 754-755.	6.3	0
27	Successful and unsuccessful recruitment and retainment strategies in a UK multicentre drug trial for a rare chronic pain condition which performed above target. <i>British Journal of Pain</i> , 2020, 14, 171-179.	0.7	4
28	Ischemic Stroke despite Oral Anticoagulant Therapy in Patients with Atrial Fibrillation. <i>Annals of Neurology</i> , 2020, 87, 677-687.	2.8	117
29	Cerebrospinal Fluid Biomarkers in Cerebral Amyloid Angiopathy. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 1189-1201.	1.2	38
30	Variations in the organisation of and outcomes from Early Pregnancy Assessment Units: the VESPA mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-138.	1.4	6
31	Primary Selective Laser Trabeculoplasty for Open-Angle Glaucoma and Ocular Hypertension. <i>Ophthalmology</i> , 2019, 126, 1238-1248.	2.5	71
32	The impact of selective serotonin reuptake inhibitors on the risk of intracranial haemorrhage: A systematic review and meta-analysis. <i>European Stroke Journal</i> , 2019, 4, 144-152.	2.7	11
33	Cerebral microbleeds and stroke risk after ischaemic stroke or transient ischaemic attack: a pooled analysis of individual patient data from cohort studies. <i>Lancet Neurology</i> , The, 2019, 18, 653-665.	4.9	143
34	Effect of small-vessel disease on cognitive trajectory after atrial fibrillation-related ischaemic stroke or ÁTIA. <i>Journal of Neurology</i> , 2019, 266, 1250-1259.	1.8	19
35	Selective laser trabeculoplasty versus eye drops for first-line treatment of ocular hypertension and glaucoma (LiGHT): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2019, 393, 1505-1516.	6.3	338
36	Direct oral anticoagulants versus vitamin K antagonists after recent ischemic stroke in patients with atrial fibrillation. <i>Annals of Neurology</i> , 2019, 85, 823-834.	2.8	84

#	ARTICLE	IF	CITATIONS
37	Predicting diagnosis of Parkinson's disease: A risk algorithm based on primary care presentations. <i>Movement Disorders</i> , 2019, 34, 480-486.	2.2	69
38	Potential missed opportunities to prevent ischaemic stroke: prospective multicentre cohort study of atrial fibrillation-associated ischaemic stroke and TIA. <i>BMJ Open</i> , 2019, 9, e028387.	0.8	3
39	Early versus late anticoagulation for ischaemic stroke associated with atrial fibrillation: multicentre cohort study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 320-325.	0.9	47
40	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	0.9	11
41	Selective laser trabeculoplasty versus drops for newly diagnosed ocular hypertension and glaucoma: the LiGHT RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-102.	1.3	42
42	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102.	0.4	10
43	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	0.9	11
44	Cognitive Impairment Before Intracerebral Hemorrhage Is Associated With Cerebral Amyloid Angiopathy. <i>Stroke</i> , 2018, 49, 40-45.	1.0	39
45	The Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre randomised controlled trial: baseline patient characteristics. <i>British Journal of Ophthalmology</i> , 2018, 102, 599-603.	2.1	22
46	Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre, randomised controlled trial: design and methodology. <i>British Journal of Ophthalmology</i> , 2018, 102, 593-598.	2.1	59
47	Robot-assisted radical cystectomy with intracorporeal urinary diversion versus open radical cystectomy (iROC): protocol for a randomised controlled trial with internal feasibility study. <i>BMJ Open</i> , 2018, 8, e020500.	0.8	71
48	Neuroimaging and clinical outcomes of oral anticoagulant-associated intracerebral hemorrhage. <i>Annals of Neurology</i> , 2018, 84, 694-704.	2.8	46
49	Multidomain Quantitative Recovery Following Radical Cystectomy for Patients Within the Robot-assisted Radical Cystectomy with Intracorporeal Urinary Diversion Versus Open Radical Cystectomy Randomised Controlled Trial: The First 30 Patients. <i>European Urology</i> , 2018, 74, 531-534.	0.9	24
50	Cerebral microbleeds and intracranial haemorrhage risk in patients anticoagulated for atrial fibrillation after acute ischaemic stroke or transient ischaemic attack (CROMIS-2): a multicentre observational cohort study. <i>Lancet Neurology</i> , The, 2018, 17, 539-547.	4.9	192
51	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. <i>Lancet</i> , The, 2018, 392, 409-418.	6.3	104
52	Comparison of two protocols for the management of asymptomatic postmenopausal women with adnexal tumours – a randomised controlled trial of RMI/RCOG vs Simple Rules. <i>British Journal of Cancer</i> , 2017, 116, 584-591.	2.9	13
53	Improving Risk Adjustment for Mortality After Pediatric Cardiac Surgery: The UK PRAIS2 Model. <i>Annals of Thoracic Surgery</i> , 2017, 104, 211-219.	0.7	35
54	Developing an algorithm to identify patients with intracerebral haemorrhage secondary to a macrovascular cause. <i>European Stroke Journal</i> , 2017, 2, 369-376.	2.7	14

#	ARTICLE	IF	CITATIONS
55	Does laryngeal reinnervation or type I thyroplasty give better voice results for patients with unilateral vocal fold paralysis (VOCALIST): study protocol for a feasibility randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e016871.	0.8	13
56	Microbleeds, Cerebral Hemorrhage, and Functional Outcome After Stroke Thrombolysis. <i>Stroke</i> , 2017, 48, 2084-2090.	1.0	100
57	Multiparametric magnetic resonance imaging to predict clinical outcomes in patients with chronic liver disease: A cautionary note on a promising technique. <i>Journal of Hepatology</i> , 2017, 66, 455-457.	1.8	4
58	Low-Dose Intravenous Immunoglobulin Treatment for Long-Standing Complex Regional Pain Syndrome. <i>Annals of Internal Medicine</i> , 2017, 167, 476.	2.0	43
59	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. <i>BMJ Open</i> , 2017, 7, e015665.	0.8	9
60	A randomised placebo-controlled Phase III multicentre trial: low-dose intravenous immunoglobulin treatment for long-standing complex regional pain syndrome (LIPS trial). <i>Efficacy and Mechanism Evaluation</i> , 2017, 4, 1-82.	0.9	9
61	Review and evaluation of penalised regression methods for risk prediction in low-dimensional data with few events. <i>Statistics in Medicine</i> , 2016, 35, 1159-1177.	0.8	227
62	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016, 16, 427.	1.1	59
63	The CORE Service Improvement Programme for mental health crisis resolution teams: study protocol for a cluster-randomised controlled trial. <i>Trials</i> , 2016, 17, 158.	0.7	17
64	Iranian Risk Model as a Predictive Tool for Retinopathy in Patients with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015, 39, 358-363.	0.4	16
65	Are multiple primary outcomes analysed appropriately in randomised controlled trials? A review. <i>Contemporary Clinical Trials</i> , 2015, 45, 8-12.	0.8	34
66	Low-dose intravenous immunoglobulin treatment for complex regional pain syndrome (LIPS): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 404.	0.7	17
67	A pilot randomised controlled trial of Problem-Solving Treatment for Visual Impairment (POSITIVE): protocol paper. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 489-497.	1.0	5
68	Active buildings: modelling physical activity and movement in office buildings. An observational study protocol. <i>BMJ Open</i> , 2013, 3, e004103.	0.8	29
69	Sodium and chloride channelopathies with myositis: Coincidence or connection?. <i>Muscle and Nerve</i> , 2011, 44, 283-288.	1.0	5
70	Intravenous Immunoglobulin Treatment of the Complex Regional Pain Syndrome. <i>Annals of Internal Medicine</i> , 2010, 152, 152.	2.0	155
71	Skepticism About Intravenous Immunoglobulin Treatment in Long-Standing Complex Regional Pain Syndrome. <i>Annals of Internal Medicine</i> , 2010, 152, 829.	2.0	0
72	Recruitment of minority ethnic groups into clinical cancer research trials to assess adherence to the principles of the Department of Health Research Governance Framework: national sources of data and general issues arising from a study in one hospital trust in England. <i>Journal of Medical Ethics</i> , 2010, 36, 358-362.	1.0	30

#	ARTICLE	IF	CITATIONS
73	Serum 25-hydroxy Vitamin D Levels in Chronic Fatigue Syndrome: a Retrospective Survey. <i>International Journal for Vitamin and Nutrition Research</i> , 2009, 79, 250-254.	0.6	23
74	DNA Replication Licensing Factors and Aneuploidy Are Linked to Tumor Cell Cycle State and Clinical Outcome in Penile Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 7335-7344.	3.2	33
75	A comparison of imputation techniques for handling missing predictor values in a risk model with a binary outcome. <i>Statistical Methods in Medical Research</i> , 2007, 16, 277-298.	0.7	192
76	Generic, Simple Risk Stratification Model for Heart Valve Surgery. <i>Circulation</i> , 2005, 112, 224-231.	1.6	249
77	Case-mix and variation in specialist referrals in general practice. <i>British Journal of General Practice</i> , 2005, 55, 529-33.	0.7	44
78	Cardiac surgery risk modeling for mortality: a review of current practice and suggestions for improvement. <i>Annals of Thoracic Surgery</i> , 2004, 77, 2232-2237.	0.7	51
79	Important determinants of self-efficacy in patients with chronic musculoskeletal pain. <i>Journal of Rheumatology</i> , 2004, 31, 1187-92.	1.0	16
80	Non-linear models for the relation between cardiovascular risk factors and intake of wine, beer and spirits. <i>Statistics in Medicine</i> , 2003, 22, 363-383.	0.8	5
81	Simplifying a prognostic model: a simulation study based on clinical data. <i>Statistics in Medicine</i> , 2002, 21, 3803-3822.	0.8	107
82	Fractional polynomial model selection procedures: investigation of type i error rate. <i>Journal of Statistical Computation and Simulation</i> , 2001, 69, 89-108.	0.7	82
83	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 0, 4, 69.	0.9	1