

# Yamil Gerena

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4944679/publications.pdf>

Version: 2024-02-01

21  
papers

321  
citations

1039880

9  
h-index

940416

16  
g-index

21  
all docs

21  
docs citations

21  
times ranked

518  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-Breast Cancer Potential of Quercetin via the Akt/AMPK/Mammalian Target of Rapamycin (mTOR) Signaling Cascade. <i>PLoS ONE</i> , 2016, 11, e0157251.	1.1	96
2	Characterization of a Dual Rac/Cdc42 Inhibitor MBQ-167 in Metastatic Cancer. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 805-818.	1.9	66
3	Cathepsin B and cystatin B in HIV-seropositive women are associated with infection and HIV-1-associated neurocognitive disorders. <i>Aids</i> , 2013, 27, 347-356.	1.0	28
4	Eplerenone inhibits the intracrine and extracellular actions of angiotensin II on the inward calcium current in the failing heart. On the presence of an intracrine renin angiotensin aldosterone system. <i>Regulatory Peptides</i> , 2008, 151, 54-60.	1.9	25
5	Proteomic analyses of monocytes obtained from Hispanic women with HIV-associated dementia show depressed antioxidants. <i>Proteomics - Clinical Applications</i> , 2010, 4, 706-714.	0.8	22
6	The $\alpha 7$ nicotinic receptor is upregulated in immune cells from HIV-seropositive women: consequences to the cholinergic anti-inflammatory response. <i>Clinical and Translational Immunology</i> , 2015, 4, e53.	1.7	20
7	Aliskiren, at low doses, reduces the electrical remodeling in the heart of the TGR(mRen2)27 rat independently of blood pressure. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2013, 14, 23-33.	1.0	13
8	Soluble and Cell-Associated Insulin Receptor Dysfunction Correlates with Severity of HAND in HIV-Infected Women. <i>PLoS ONE</i> , 2012, 7, e37358.	1.1	12
9	Soluble insulin receptor as a source of insulin resistance and cognitive impairment in HIV-seropositive women. <i>Journal of NeuroVirology</i> , 2015, 21, 113-119.	1.0	11
10	Release of Soluble Insulin Receptor From Neurons by Cerebrospinal Fluid From Patients With Neurocognitive Dysfunction and HIV Infection. <i>Frontiers in Neurology</i> , 2019, 10, 285.	1.1	9
11	Angiotensins and Huntington's Disease: A Study on Immortalized Progenitor Striatal Cell Lines. <i>Frontiers in Endocrinology</i> , 2017, 8, 108.	1.5	5
12	Prolonged exposure of cardiac cells to renin plus angiotensinogen reduces intracellular renin in the failing heart. On the role of angiotensin II-AT1 complex internalization. <i>Regulatory Peptides</i> , 2009, 155, 139-144.	1.9	3
13	Plasticity of GluN1 at Ventral Hippocampal Synapses in the Infralimbic Cortex. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 695964.	1.3	3
14	Soluble Insulin Receptor Levels in Plasma, Exosomes, and Urine and Its Association With HIV-Associated Neurocognitive Disorders. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	3
15	Measurement of Cardiac Angiotensin II by Immunoassays, HPLC-Chip/Mass Spectrometry, and Functional Assays. <i>Methods in Molecular Biology</i> , 2017, 1527, 127-137.	0.4	2
16	Losartan counteracts the effects of cardiomyocyte swelling on glucose uptake and insulin receptor substrate-1 levels. <i>Peptides</i> , 2017, 96, 38-43.	1.2	1
17	Angiotensin II Induces Differentiation of Human Neuroblastoma Cells by Increasing MAP2 and ROS Levels. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2021, 2021, 1-9.	1.0	1
18	Cannabinoid receptor type 2 agonist JWH-133 decreases cathepsin B secretion and neurotoxicity from HIV-infected macrophages. <i>Scientific Reports</i> , 2022, 12, 233.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Walmor C. De Mello. Hypertension, 2017, 69, 992-993.	1.3	0
20	HIV-1 gp120 confers a pro-inflammatory phenotype to macrophages changing the role of the alpha7 acetylcholine receptor. FASEB Journal, 2013, 27, lb491.	0.2	0
21	357 Inflammatory Cytokines and Neurocognitive Functioning in Bipolar Patients across Mood Episodes. Journal of Clinical and Translational Science, 2022, 6, 66-67.	0.3	0