

# Emanuele Papini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/494495/publications.pdf>

Version: 2024-02-01

110  
papers

6,676  
citations

66250

44  
h-index

73587

79  
g-index

113  
all docs

113  
docs citations

113  
times ranked

4705  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoparticles Based on Cross-Linked Poly(Lipoic Acid) Protect Macrophages and Cardiomyocytes from Oxidative Stress and Ischemia Reperfusion Injury. <i>Antioxidants</i> , 2022, 11, 907.	2.2	3
2	Poly(lipoic acid)-Based Nanoparticles as Self-Organized, Biocompatible, and Corona-Free Nanovectors. <i>Biomacromolecules</i> , 2021, 22, 467-480.	2.6	22
3	Opsonins and Dysopsonins of Nanoparticles: Facts, Concepts, and Methodological Guidelines. <i>Frontiers in Immunology</i> , 2020, 11, 567365.	2.2	80
4	Complement activation by drug carriers and particulate pharmaceuticals: Principles, challenges and opportunities. <i>Advanced Drug Delivery Reviews</i> , 2020, 157, 83-95.	6.6	39
5	Tumor-facing hepatocytes significantly contribute to mild hyperthermia-induced targeting of rat liver metastasis by PLGA-NPs. <i>International Journal of Pharmaceutics</i> , 2019, 566, 541-548.	2.6	7
6	Self-Assembled Biocompatible Fluorescent Nanoparticles for Bioimaging. <i>Frontiers in Chemistry</i> , 2019, 7, 168.	1.8	26
7	C1q-Mediated Complement Activation and C3 Opsonization Trigger Recognition of Stealth Poly(2-methyl-2-oxazoline)-Coated Silica Nanoparticles by Human Phagocytes. <i>ACS Nano</i> , 2018, 12, 5834-5847.	7.3	86
8	Form Matters: Stable Helical Foldamers Preferentially Target Human Monocytes and Granulocytes. <i>ChemMedChem</i> , 2017, 12, 337-345.	1.6	2
9	Combined Action of Human Commensal Bacteria and Amorphous Silica Nanoparticles on the Viability and Immune Responses of Dendritic Cells. <i>Vaccine Journal</i> , 2017, 24, .	3.2	10
10	Formyl-Peptide Receptor Agonists and Amorphous SiO <sub>2</sub> -NPs Synergistically and Selectively Increase the Inflammatory Responses of Human Monocytes and PMNs. <i>Nanobiomedicine</i> , 2016, 3, 2.	4.4	3
11	Comparison of bactericidal and cytotoxic activities of trichogin analogs. <i>Data in Brief</i> , 2016, 6, 359-367.	0.5	5
12	Dissociation coefficients of protein adsorption to nanoparticles as quantitative metrics for description of the protein corona: A comparison of experimental techniques and methodological relevance. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 75, 148-161.	1.2	46
13	The functional dissection of the plasma corona of SiO <sub>2</sub> -NPs spots histidine rich glycoprotein as a major player able to hamper nanoparticle capture by macrophages. <i>Nanoscale</i> , 2015, 7, 17710-17728.	2.8	49
14	The peculiar N- and C-termini of trichogin GA IV are needed for membrane interaction and human cell death induction at doses lacking antibiotic activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 134-144.	1.4	19
15	Variations of the corona HDL:albumin ratio determine distinct effects of amorphous SiO <sub>2</sub> nanoparticles on monocytes and macrophages in serum. <i>Nanomedicine</i> , 2014, 9, 2481-2497.	1.7	23
16	The contribution of stem cell therapy to skeletal muscle remodeling in heart failure. <i>International Journal of Cardiology</i> , 2013, 168, 2014-2021.	0.8	18
17	Targeted delivery of photosensitizers: efficacy and selectivity issues revealed by multifunctional ORMOSIL nanovectors in cellular systems. <i>Nanoscale</i> , 2013, 5, 6106.	2.8	30
18	Catastrophic inflammatory death of monocytes and macrophages by overtaking of a critical dose of endocytosed synthetic amorphous silica nanoparticles/serum protein complexes. <i>Nanomedicine</i> , 2013, 8, 1101-1126.	1.7	18

#	ARTICLE	IF	CITATIONS
19	<i>In vitro</i> and <i>in vivo</i> characterization of temoporfin-loaded PEGylated PLGA nanoparticles for use in photodynamic therapy. <i>Nanomedicine</i> , 2012, 7, 663-677.	1.7	65
20	Water-Soluble Peptide-Coated Nanoparticles: Control of the Helix Structure and Enhanced Differential Binding to Immune Cells. <i>Journal of the American Chemical Society</i> , 2011, 133, 8-11.	6.6	42
21	The Honeybee Antimicrobial Peptide Apidaecin Differentially Immunomodulates Human Macrophages, Monocytes and Dendritic Cells. <i>Journal of Innate Immunity</i> , 2011, 3, 614-622.	1.8	19
22	Stem-cell therapy in an experimental model of pulmonary hypertension and right heart failure: Role of paracrine and neurohormonal milieu in the remodeling process. <i>Journal of Heart and Lung Transplantation</i> , 2011, 30, 1281-1293.	0.3	46
23	The Soluble Recombinant <i>Neisseria meningitidis</i> Adhesin NadA <sup>351-405</sup> Stimulates Human Monocytes by Binding to Extracellular Hsp90. <i>PLoS ONE</i> , 2011, 6, e25089.	1.1	21
24	Mapping of the <i>Neisseria meningitidis</i> NadA Cell-Binding Site: Relevance of Predicted $\pm$ -Helices in the NH <sub>2</sub> -Terminal and Dimeric Coiled-Coil Regions. <i>Journal of Bacteriology</i> , 2011, 193, 107-115.	1.0	22
25	Proinflammatory effects of bare and PEGylated ORMOSIL-, PLGA- and SUV-NPs on monocytes and PMNs and their modulation by f-MLP. <i>Nanomedicine</i> , 2011, 6, 1027-1046.	1.7	26
26	Procoagulant properties of bare and highly PEGylated vinyl-modified silica nanoparticles. <i>Nanomedicine</i> , 2010, 5, 881-896.	1.7	49
27	Highly PEGylated silica nanoparticles: "ready to use" stealth functional nanocarriers. <i>Journal of Materials Chemistry</i> , 2010, 20, 2780.	6.7	53
28	The membrane expression of <i>Neisseria meningitidis</i> adhesin A (NadA) increases the proimmune effects of <i>MenB</i> OMVs on human macrophages, compared with NadA <sup>+</sup> OMVs, without further stimulating their proinflammatory activity on circulating monocytes. <i>Journal of Leukocyte Biology</i> , 2009, 86, 143-153.	1.5	45
29	Substitution of the Arginine/Leucine Residues in Apidaecin Ib with Peptoid Residues: Effect on Antimicrobial Activity, Cellular Uptake, and Proteolytic Degradation. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5197-5206.	2.9	35
30	Human monocytes/macrophages are a target of <i>Neisseria meningitidis</i> Adhesin A (NadA). <i>Journal of Leukocyte Biology</i> , 2008, 83, 1100-1110.	1.5	37
31	IFN- $\gamma$ and R-848 Dependent Activation of Human Monocyte-Derived Dendritic Cells by <i>Neisseria meningitidis</i> Adhesin A. <i>Journal of Immunology</i> , 2007, 179, 3904-3916.	0.4	25
32	Plant polyphenols inhibit VacA, a toxin secreted by the gastric pathogen <i>Helicobacter pylori</i> . <i>FEBS Letters</i> , 2003, 543, 184-189.	1.3	84
33	<i>Helicobacter pylori</i> vacuolating toxin VacA. <i>Cellular and Molecular Mechanisms of Toxin Action</i> , 2003, , 60-75.	0.0	0
34	How the Loop and Middle Regions Influence the Properties of <i>Helicobacter pylori</i> VacA Channels. <i>Biophysical Journal</i> , 2001, 81, 3204-3215.	0.2	15
35	Vacuolation induced by VacA toxin of <i>Helicobacter pylori</i> requires the intracellular accumulation of membrane permeant bases, Cl <sup>-</sup> and water. <i>FEBS Letters</i> , 2001, 508, 479-483.	1.3	30
36	In search of the <i>Helicobacter pylori</i> VacA mechanism of action. <i>Toxicon</i> , 2001, 39, 1757-1767.	0.8	86

#	ARTICLE	IF	CITATIONS
37	<i>Helicobacter pylori</i> cytotoxin VacA increases alkaline secretion in gastric epithelial cells. American Journal of Physiology - Renal Physiology, 2001, 281, G1440-G1448.	1.6	27
38	<i>Helicobacter pylori</i> Neutrophil-Activating Protein Stimulates Tissue Factor and Plasminogen Activator Inhibitor-2 Production by Human Blood Mononuclear Cells. Journal of Infectious Diseases, 2001, 183, 1055-1062.	1.9	60
39	<i>Helicobacter pylori</i> Vacuolating Cytotoxin: Cell Intoxication and Anion-Specific Channel Activity. Current Topics in Microbiology and Immunology, 2001, 257, 113-129.	0.7	8
40	The <i>Helicobacter pylori</i> VacA toxin is a urea permease that promotes urea diffusion across epithelia. Journal of Clinical Investigation, 2001, 108, 929-937.	3.9	78
41	The Catalytic Subunit of Herpes Simplex Virus Type 1 DNA Polymerase Contains a Nuclear Localization Signal in the UL42-Binding Region. Virology, 2000, 273, 139-148.	1.1	23
42	Blockers of VacA Provide Insights into the Structure of the Pore. Biophysical Journal, 2000, 79, 863-873.	0.2	26
43	Intranuclear delivery of an antiviral peptide mediated by the B subunit of Escherichia coli heat-labile enterotoxin. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 5221-5226.	3.3	46
44	Towards deciphering the <i>Helicobacter pylori</i> cytotoxin. Molecular Microbiology, 1999, 34, 197-204.	1.2	65
45	Formation of anion-selective channels in the cell plasma membrane by the toxin VacA of <i>Helicobacter pylori</i> is required for its biological activity. EMBO Journal, 1999, 18, 5517-5527.	3.5	240
46	Molecular and cellular activities of <i>Helicobacter pylori</i> pathogenic factors. FEBS Letters, 1999, 452, 16-21.	1.3	50
47	Inhibition of the vacuolating and anion channel activities of the VacA toxin of <i>Helicobacter pylori</i> . FEBS Letters, 1999, 460, 221-225.	1.3	67
48	<i>Helicobacter pylori</i> Vacuolating Toxin Forms Anion-Selective Channels in Planar Lipid Bilayers: Possible Implications for the Mechanism of Cellular Vacuolation. Biophysical Journal, 1999, 76, 1401-1409.	0.2	145
49	3D imaging of the 58 kda cell binding subunit of the <i>Helicobacter pylori</i> cytotoxin. Journal of Molecular Biology, 1999, 290, 459-470.	2.0	77
50	<i>Helicobacter pylori</i> VacA cytotoxin associated with the bacteria increases epithelial permeability independently of its vacuolating activity. Microbiology (United Kingdom), 1999, 145, 2043-2050.	0.7	68
51	Heparin-Binding Epidermal Growth Factor-Like Growth Factor/Diphtheria Toxin Receptor Expression by Acute Myeloid Leukemia Cells. Blood, 1999, 93, 1715-1723.	0.6	1
52	Characterisation of a monoclonal antibody and its use to purify the cytotoxin of <i>Helicobacter pylori</i> . FEMS Microbiology Letters, 1998, 165, 79-84.	0.7	16
53	Action site and cellular effects of cytotoxin VacA produced by <i>Helicobacter pylori</i> . Folia Microbiologica, 1998, 43, 279-284.	1.1	14
54	TPA and butyrate increase cell sensitivity to the vacuolating toxin of <i>Helicobacter pylori</i> . FEBS Letters, 1998, 436, 218-222.	1.3	12

#	ARTICLE	IF	CITATIONS
55	Cell vacuolization induced by <i>Helicobacter pylori</i> VacA toxin: cell line sensitivity and quantitative estimation. <i>Toxicology Letters</i> , 1998, 99, 109-115.	0.4	31
56	The m2 form of the <i>Helicobacter pylori</i> cytotoxin has cell type-specific vacuolating activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 10212-10217.	3.3	184
57	Identification of the <i>Helicobacter pylori</i> VacA Toxin Domain Active in the Cell Cytosol. <i>Infection and Immunity</i> , 1998, 66, 6014-6016.	1.0	102
58	Selective increase of the permeability of polarized epithelial cell monolayers by <i>Helicobacter pylori</i> vacuolating toxin.. <i>Journal of Clinical Investigation</i> , 1998, 102, 813-820.	3.9	221
59	Effect of <i>Helicobacter pylori</i> Vacuolating Toxin on Maturation and Extracellular Release of Procathepsin D and on Epidermal Growth Factor Degradation. <i>Journal of Biological Chemistry</i> , 1997, 272, 25022-25028.	1.6	111
60	The small GTP binding protein rab7 is essential for cellular vacuolation induced by <i>Helicobacter pylori</i> cytotoxin. <i>EMBO Journal</i> , 1997, 16, 15-24.	3.5	203
61	<i>Helicobacter pylori</i> toxin VacA induces vacuole formation by acting in the cell cytosol. <i>Molecular Microbiology</i> , 1997, 26, 665-674.	1.2	128
62	The cytotoxic activity of <i>Bacillus anthracis</i> lethal factor is inhibited by leukotriene A4 hydrolase and metallopeptidase inhibitors. <i>Biochemical Journal</i> , 1996, 320, 687-691.	1.7	45
63	Bacterial protein toxins and cell vesicle trafficking. <i>Experientia</i> , 1996, 52, 1026-1032.	1.2	17
64	The vacuolar ATPase proton pump is present on intracellular vacuoles induced by <i>Helicobacter pylori</i> . <i>Journal of Medical Microbiology</i> , 1996, 45, 84-89.	0.7	43
65	Lipid Interaction of the 37-kDa and 58-kDa Fragments of the <i>Helicobacter Pylori</i> Cytotoxin. <i>FEBS Journal</i> , 1995, 234, 947-952.	0.2	56
66	Vesicle-associated Membrane Protein (VAMP)/Synaptobrevin-2 Is Associated with Dense Core Secretory Granules in PC12 Neuroendocrine Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 1332-1336.	1.6	44
67	Low pH Activates the Vacuolating Toxin of <i>Helicobacter pylori</i> , Which Becomes Acid and Pepsin Resistant. <i>Journal of Biological Chemistry</i> , 1995, 270, 23937-23940.	1.6	197
68	Insertion of Diphtheria Toxin in Lipid Bilayers Studied by Spin Label ESR. <i>Biochemistry</i> , 1995, 34, 11561-11567.	1.2	17
69	Cell penetration of bacterial protein toxins. <i>Trends in Microbiology</i> , 1995, 3, 165-167.	3.5	8
70	<i>Helicobacter pylori</i> cytotoxin: importance of native conformation for induction of neutralizing antibodies. <i>Infection and Immunity</i> , 1995, 63, 4476-4480.	1.0	96
71	Translocation of bacterial protein toxins across membranes. , 1995, , 75-93.		1
72	Effects of herpes simplex virus type 1 infection on the plasma membrane and related functions of HeLa S3 cells. <i>Journal of General Virology</i> , 1994, 75, 3337-3344.	1.3	16

#	ARTICLE	IF	CITATIONS
73	Bacterial protein toxins penetrate cells via a four-step mechanism. FEBS Letters, 1994, 346, 92-98.	1.3	211
74	Active-Site Mutations of the Diphtheria Toxin Catalytic Domain: Role of Histidine-21 in Nicotinamide Adenine Dinucleotide Binding and ADP-Ribosylation of Elongation Factor 2. Biochemistry, 1994, 33, 5155-5161.	1.2	61
75	Cellular vacuoles induced by Helicobacter pylori originate from late endosomal compartments.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 9720-9724.	3.3	232
76	Bafilomycin A1 inhibits Helicobacter pylori-induced vacuolization of HeLa cells. Molecular Microbiology, 1993, 7, 323-327.	1.2	134
77	Cell vacuolization induced by Helicobacter pylori: Inhibition by bafilomycins A1, B1, C1 and D. FEMS Microbiology Letters, 1993, 113, 155-159.	0.7	28
78	The sensitivity of cystic fibrosis cells to diphtheria toxin. Toxicon, 1993, 31, 359-362.	0.8	3
79	Molecular characterization of the 128-kDa immunodominant antigen of Helicobacter pylori associated with cytotoxicity and duodenal ulcer.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 5791-5795.	3.3	1,221
80	Cell penetration of diphtheria toxin. Reduction of the interchain disulfide bridge is the rate-limiting step of translocation in the cytosol.. Journal of Biological Chemistry, 1993, 268, 1567-1574.	1.6	106
81	Cell penetration of diphtheria toxin. Reduction of the interchain disulfide bridge is the rate-limiting step of translocation in the cytosol. Journal of Biological Chemistry, 1993, 268, 1567-74.	1.6	83
82	Ion channel and membrane translocation of diphtheria toxin. FEMS Microbiology Letters, 1992, 105, 101-111.	0.7	20
83	Determination of diphtheria toxin neutralizing antibody titers with a cell protein synthesis inhibition assay. Medical Microbiology and Immunology, 1991, 180, 29-35.	2.6	5
84	Tyrosine 65 is photolabeled by 8-azidoadenine and 8-azidoadenosine at the NAD binding site of diphtheria toxin. Journal of Biological Chemistry, 1991, 266, 2494-2498.	1.6	29
85	Histidine-21 is involved in diphtheria toxin NAD <sup>+</sup> binding. Toxicon, 1990, 28, 631-635.	0.8	21
86	An intact interchain disulfide bond is required for the neurotoxicity of tetanus toxin. Infection and Immunity, 1990, 58, 4136-4141.	1.0	114
87	Histidine 21 Is at the NAD <sup>+</sup> Binding Site of Diphtheria Toxin. Journal of Biological Chemistry, 1989, 264, 12385-12388.	1.6	57
88	Membrane Protein Labelling with Photoreactive Phospholipid Analogues. , 1989, , 43-58.		0
89	On the Cellular Mechanism of Action of Diphtheria Toxin. , 1989, , 115-124.		0
90	Histidine 21 is at the NAD <sup>+</sup> binding site of diphtheria toxin. Journal of Biological Chemistry, 1989, 264, 12385-8.	1.6	47

#	ARTICLE	IF	CITATIONS
91	On the membrane translocation of diphtheria toxin: at low pH the toxin induces ion channels on cells.. EMBO Journal, 1988, 7, 3353-3359.	3.5	79
92	On the membrane translocation of diphtheria toxin: at low pH the toxin induces ion channels on cells. EMBO Journal, 1988, 7, 3353-9.	3.5	22
93	Does tetanus toxin have a sequence homology with the haemagglutinin of influenza virus?. Toxicon, 1987, 25, 911-912.	0.8	3
94	Diphtheria toxin and its mutant crm197 differ in their interaction with lipids. FEBS Letters, 1987, 215, 73-78.	1.3	33
95	Lipid interaction of diphtheria toxin and mutants with altered fragment B. 1. Liposome aggregation and fusion. FEBS Journal, 1987, 169, 629-635.	0.2	38
96	Lipid interaction of diphtheria toxin and mutants with altered fragment B. 2. Hydrophobic photolabelling and cell intoxication. FEBS Journal, 1987, 169, 637-644.	0.2	68
97	Presence of cytochrome b <sub>5</sub> 578 in NADPH oxidase preparations from human neutrophils. FEBS Letters, 1986, 199, 159-163.	1.3	12
98	Respiratory Response of Phagocytes: Terminal NADPH Oxidase and the Mechanisms of its Activation. Novartis Foundation Symposium, 1986, 118, 172-195.	1.2	8
99	Studies on the Nature and Activation of O <sub>2</sub> <sup>-</sup> -forming NADPH Oxidase of Leukocytes. Identification of a Phosphorylated Component of the Active Enzyme. Free Radical Research Communications, 1985, 1, 11-29.	1.8	33
100	Independence with respect to Ca <sup>2+</sup> changes of the neutrophil respiratory and secretory response to exogenous phospholipase C and possible involvement of diacylglycerol and protein kinase C. Biochimica Et Biophysica Acta - Molecular Cell Research, 1985, 844, 81-90.	1.9	35
101	Mechanism of Production of Toxic Oxygen Radicals by Granulocytes and Macrophages and their Function in the Inflammatory Process. Pathology Research and Practice, 1985, 180, 136-142.	1.0	36
102	Cytochrome c oxidase from the slime mold Dictyostelium discoideum: purification and characterization. Biochemistry, 1985, 24, 7845-7852.	1.2	31
103	Partial purification of the superoxide-generating system of macrophages. Possible association of the NADPH oxidase activity with a low-potential (E <sub>0</sub> ' = 247 mV) cytochrome b. Biochimica Et Biophysica Acta - Bioenergetics, 1985, 810, 164-173.	0.5	22
104	Protein kinase C phosphorylates a component of NADPH oxidase of neutrophils. FEBS Letters, 1985, 190, 204-208.	1.3	69
105	Characterization of phagocyte NADPH oxidase. , 1985, , 423-433.		2
106	NADPH oxidase of neutrophils forms superoxide anion but does not reduce cytochrome c and dichlorophenolindophenol. FEBS Letters, 1984, 170, 157-161.	1.3	17
107	Composition of partially purified NADPH oxidase from pig neutrophils. Biochemical Journal, 1984, 223, 639-648.	1.7	48
108	Cell vacuolization induced by Helicobacter pylori: Inhibition by bafilomycins A1, B1, C1 and D. , 0, .		1

#	ARTICLE	IF	CITATIONS
109	Characterisation of a monoclonal antibody and its use to purify the cytotoxin of Helicobacter pylori. , 0, .		1
110	Vacuolating Cytotoxin. , 0, , 97-110.		13