

Richard J Robins

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4945536/richard-j-robins-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

4,181
citations

34
h-index

56
g-index

167
ext. papers

4,545
ext. citations

5.8
avg, IF

4.91
L-index

#	Paper	IF	Citations
159	Plasma amino acid pools in the umbilical cord artery show lower N natural isotope abundance relative to the maternal venous pools. <i>Isotopes in Environmental and Health Studies</i> , 2021 , 57, 3-10	1.5	
158	Natural isotopic abundances as markers of compliance in clinical trials. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 1109-1110	7	
157	Intramolecular isotope effects during permanganate oxidation and acid hydrolysis of methyl tert-butyl ether. <i>Chemosphere</i> , 2020 , 248, 125975	8.4	2
156	Maternal obesity does not influence human milk protein N natural isotope abundance. <i>Isotopes in Environmental and Health Studies</i> , 2019 , 55, 385-393	1.5	
155	Effect of water availability on changes in root amino acids and associated rhizosphere on root exudation of amino acids in <i>Pisum sativum</i> L. <i>Phytochemistry</i> , 2019 , 161, 75-85	4	10
154	Analytical contribution of deuterium 2D-NMR in oriented media to 2H/1H isotopic characterization: the case of vanillin. <i>Flavour and Fragrance Journal</i> , 2018 , 33, 217-229	2.5	4
153	Difficulties in Differentiating Natural from Synthetic Alkaloids by Isotope Ratio Monitoring using 13C Nuclear Magnetic Resonance Spectrometry. <i>Planta Medica</i> , 2018 , 84, 935-940	3.1	1
152	Scanning the isotopic structure of molecules by tandem mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2018 , 434, 276-286	1.9	14
151	Isotope Ratio Monitoring by NMR: Part 2 [New Applications in the Field of Defining Biosynthesis 2018 , 1379-1404		
150	Expanded uncertainty associated with determination of isotope enrichment factors: Comparison of two point calculation and Rayleigh-plot. <i>Talanta</i> , 2018 , 176, 367-373	6.2	4
149	Protein restricted diet during gestation and/or lactation in mice affects 15N natural isotopic abundance of organs in the offspring: Effect of diet 15N content and growth. <i>PLoS ONE</i> , 2018 , 13, e0205271	3.7	2
148	Non-statistical isotope fractionation as a novel Retro-biosynthetic approach to understanding alkaloid metabolic pathways. <i>Phytochemistry Letters</i> , 2017 , 20, 499-506	1.9	7
147	Position-Specific C Fractionation during Liquid-Vapor Transition Correlated to the Strength of Intermolecular Interaction in the Liquid Phase. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 5810-5817	3.4	12
146	Isotope Ratio Monitoring C Nuclear Magnetic Resonance Spectrometry for the Analysis of Position-Specific Isotope Ratios. <i>Methods in Enzymology</i> , 2017 , 596, 369-401	1.7	2
145	Analysis of molecular isotopic structures at high precision and accuracy by Orbitrap mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2017 , 422, 126-142	1.9	45
144	Exploration of Biological Markers of Feed Efficiency in Young Bulls. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9817-9827	5.7	17
143	Insights into the role of methionine synthase in the universal C depletion in O- and N-methyl groups of natural products. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 635, 60-65	4.1	9

142	Simulating Stable Isotope Ratios in Plumes of Groundwater Pollutants with BIOSCREEN-AT-ISO. <i>Ground Water</i> , 2017 , 55, 261-267	2.4	3
141	Evolution of the amino acid fingerprint in the unsterilized rhizosphere of a legume in relation to plant maturity. <i>Soil Biology and Biochemistry</i> , 2016 , 101, 226-236	7.5	10
140	<i>Nauclea latifolia</i> : biological activity and alkaloid phytochemistry of a West African tree. <i>Natural Product Reports</i> , 2016 , 33, 1034-43	15.1	32
139	Non-statistical ¹³ C Fractionation Distinguishes Co-incident and Divergent Steps in the Biosynthesis of the Alkaloids Nicotine and Tropine. <i>Journal of Biological Chemistry</i> , 2016 , 291, 16620-9	5.4	12
138	Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by (¹³ C) nuclear magnetic resonance spectrometry. <i>Talanta</i> , 2016 , 147, 383-9	6.2	15
137	Isotope Ratio Monitoring by NMR Part 2: New Applications in the Field of Defining Biosynthesis 2016 , 1-26		1
136	Higher Leptin but Not Human Milk Macronutrient Concentration Distinguishes Normal-Weight from Obese Mothers at 1-Month Postpartum. <i>PLoS ONE</i> , 2016 , 11, e0168568	3.7	25
135	A Ring-D-Seco-Tetranortriterpenoid from Seeds of <i>Carapa procera</i> Active against Breast Cancer Cell Lines. <i>Planta Medica</i> , 2016 , 82, 967-72	3.1	6
134	Natural (¹⁵ N) Abundance in Key Amino Acids from Lamb Muscle: Exploring a New Horizon in Diet Authentication and Assessment of Feed Efficiency in Ruminants. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 4058-67	5.7	11
133	Multi-factorial in vivo stable isotope fractionation: causes, correlations, consequences and applications. <i>Isotopes in Environmental and Health Studies</i> , 2015 , 51, 155-99	1.5	53
132	Biomimetic synthesis of Tramadol. <i>Chemical Communications</i> , 2015 , 51, 14451-3	5.8	10
131	Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³ C nuclear magnetic resonance spectrometry. <i>Environmental Pollution</i> , 2015 , 205, 299-306	9.3	24
130	Internal Referencing for ¹³ C Position-Specific Isotope Analysis Measured by NMR Spectrometry. <i>Analytical Chemistry</i> , 2015 , 87, 7550-4	7.8	21
129	Position-Specific Isotope Analysis of Xanthines: A (¹³ C) Nuclear Magnetic Resonance Method to Determine the (¹³ C) Intramolecular Composition at Natural Abundance. <i>Analytical Chemistry</i> , 2015 , 87, 6600-6	7.8	24
128	A retro-biosynthetic approach to the prediction of biosynthetic pathways from position-specific isotope analysis as shown for tramadol. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 8296-301	11.5	22
127	Insights into Mechanistic Models for Evaporation of Organic Liquids in the Environment Obtained by Position-Specific Carbon Isotope Analysis. <i>Environmental Science & Technology</i> , 2015 , 49, 12782-8 ^{10.3}		19
126	Position-specific Carbon Isotope Fractionation gives Insights into Mechanistic Models for Evaporation of Organic Liquids in the Environment. <i>Procedia Earth and Planetary Science</i> , 2015 , 13, 96-99		0
125	Position-Specific Isotope Analysis by Isotopic NMR Spectrometry: New Insights on Environmental Pollution Studies. <i>Procedia Earth and Planetary Science</i> , 2015 , 13, 92-95		2

124	Nonstatistical ¹³ C distribution during carbon transfer from glucose to ethanol during fermentation is determined by the catabolic pathway exploited. <i>Journal of Biological Chemistry</i> , 2015 , 290, 4118-28	5.4	25
123	Predicting equilibrium vapour pressure isotope effects by using artificial neural networks or multi-linear regression - A quantitative structure property relationship approach. <i>Chemosphere</i> , 2015 , 134, 521-7	8.4	6
122	Impact on bulk ¹⁵ N natural isotopic abundance in hair of kidney function in type 2 diabetic nephropathy. <i>E-SPEN Journal</i> , 2014 , 9, e204-e209		4
121	Conditions to obtain precise and true measurements of the intramolecular ¹³ C distribution in organic molecules by isotopic ¹³ C nuclear magnetic resonance spectrometry. <i>Analytica Chimica Acta</i> , 2014 , 846, 1-7	6.6	27
120	Tropane alkaloid metabolism by Pseudomonas AT3 cell cultures: Interchange between the nortropine and norpseudotropine catabolic pathways. <i>Phytochemistry Letters</i> , 2014 , 10, lx-lxviii	1.9	1
119	Occurrence of the synthetic analgesic tramadol in an African medicinal plant. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 11780-4	16.4	27
118	Human baby hair amino acid natural abundance ¹⁵ N-isotope values are not related to the ¹⁵ N-isotope values of amino acids in mother's breast milk protein. <i>Amino Acids</i> , 2013 , 45, 1365-72	3.5	23
117	Des cheveux pour évaluer le métabolisme protéique chez l'homme. <i>Cahiers De Nutrition Et De Dietetique</i> , 2013 , 48, 86-91	0.2	2
116	Phytochemical investigation of the leaves of <i>Leptoderris fasciculata</i> . <i>Phytochemistry Letters</i> , 2013 , 6, 253-256	1.9	4
115	Phytochemicals isolated from leaves of <i>Chromolaena odorata</i> : impact on viability and clonogenicity of cancer cell lines. <i>Phytotherapy Research</i> , 2013 , 27, 835-40	6.7	34
114	Simultaneous determination of natural-abundance ¹⁵ N values and quantities of individual amino acids in proteins from milk of lactating women and from infant hair using gas chromatography/isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 1345-53	2.2	14
113	Occurrence of the Synthetic Analgesic Tramadol in an African Medicinal Plant. <i>Angewandte Chemie</i> , 2013 , 125, 11996-12000	3.6	5
112	Probing substrate-product relationships by natural abundance deuterium ² D NMR spectroscopy in liquid-crystalline solvents: epoxidation of linoleate to vernoleate by two different plant enzymes. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 2985-98	4.4	12
111	Cytochrome P450-catalyzed degradation of nicotine: fundamental parameters determining hydroxylation by cytochrome P450 2A6 at the 5'-carbon or the n-methyl carbon. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 7827-40	3.4	12
110	Biochemical and physiological determinants of intramolecular isotope patterns in sucrose from C ₃ and CAM plants accessed by isotopic ¹³ C NMR spectrometry: a viewpoint. <i>Natural Product Reports</i> , 2012 , 29, 476-86	15.1	27
109	(¹⁵ N and (¹³ C in hair from newborn infants and their mothers: a cohort study. <i>Pediatric Research</i> , 2012 , 71, 598-604	3.2	53
108	¹ H-NMR-based metabolic profiling of maternal and umbilical cord blood indicates altered materno-foetal nutrient exchange in preterm infants. <i>PLoS ONE</i> , 2012 , 7, e29947	3.7	50
107	Cytochrome P450 Monooxygenase-Catalyzed Ring Opening of the Bicyclic Amine, Nortropine: An Experimental and DFT Computational Study. <i>ChemCatChem</i> , 2012 , 4, 530-539	5.2	6

106	Analytical model for site-specific isotope fractionation in ^{13}C during sorption: determination by isotopic ^{13}C NMR spectrometry with vanillin as model compound. <i>Chemosphere</i> , 2012 , 87, 445-52	8.4	14
105	Molecular Paleohydrology: Interpreting the Hydrogen-Isotopic Composition of Lipid Biomarkers from Photosynthesizing Organisms. <i>Annual Review of Earth and Planetary Sciences</i> , 2012 , 40, 221-249	15.3	598
104	Intramolecular ^{13}C pattern in hexoses from autotrophic and heterotrophic C_3 plant tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 18204-9	11.5	56
103	Elucidation of the mechanism of N-demethylation catalyzed by cytochrome P450 monooxygenase is facilitated by exploiting nitrogen-15 heavy isotope effects. <i>Archives of Biochemistry and Biophysics</i> , 2011 , 510, 35-41	4.1	13
102	The intramolecular ^{13}C -distribution in ethanol reveals the influence of the CO_2 fixation pathway and environmental conditions on the site-specific ^{13}C variation in glucose. <i>Plant, Cell and Environment</i> , 2011 , 34, 1104-12	8.4	46
101	A ^{13}C NMR spectrometric method for the determination of intramolecular ^{13}C values in fructose from plant sucrose samples. <i>New Phytologist</i> , 2011 , 191, 579-588	9.8	38
100	Determination of the concentration of nitrogenous bio-organic compounds using an isotope ratio mass spectrometer operating in continuous flow mode. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 1263-71	4.4	1
99	Cord blood glutathione depletion in preterm infants: correlation with maternal cysteine depletion. <i>PLoS ONE</i> , 2011 , 6, e27626	3.7	36
98	Determination of the natural abundance $\delta^{15}\text{N}$ of nortropine alkaloids by gas chromatography-isotope ratio mass spectrometry of their ethylcarbamate esters. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1405-14	4.4	7
97	Impact of the deuterium isotope effect on the accuracy of ^{13}C NMR measurements of site-specific isotope ratios at natural abundance in glucose. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 1979-84	4.4	9
96	A Short and Efficient Synthesis of Bridgehead Mono- and Dideuterated Tropinones. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 152-156	3.2	5
95	Determination of the natural abundance $\delta^{15}\text{N}$ of taurine by gas chromatography-isotope ratio measurement mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 3380-6	2.2	2
94	Investigation of fatty acid elongation and desaturation steps in <i>Fusarium lateritium</i> by quantitative two-dimensional deuterium NMR spectroscopy in chiral oriented media. <i>Journal of Biological Chemistry</i> , 2009 , 284, 10783-92	5.4	34
93	Synthesis of four racemic nicotine isotopomers doubly labelled with stable isotope. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2009 , 52, 117-122	1.9	
92	Determination of nitrogen-15 isotope fractionation in tropine: evaluation of extraction protocols for isotope ratio measurement by isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 4031-7	2.2	5
91	Isotopic ^{13}C NMR spectrometry to assess counterfeiting of active pharmaceutical ingredients: site-specific ^{13}C content of aspirin and paracetamol. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 336-41	3.5	74
90	Evidence of ^{13}C non-covalent isotope effects obtained by quantitative ^{13}C nuclear magnetic resonance spectroscopy at natural abundance during normal phase liquid chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 7043-8	4.5	21
89	Quantitative isotopic ^{13}C nuclear magnetic resonance at natural abundance to probe enzyme reaction mechanisms via site-specific isotope fractionation: the case of the chain-shortening reaction for the bioconversion of ferulic acid to vanillin. <i>Analytical Biochemistry</i> , 2009 , 393, 182-8	3.1	24

88	Probing stereoselectivity and pro-chirality of hydride transfer during short-chain alcohol dehydrogenase activity: a combined quantitative 2H NMR and computational approach. <i>Archives of Biochemistry and Biophysics</i> , 2009 , 482, 42-51	4.1	7
87	Accurate quantitative isotopic 13C NMR spectroscopy for the determination of the intramolecular distribution of 13C in glucose at natural abundance. <i>Analytical Chemistry</i> , 2009 , 81, 8978-85	7.8	60
86	Unexpected fractionation in site-specific 13C isotopic distribution detected by quantitative 13C NMR at natural abundance. <i>Journal of the American Chemical Society</i> , 2008 , 130, 414-5	16.4	47
85	Non-equivalence of hydrogen transfer from glucose to the pro-R and pro-S methylene positions of ethanol during fermentation by <i>Leuconostoc mesenteroides</i> quantified by 2H NMR at natural abundance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 9704-12	5.4	13
84	Targeted distribution of photo-assimilate in <i>Striga hermonthica</i> (Del.) Benth parasitic on <i>Sorghum bicolor</i> L.. <i>Phytochemistry Letters</i> , 2008 , 1, 76-80	1.9	4
83	Simultaneous determination of glutathione and cysteine concentrations and 2H enrichments in microvolumes of neonatal blood using gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 1403-12	4.4	57
82	Optimisation of 1D and 2D in vivo 1H NMR to study tropane alkaloid metabolism in <i>Pseudomonas</i> . <i>Comptes Rendus Chimie</i> , 2008 , 11, 457-464	2.7	6
81	Accurate quantitative 13C NMR spectroscopy: repeatability over time of site-specific 13C isotope ratio determination. <i>Analytical Chemistry</i> , 2007 , 79, 8266-9	7.8	79
80	Correlation between the synthetic origin of methamphetamine samples and their 15N and 13C stable isotope ratios. <i>Analytica Chimica Acta</i> , 2007 , 593, 20-9	6.6	32
79	Determination of 13C isotopic enrichment of glutathione and glycine by gas chromatography/combustion/isotope ratio mass spectrometry after formation of the N- or N,S-ethoxycarbonyl methyl ester derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 3245-52	2.2	13
78	Progress in understanding the N-demethylation of alkaloids by exploiting isotopic techniques. <i>Phytochemistry Reviews</i> , 2007 , 6, 51-63	7.7	13
77	The fiftieth anniversary meeting of the Phytochemical Society of Europe: Churchill College, Cambridge, 11-14 April 2007 Highlights in the Evolution of Phytochemistry. <i>Phytochemistry</i> , 2007 , 68, 2699-2704	4	5
76	Investigation of the mechanism of nicotine demethylation in <i>Nicotiana</i> through 2H and 15N heavy isotope effects: implication of cytochrome P450 oxidase and hydroxyl ion transfer. <i>Archives of Biochemistry and Biophysics</i> , 2007 , 458, 175-83	4.1	12
75	Assignment of absolute configuration of natural abundance deuterium signals associated with (R)- and (S)-enantioisotopomers in a fatty acid aligned in a chiral liquid crystal: enantioselective synthesis and NMR analysis. <i>Journal of the American Chemical Society</i> , 2006 , 128, 11180-7	16.4	26
74	Optimised NMR detection of 13C-1H double labelling in small molecules. <i>Comptes Rendus Chimie</i> , 2006 , 9, 514-519	2.7	4
73	The prediction of isotopic patterns in phenylpropanoids from their precursors and the mechanism of the NIH-shift: basis of the isotopic characteristics of natural aromatic compounds. <i>Phytochemistry</i> , 2006 , 67, 1094-103	4	16
72	Nicotine demethylation in <i>Nicotiana</i> cell suspension cultures: N'-formylnornicotine is not involved. <i>Phytochemistry</i> , 2005 , 66, 2432-40	4	20
71	Stereoselectivity of the demethylation of nicotine piperidine homologues by <i>Nicotiana plumbaginifolia</i> cell suspension cultures. <i>Phytochemistry</i> , 2005 , 66, 1890-7	4	6

70	Determination of the natural abundance $\delta^{15}\text{N}$ of nicotine and related alkaloids by gas chromatography/isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 2039-44	2.2	7
69	Quantitative deuterium isotopic profiling at natural abundance indicates mechanistic differences for δ^{12} -epoxidase and δ^{12} -desaturase in <i>Vernonia galamensis</i> . <i>Journal of Biological Chemistry</i> , 2005 , 280, 17645-51	5.4	13
68	Altered nitrogen metabolism associated with de-differentiated suspension cultures derived from root cultures of <i>Datura stramonium</i> studied by heteronuclear multiple bond coherence (HMBC) NMR spectroscopy. <i>Journal of Experimental Botany</i> , 2004 , 55, 1053-60	7	12
67	Quantitative ^2H NMR at natural abundance can distinguish the pathway used for glucose fermentation by lactic acid bacteria. <i>Journal of Biological Chemistry</i> , 2004 , 279, 24923-8	5.4	16
66	Natural-abundance isotope ratio mass spectrometry as a means of evaluating carbon redistribution during glucose-citrate cofermentation by <i>Lactococcus lactis</i> . <i>FEBS Journal</i> , 2004 , 271, 4392-400		3
65	Authentication of the origin of vanillin using quantitative natural abundance ^{13}C NMR. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7782-7	5.7	69
64	NMR approach to the quantification of nonstatistical ^{13}C distribution in natural products: vanillin. <i>Analytical Chemistry</i> , 2004 , 76, 3818-25	7.8	60
63	Deuterium NMR used to indicate a common mechanism for the biosynthesis of ricinoleic acid by <i>Ricinus communis</i> and <i>Claviceps purpurea</i> . <i>Journal of the American Chemical Society</i> , 2004 , 126, 3250-6	16.4	17
62	Characterization of nitrogen relationships between <i>Sorghum bicolor</i> and the root-hemiparasitic angiosperm <i>Striga hermonthica</i> (Del.) Benth. using K^{15}NO_3 as isotopic tracer. <i>Journal of Experimental Botany</i> , 2003 , 54, 789-99	7	34
61	Measurement of ^2H distribution in natural products by quantitative ^2H NMR: An approach to understanding metabolism and enzyme mechanism?. <i>Phytochemistry Reviews</i> , 2003 , 2, 87-102	7.7	40
60	Quantitative ^2H NMR analysis of deuterium distribution in petroselinic acid isolated from parsley seed. <i>Phytochemistry</i> , 2003 , 64, 227-33	4	16
59	Natural abundance hydrogen isotope affiliation between the reactants and the products in glucose fermentation with yeast. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 2076-82	5.7	16
58	The nicotinic pharmacophore: thermodynamics of the hydrogen-bonding complexation of nicotine, nornicotine, and models. <i>Journal of Organic Chemistry</i> , 2003 , 68, 8208-21	4.2	38
57	Natural deuterium distribution in branched-chain medium-length fatty acids is nonstatistical: a site-specific study by quantitative ^2H NMR spectroscopy of the fatty acids of capsaicinoids. <i>ChemBioChem</i> , 2002 , 3, 212-8	3.8	21
56	Natural deuterium distribution in fatty acids isolated from peanut seed oil: a site-specific study by quantitative ^2H NMR spectroscopy. <i>ChemBioChem</i> , 2002 , 3, 752-9	3.8	24
55	Evidence for the involvement of tetrahydrofolate in the demethylation of nicotine by <i>Nicotiana plumbaginifolia</i> cell-suspension cultures. <i>Planta</i> , 2002 , 214, 911-9	4.7	24
54	Rate of carbon dioxide production and energy expenditure in fed and food-deprived adult dogs determined by indirect calorimetry and isotopic methods. <i>American Journal of Veterinary Research</i> , 2002 , 63, 111-8	1.1	23
53	Determination of deuterium isotope ratios by quantitative ^2H NMR spectroscopy: the ERETIC method as a generic reference signal. <i>Analytical Chemistry</i> , 2002 , 74, 5902-6	7.8	31

52	Use of heteronuclear multiple bond coherence NMR spectroscopy to monitor nitrogen metabolism in a transformed root culture of <i>Datura stramonium</i> . <i>Comptes Rendus De LiAcademie Des Sciences - Series IIc: Chemistry</i> , 2001 , 4, 775-778		
51	Synthesis of ¹⁵ N-labelled nornicotine and ¹⁵ N-labelled nicotine. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2001 , 44, 881-888	1.9	4
50	Natural deuterium distribution in long-chain fatty acids is nonstatistical: a site-specific study by quantitative (² H) NMR spectroscopy. <i>ChemBioChem</i> , 2001 , 2, 425-31	3.8	35
49	Efficient enantiomeric synthesis of pyrrolidine and piperidine alkaloids from tobacco. <i>Journal of Organic Chemistry</i> , 2001 , 66, 6305-12	4.2	110
48	Chiral specificity of the degradation of nicotine by <i>Nicotiana plumbaginifolia</i> cell suspension cultures. <i>Plant Science</i> , 2001 , 161, 1011-1018	5.3	22
47	Determination of substrate and product concentrations in lactic acid bacterial fermentations by proton NMR using the ERETIC method. <i>Analytical Chemistry</i> , 2001 , 73, 1862-8	7.8	72
46	A short and efficient synthesis of unnatural (R)-nicotine. <i>Tetrahedron Letters</i> , 2000 , 41, 9245-9249	2	26
45	Metabolic flux in glucose/citrate co-fermentation by lactic acid bacteria as measured by isotopic ratio analysis. <i>FEMS Microbiology Letters</i> , 2000 , 182, 207-11	2.9	19
44	Metabolism of N-alkyldiamines and N-alkylnortropinones by transformed root cultures of <i>Nicotiana</i> and <i>Brugmansia</i> . <i>Phytochemistry</i> , 1999 , 52, 855-869	4	16
43	Specificities of the enzymes of N-alkyltropine biosynthesis in <i>Brugmansia</i> and <i>Datura</i> . <i>Phytochemistry</i> , 1999 , 52, 871-8	4	21
42	In vivo nuclear-magnetic-resonance analysis of polyamine and alkaloid metabolism in transformed root cultures of <i>Datura stramonium</i> L.: evidence for the involvement of putrescine in phytohormone-induced de-differentiation. <i>Planta</i> , 1998 , 205, 205-213	4.7	15
41	The application of root cultures to problems of biological chemistry. <i>Natural Product Reports</i> , 1998 , 15, 549	15.1	15
40	Tropic acid ester biosynthesis in <i>Datura stramonium</i> and related species. <i>Chemical Society Reviews</i> , 1998 , 27, 207	58.5	27
39	The Biosynthesis of Alkaloids in Root Cultures 1998 , 199-218		1
38	The Biosynthesis of Tropane Alkaloids in <i>Datura stramonium</i> : The Identity of the Intermediates between N-Methylpyrrolinium Salt and Tropinone. <i>Journal of the American Chemical Society</i> , 1997 , 119, 10929-10934	16.4	41
37	Biosynthesis of nornicotine in root cultures of <i>Nicotiana glauca</i> does not involve oxidation at C-5? of nicotine. <i>Phytochemistry</i> , 1997 , 46, 117-122	4	18
36	In vivo NMR analysis of tropane alkaloid metabolism in transformed root and de-differentiated cultures of <i>Datura stramonium</i> . <i>Phytochemistry</i> , 1996 , 43, 115-120	4	20
35	The biosynthesis of hyoscyamine: the process by which littorine rearranges to hyoscyamine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995 , 481		24

34	The biosynthesis of tropic acid: the (R)-D-phenyllactyl moiety is processed by the mutase involved in hyoscyamine biosynthesis in <i>Datura stramonium</i> . <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 127		15
33	Tropane alkaloid biosynthesis in root cultures 1995 , 917-933		
32	Esterification reactions in the biosynthesis of tropane alkaloids in transformed root cultures. <i>Plant Cell, Tissue and Organ Culture</i> , 1994 , 38, 241-247	2.7	16
31	In vivo ¹⁵ N NMR studies of secondary metabolism in transformed root cultures of <i>Datura stramonium</i> and <i>Nicotiana tabacum</i> . <i>Phytochemistry</i> , 1994 , 36, 333-339	4	24
30	Biosynthesis of hyoscyamine involves an intramolecular rearrangement of littorine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994 , 615		40
29	The biosynthesis of tropic acid in plants: evidence for the direct rearrangement of 3-phenyllactate to tropate. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994 , 1159		19
28	Esterification reactions in the biosynthesis of tropane alkaloids in transformed root cultures 1994 , 241-247		1
27	Progress in the Genetic Engineering of the Pyridine and Tropane Alkaloid Biosynthetic Pathways of Solanaceous Plants 1994 , 1-33		5
26	Chapter 2 The Biosynthesis of Tropane Alkaloids. <i>Alkaloids: Chemistry and Pharmacology</i> , 1993 , 44, 115-187		5
25	High-performance liquid chromatography of the alkaloid perivine from <i>Catharanthus roseus</i> after derivatisation with dansyl chloride. <i>Journal of Chromatography A</i> , 1993 , 653, 161-166	4.5	2
24	Levels of tropinone-reductase activities influence the spectrum of tropane esters found in transformed root cultures of <i>Datura stramonium</i> L. <i>Planta</i> , 1992 , 188, 581-6	4.7	35
23	Studies on the biosynthesis of tropane alkaloids in <i>Datura stramonium</i> L. transformed root cultures : 1. The kinetics of alkaloid production and the influence of feeding intermediate metabolites. <i>Planta</i> , 1991 , 183, 185-95	4.7	73
22	Studies on the biosynthesis of tropane alkaloids in <i>Datura stramonium</i> L. transformed root cultures : 2. On the relative contributions of L-arginine and L-ornithine to the formation of the tropane ring. <i>Planta</i> , 1991 , 183, 196-201	4.7	54
21	Strategies for the genetic manipulation of alkaloid-producing pathways in plants. <i>Planta Medica</i> , 1991 , 57, S27-35	3.1	16
20	Measurement of DL- ³ -difluoromethylornithine concentration using ornithine decarboxylase. <i>Phytochemical Analysis</i> , 1990 , 1, 36-39	3.4	1
19	Over-expressing a yeast ornithine decarboxylase gene in transgenic roots of <i>Nicotiana rustica</i> can lead to enhanced nicotine accumulation. <i>Plant Molecular Biology</i> , 1990 , 15, 27-38	4.6	154
18	Variation in tropane alkaloid accumulation within the solanaceae and strategies for its exploitation. <i>Phytochemistry</i> , 1990 , 29, 2545-2550	4	98
17	Alkaloid Production by Transformed Root Cultures of <i>Cinchona ledgeriana</i> . <i>Planta Medica</i> , 1989 , 55, 354-371	3.1	62

16	Perturbation of alkaloid production by cadaverine in hairy root cultures of <i>Nicotiana rustica</i> . <i>Plant Science</i> , 1988 , 54, 125-131	5.3	53
15	Quinoline Alkaloid Production by Transformed Cultures of <i>Cinchona ledgeriana</i> . <i>Planta Medica</i> , 1987 , 53, 367-72	3.1	23
14	New Routes to Plant Secondary Products. <i>Nature Biotechnology</i> , 1987 , 5, 800-804	44.5	119
13	The use of agarose bead culture for the regeneration of single cell-derived colonies from protoplasts isolated from suspension cultures of <i>Humulus lupulus</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 1987 , 8, 17-25	2.7	8
12	Uncharacteristic alkaloid synthesis by suspension cultures of <i>Cinchona pubescens</i> fed with L-tryptophan. <i>Plant Cell, Tissue and Organ Culture</i> , 1987 , 9, 49-59	2.7	11
11	Tryptophan decarboxylase strictosidine synthase and alkaloid production by <i>Cinchona ledgeriana</i> suspension cultures. <i>Phytochemistry</i> , 1987 , 26, 721-725	4	38
10	An evaluation of the tautomerism of cinchoninone and quinidinone made using a combination of ¹ H NMR and ¹³ C NMR spectroscopy. <i>Phytochemistry</i> , 1987 , 26, 551-556	4	9
9	A spectrophotometric assay for strictosidine synthase. <i>Analytical Biochemistry</i> , 1987 , 163, 482-8	3.1	6
8	The stimulation of anthraquinone production by <i>Cinchona ledgeriana</i> cultures with polymeric adsorbents. <i>Applied Microbiology and Biotechnology</i> , 1986 , 24, 35	5.7	69
7	Stimulation of glutathione degradation by amino acids: lack of stereospecificity. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1985 , 80, 831-7		1
6	High-performance liquid chromatographic methods for the analysis and purification of quassinoids from <i>Quassia amara</i> L.. <i>Journal of Chromatography A</i> , 1984 , 283, 436-440	4.5	16
5	An enzyme-linked immunosorbent assay for quassin and closely related metabolites. <i>Analytical Biochemistry</i> , 1984 , 136, 145-56	3.1	18
4	Permeabilization of <i>Cinchona ledgeriana</i> cells by dimethylsulphoxide. effects on alkaloid release and long-term membrane integrity. <i>Plant Cell Reports</i> , 1984 , 3, 262-5	5.1	40
3	Apparent free space and cell volume estimation: A non-destructive method for assessing the growth and membrane integrity/viability of immobilised plant cells. <i>Plant Cell Reports</i> , 1984 , 3, 161-4	5.1	22
2	Lack of correlation between glutathione turnover and amino acid absorption by the yeast <i>Saccharomyces cerevisiae</i> . <i>Phytochemistry</i> , 1981 , 20, 1497-1499	4	10
1	The role of glutathione in amino acid absorption by yeast. <i>FEBS Letters</i> , 1980 , 111, 432	3.8	10