

Ronald J Smernik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/494559/publications.pdf>

Version: 2024-02-01

150
papers

8,953
citations

57719

44
h-index

45285

90
g-index

152
all docs

152
docs citations

152
times ranked

8279
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphorus speciation and release from different plant litters on a River Murray (Australia) floodplain. <i>Plant and Soil</i> , 2022, 471, 141-156.	1.8	1
2	Arbuscular mycorrhizas increased tomato biomass and nutrition but did not affect local soil P availability or 16S bacterial community in the field. <i>Science of the Total Environment</i> , 2022, 819, 152620.	3.9	5
3	Does the high potassium content in recycled winery wastewater used for irrigation pose risks to soil structural stability?. <i>Agricultural Water Management</i> , 2021, 243, 106422.	2.4	21
4	<i>Xylomelum occidentale</i> (Proteaceae) accesses relatively mobile soil organic phosphorus without releasing carboxylates. <i>Journal of Ecology</i> , 2021, 109, 246-259.	1.9	16
5	Frequency Versus Quantity: Phenotypic Response of Two Wheat Varieties to Water and Nitrogen Variability. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 1631-1641.	1.7	1
6	Long-term changes in land use influence phosphorus concentrations, speciation, and cycling within subtropical soils. <i>Geoderma</i> , 2021, 393, 115010.	2.3	20
7	Root and arbuscular mycorrhizal effects on soil nutrient loss are modulated by soil texture. <i>Applied Soil Ecology</i> , 2021, 167, 104097.	2.1	8
8	Variable water cycles have a greater impact on wheat growth and soil nitrogen response than constant watering. <i>Plant Science</i> , 2020, 290, 110146.	1.7	13
9	Soil Microbial Community Responses After Amendment with Thermally Altered <i>Pinus radiata</i> Needles. <i>Microbial Ecology</i> , 2020, 79, 409-419.	1.4	0
10	Soil phosphorus pools with addition of fertiliser phosphorus in a long-term grazing experiment. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 116, 151-164.	1.1	6
11	The chemical nature of soil organic phosphorus: A critical review and global compilation of quantitative data. <i>Advances in Agronomy</i> , 2020, 160, 51-124.	2.4	27
12	Partitioning of phosphorus between biochemical and storage compounds in leaves follows a consistent pattern across four Australian genera growing in native settings. <i>Plant and Soil</i> , 2020, 454, 57-75.	1.8	10
13	Organic chemistry insights for the exceptional soil carbon storage of the seagrass <i>Posidonia australis</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2020, 237, 106662.	0.9	10
14	Effects of plant roots and arbuscular mycorrhizas on soil phosphorus leaching. <i>Science of the Total Environment</i> , 2020, 722, 137847.	3.9	24
15	Constraining the carbonate system in soils via testing the internal consistency of pH, pCO ₂ and alkalinity measurements. <i>Geochemical Transactions</i> , 2020, 21, 4.	1.8	4
16	Effect of land use on organic matter composition in density fractions of contrasting soils: A comparative study using ¹³ C NMR and DRIFT spectroscopy. <i>Science of the Total Environment</i> , 2020, 726, 138395.	3.9	32
17	Thermal degradation of phytate produces all four possible inositol pentakisphosphates as determined by ion chromatography and ¹ H and ³¹ P NMR spectroscopy. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2019, 194, 1140-1148.	0.8	4
18	Post fire litters are richer in water soluble carbon and lead to increased microbial activity. <i>Applied Soil Ecology</i> , 2019, 136, 101-105.	2.1	13

#	ARTICLE	IF	CITATIONS
19	Fire influences needle decomposition: Tipping point in <i>Pinus radiata</i> carbon chemistry and soil nitrogen transformations. <i>Soil Biology and Biochemistry</i> , 2019, 135, 361-368.	4.2	4
20	The effect of fire affected <i>Pinus radiata</i> litter and char addition on soil nitrogen cycling. <i>Science of the Total Environment</i> , 2019, 664, 276-282.	3.9	5
21	Globular structures in roots accumulate phosphorus to extremely high concentrations following phosphorus addition. <i>Plant, Cell and Environment</i> , 2019, 42, 1987-2002.	2.8	9
22	Fire-derived organic matter retains ammonia through covalent bond formation. <i>Nature Communications</i> , 2019, 10, 664.	5.8	38
23	Spectrophotometric measurement of the pH of soil extracts using a multiple indicator dye mixture. <i>European Journal of Soil Science</i> , 2019, 70, 411-420.	1.8	7
24	Phosphorus speciation and dynamics in river sediments, floodplain soils and leaf litter from the Lower Murray River region. <i>Marine and Freshwater Research</i> , 2019, 70, 1522.	0.7	11
25	Facile decomposition of phytate in the solid-state: Kinetics and decomposition pathways. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2018, 193, 192-199.	0.8	3
26	The application of a spectrophotometric method to determine pH in acidic (pH<5) soils. <i>Talanta</i> , 2018, 186, 421-426.	2.9	12
27	Biogeochemical expression of buried iron-oxide-copper-gold (IOCG) mineral systems in mallee eucalypts on the Yorke Peninsula, southern Olympic Domain; South Australia. <i>Journal of Geochemical Exploration</i> , 2018, 185, 139-152.	1.5	4
28	Loss and gain of carbon during char degradation. <i>Soil Biology and Biochemistry</i> , 2017, 106, 80-89.	4.2	21
29	Organic amendments as phosphorus fertilisers: Chemical analyses, biological processes and plant P uptake. <i>Soil Biology and Biochemistry</i> , 2017, 107, 50-59.	4.2	46
30	Seasonal variation in the nature of DOM in a river and drinking water reservoir of a closed catchment. <i>Environmental Pollution</i> , 2017, 220, 788-796.	3.7	24
31	Direct recovery of ³³ P-labelled fertiliser phosphorus in subterranean clover (<i>Trifolium</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 <i>Ecosystems and Environment</i> , 2017, 246, 144-156.	2.5	13
32	The composition of organic phosphorus in soils of the Snowy Mountains region of south-eastern Australia. <i>Soil Research</i> , 2017, 55, 10.	0.6	21
33	A Benchmark Quantum Yield for Water Photoreduction on Amorphous Carbon Nitride. <i>Advanced Functional Materials</i> , 2017, 27, 1702384.	7.8	115
34	The chemical nature of organic phosphorus that accumulates in fertilized soils of a temperate pasture as determined by solution ³¹ P NMR spectroscopy. <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 27-38.	1.1	19
35	Development of a Spectrophotometric Method for Determining pH of Soil Extracts and Comparison with Glass Electrode Measurements. <i>Soil Science Society of America Journal</i> , 2017, 81, 1350-1358.	1.2	19
36	Phosphorus Distribution in Soils from Australian Dairy and Beef Rearing Pastoral Systems. <i>Applied Sciences (Switzerland)</i> , 2016, 6, 31.	1.3	2

#	ARTICLE	IF	CITATIONS
37	Phosphorus speciation of dormant grapevine (<i>Vitis vinifera</i> L.) canes in the Barossa Valley, South Australia. <i>Australian Journal of Grape and Wine Research</i> , 2016, 22, 462-468.	1.0	13
38	Organic phosphorus speciation in Australian Red Chromosols: stoichiometric control. <i>Soil Research</i> , 2016, 54, 11.	0.6	7
39	Characterization of dissolved organic matter for prediction of trihalomethane formation potential in surface and sub-surface waters. <i>Journal of Hazardous Materials</i> , 2016, 308, 430-439.	6.5	28
40	Embedding publication skills in science research training: a writing group programme based on applied linguistics frameworks and facilitated by a scientist. <i>Higher Education Research and Development</i> , 2016, 35, 229-241.	1.9	12
41	The fate of fertiliser P in soil under pasture and uptake by subterranean clover – a field study using ³³ P-labelled single superphosphate. <i>Plant and Soil</i> , 2016, 401, 23-38.	1.8	23
42	Soil carbon characterization and nutrient ratios across land uses on two contrasting soils: Their relationships to microbial biomass and function. <i>Soil Biology and Biochemistry</i> , 2016, 97, 50-62.	4.2	45
43	Identification of RNA Hydrolysis Products in NaOH-EDTA Extracts using ³¹ P NMR Spectroscopy. <i>Communications in Soil Science and Plant Analysis</i> , 2015, 46, 2746-2756.	0.6	26
44	An assessment of various measures of soil phosphorus and the net accumulation of phosphorus in fertilized soils under pasture. <i>Journal of Plant Nutrition and Soil Science</i> , 2015, 178, 543-554.	1.1	36
45	Quantitative analysis of ³¹ P NMR spectra of soil extracts – dealing with overlap of broad and sharp signals. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 679-685.	1.1	17
46	Mid-infrared spectra predict nuclear magnetic resonance spectra of soil carbon. <i>Geoderma</i> , 2015, 247-248, 65-72.	2.3	10
47	100 Years of superphosphate addition to pasture in an acid soil – current nutrient status and future management. <i>Soil Research</i> , 2015, 53, 662.	0.6	19
48	Improving Sensitivity of Solution ³¹ P NMR Analysis in Australian Xeralfs. <i>Communications in Soil Science and Plant Analysis</i> , 2015, 46, 1034-1043.	0.6	2
49	Spectral sensitivity of solution ³¹ P NMR spectroscopy is improved by narrowing the soil to solution ratio to 1:4 for pasture soils of low organic P content. <i>Geoderma</i> , 2015, 257-258, 48-57.	2.3	16
50	Characterisation of soil organic phosphorus in NaOH-EDTA extracts: A comparison of ³¹ P NMR spectroscopy and enzyme addition assays. <i>Soil Biology and Biochemistry</i> , 2015, 91, 298-309.	4.2	78
51	Complex Forms of Soil Organic Phosphorus – A Major Component of Soil Phosphorus. <i>Environmental Science & Technology</i> , 2015, 49, 13238-13245.	4.6	97
52	Microbial degradation of organic carbon sorbed to phyllosilicate clays with and without hydrous iron oxide coating. <i>European Journal of Soil Science</i> , 2015, 66, 83-94.	1.8	36
53	Control of the spatial homogeneity of pore surface chemistry in particulate activated carbon. <i>Carbon</i> , 2015, 95, 144-149.	5.4	13
54	Aromaticity and degree of aromatic condensation of char. <i>Organic Geochemistry</i> , 2015, 78, 135-143.	0.9	207

#	ARTICLE	IF	CITATIONS
55	Do organic inputs alter resistance and resilience of soil microbial community to drying?. <i>Soil Biology and Biochemistry</i> , 2015, 81, 58-66.	4.2	32
56	The effects of organic matter–mineral interactions and organic matter chemistry on diuron sorption across a diverse range of soils. <i>Chemosphere</i> , 2015, 119, 99-104.	4.2	46
57	The Organic P Composition of Vertisols as Determined by ³¹ P NMR Spectroscopy. <i>Soil Science Society of America Journal</i> , 2014, 78, 1893-1902.	1.2	35
58	Persistence of estrogenic activity in soils following land application of biosolids. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 26-28.	2.2	12
59	Assessing crop residue phosphorus speciation using chemical fractionation and solution ³¹ P nuclear magnetic resonance spectroscopy. <i>Talanta</i> , 2014, 126, 122-129.	2.9	24
60	Phosphorus speciation in mature wheat and canola plants as affected by phosphorus supply. <i>Plant and Soil</i> , 2014, 378, 125-137.	1.8	51
61	Management of crop residues affects the transfer of phosphorus to plant and soil pools: Results from a dual-labelling experiment. <i>Soil Biology and Biochemistry</i> , 2014, 71, 31-39.	4.2	46
62	Does the chemical nature of soil carbon drive the structure and functioning of soil microbial communities?. <i>Soil Biology and Biochemistry</i> , 2014, 70, 54-61.	4.2	119
63	Changes in the nature of dissolved organics during pulp and paper mill wastewater treatment: a multivariate statistical study combining data from three analytical techniques. <i>Environmental Science and Pollution Research</i> , 2014, 21, 4265-4275.	2.7	1
64	The influence of feedstock and production temperature on biochar carbon chemistry: A solid-state ¹³ C NMR study. <i>Biomass and Bioenergy</i> , 2014, 60, 121-129.	2.9	153
65	Control of the pore size distribution and its spatial homogeneity in particulate activated carbon. <i>Carbon</i> , 2014, 78, 113-120.	5.4	20
66	Phosphorus availability in chicken manure is lower with increased stockpiling period, despite a larger orthophosphate content. <i>Plant and Soil</i> , 2013, 373, 359-372.	1.8	21
67	Comparison of degradation between indigenous and spiked bisphenol A and triclosan in a biosolids amended soil. <i>Science of the Total Environment</i> , 2013, 447, 56-63.	3.9	13
68	Using the power of ¹³ C NMR to interpret infrared spectra of soil organic matter: A two-dimensional correlation spectroscopy approach. <i>Vibrational Spectroscopy</i> , 2013, 66, 76-82.	1.2	14
69	A demonstration of the high variability of chars produced from wood in bushfires. <i>Organic Geochemistry</i> , 2013, 55, 38-44.	0.9	36
70	The Organic Chemistry of Plant Residues: Comparison Of NMR and Pyrolysis Data Using Multivariate Statistical Approaches. <i>Current Organic Chemistry</i> , 2013, 17, 3006-3012.	0.9	2
71	Rapid degradation of pyrogenic carbon. <i>Global Change Biology</i> , 2012, 18, 3306-3316.	4.2	136
72	Biochar Carbon Stability in a Clayey Soil As a Function of Feedstock and Pyrolysis Temperature. <i>Environmental Science & Technology</i> , 2012, 46, 11770-11778.	4.6	456

#	ARTICLE	IF	CITATIONS
73	Crop residue phosphorus: speciation and potential bio-availability. <i>Plant and Soil</i> , 2012, 359, 375-385.	1.8	155
74	Changes in character of organics in the receiving environment of effluent from a sulphite pulp mill. <i>Environmental Science and Pollution Research</i> , 2012, 19, 2151-2158.	2.7	6
75	Measuring organic carbon in Calcarosols: understanding the pitfalls and complications. <i>Soil Research</i> , 2012, 50, 397.	0.6	25
76	Soil Organic Phosphorus Speciation Using Spectroscopic Techniques. <i>Soil Biology</i> , 2011, , 3-36.	0.6	30
77	The decomposition of windrowed, chipped logging slash and tree seedling response: A plant growth and nuclear magnetic resonance spectroscopy study. <i>Organic Geochemistry</i> , 2011, 42, 936-946.	0.9	8
78	Overestimation of the importance of phytate in NaOH-EDTA soil extracts as assessed by 31P NMR analyses. <i>Organic Geochemistry</i> , 2011, 42, 955-964.	0.9	49
79	Determination of the aromaticity and the degree of aromatic condensation of a thermosequence of wood charcoal using NMR. <i>Organic Geochemistry</i> , 2011, 42, 1194-1202.	0.9	186
80	A quantitative assessment of phosphorus forms in some Australian soils. <i>Soil Research</i> , 2011, 49, 152.	0.6	56
81	Microbial community structure and residue chemistry during decomposition of shoots and roots of young and mature wheat (<i>Triticum aestivum</i> L.) in sand. <i>European Journal of Soil Science</i> , 2011, 62, 666-675.	1.8	27
82	Selected personal care products and endocrine disruptors in biosolids: An Australia-wide survey. <i>Science of the Total Environment</i> , 2011, 409, 1075-1081.	3.9	43
83	Changes in the organic character of post-coagulated <i>Pinus radiata</i> sulfite pulp mill wastewater under aerated stabilization basin treatment—A laboratory scale study. <i>Chemical Engineering Journal</i> , 2011, 175, 160-168.	6.6	15
84	Terra Preta Australis: Reassessing the carbon storage capacity of temperate soils. <i>Agriculture, Ecosystems and Environment</i> , 2011, 140, 137-147.	2.5	75
85	The chemical nature of P accumulation in agricultural soils—implications for fertiliser management and design: an Australian perspective. <i>Plant and Soil</i> , 2011, 349, 69-87.	1.8	284
86	Rapid decomposition of phytate applied to a calcareous soil demonstrated by a solution ³¹ P NMR study. <i>European Journal of Soil Science</i> , 2010, 61, 563-575.	1.8	84
87	Retention capacity of biochar-amended New Zealand dairy farm soil for an estrogenic steroid hormone and its primary metabolite. <i>Soil Research</i> , 2010, 48, 648.	0.6	55
88	Chemical and structural properties of carbonaceous products obtained by pyrolysis and hydrothermal carbonisation of corn stover. <i>Soil Research</i> , 2010, 48, 618.	0.6	332
89	An investigation into the reactions of biochar in soil. <i>Soil Research</i> , 2010, 48, 501.	0.6	840
90	Changes in water quality following gypsum application to catchment soils of the Mount Lofty Ranges, South Australia. <i>Organic Geochemistry</i> , 2010, 41, 116-123.	0.9	9

#	ARTICLE	IF	CITATIONS
91	The use of MSSV pyrolysis to assist the molecular characterisation of aquatic natural organic matter. <i>Water Research</i> , 2010, 44, 3039-3054.	5.3	20
92	Chemical composition of composted grape marc. <i>Water Science and Technology</i> , 2009, 60, 1265-1271.	1.2	9
93	Spiking Improved Solution Phosphorus-31 Nuclear Magnetic Resonance Identification of Soil Phosphorus Compounds. <i>Soil Science Society of America Journal</i> , 2009, 73, 919-927.	1.2	183
94	Residue chemistry and microbial community structure during decomposition of eucalypt, wheat and vetch residues. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1966-1975.	4.2	149
95	Changes in the chemistry of sedimentary organic matter within the Coorong over space and time. <i>Biogeochemistry</i> , 2009, 92, 9-25.	1.7	46
96	Long-term black carbon dynamics in cultivated soil. <i>Biogeochemistry</i> , 2009, 92, 163-176.	1.7	133
97	Mechanisms of organic matter stabilization and destabilization in soils and sediments: conference introduction. <i>Biogeochemistry</i> , 2009, 92, 3-8.	1.7	14
98	Direct Comparison between Visible Near- and Mid-Infrared Spectroscopy for Describing Diuron Sorption in Soils. <i>Environmental Science & Technology</i> , 2009, 43, 4049-4055.	4.6	33
99	The effect of lipids on the sorption of diuron and phenanthrene in soils. <i>Chemosphere</i> , 2009, 74, 1062-1068.	4.2	19
100	The effect of solvent-conditioning on soil organic matter sorption affinity for diuron and phenanthrene. <i>Chemosphere</i> , 2009, 76, 1062-1066.	4.2	6
101	Variation in the degree of aromatic condensation of chars. <i>Organic Geochemistry</i> , 2009, 40, 1161-1168.	0.9	140
102	Soil organic phosphorus and microbial community composition as affected by 26 years of different management strategies. <i>Biology and Fertility of Soils</i> , 2008, 44, 717-726.	2.3	53
103	Microbial synthesis of organic and condensed forms of phosphorus in acid and calcareous soils. <i>Soil Biology and Biochemistry</i> , 2008, 40, 932-946.	4.2	79
104	Forms of phosphorus in bacteria and fungi isolated from two Australian soils. <i>Soil Biology and Biochemistry</i> , 2008, 40, 1908-1915.	4.2	80
105	Characterisation and evaluation of reference materials for black carbon analysis using elemental composition, colour, BET surface area and ¹³ C NMR spectroscopy. <i>Applied Geochemistry</i> , 2008, 23, 2113-2122.	1.4	129
106	Clear effects of soil organic matter chemistry, as determined by NMR spectroscopy, on the sorption of diuron. <i>Chemosphere</i> , 2008, 70, 1153-1160.	4.2	68
107	Changes in sewage sludge carbon forms along a treatment stream. <i>Chemosphere</i> , 2008, 72, 981-985.	4.2	8
108	Separating the effects of organic matter-mineral interactions and organic matter chemistry on the sorption of diuron and phenanthrene. <i>Chemosphere</i> , 2008, 72, 886-890.	4.2	48

#	ARTICLE	IF	CITATIONS
109	Midinfrared Spectroscopy and Chemometrics to Predict Diuron Sorption Coefficients in Soils. <i>Environmental Science & Technology</i> , 2008, 42, 3283-3288.	4.6	26
110	Comparison of solid-state ¹³ C NMR spectra of soil organic matter from an experimental burning site acquired at two field strengths. <i>Soil Research</i> , 2008, 46, 122.	0.6	7
111	Comparison of quantification methods to measure fire-derived (black/elemental) carbon in soils and sediments using reference materials from soil, water, sediment and the atmosphere. <i>Global Biogeochemical Cycles</i> , 2007, 21, .	1.9	483
112	On the Use of Hydrofluoric Acid Pretreatment of Soils for Phosphorus-31 Nuclear Magnetic Resonance Analyses. <i>Soil Science Society of America Journal</i> , 2007, 71, 1111-1118.	1.2	22
113	Identification of Phytate in Phosphorus-31 Nuclear Magnetic Resonance Spectra: The Need for Spiking. <i>Soil Science Society of America Journal</i> , 2007, 71, 1045-1050.	1.2	77
114	Chemical changes and phosphorus release during decomposition of pea residues in soil. <i>Soil Biology and Biochemistry</i> , 2007, 39, 2696-2699.	4.2	30
115	The effect of water content on solid-state ¹³ C NMR quantitation and relaxation rates of soil organic matter. <i>European Journal of Soil Science</i> , 2006, 57, 665-676.	1.8	12
116	NMR Characterization of ¹³ C-Benzene Sorbed to Natural and Prepared Charcoals. <i>Environmental Science & Technology</i> , 2006, 40, 1764-1769.	4.6	41
117	Solid-state ¹³ C NMR analysis of size and density fractions of marine sediments: Insight into organic carbon sources and preservation mechanisms. <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 666-686.	1.6	83
118	Synthesis and characterisation of laboratory-charred grass straw (<i>Oryza sativa</i>) and chestnut wood (<i>Castanea sativa</i>) as reference materials for black carbon quantification. <i>Organic Geochemistry</i> , 2006, 37, 1629-1633.	0.9	187
119	Hydrolysis of Pyrophosphate in a Highly Calcareous Soil. <i>Soil Science Society of America Journal</i> , 2006, 70, 856-862.	1.2	33
120	Assessing the quantitative reliability of solid-state ¹³ C NMR spectra of kerogens across a gradient of thermal maturity. <i>Solid State Nuclear Magnetic Resonance</i> , 2006, 29, 312-321.	1.5	37
121	Does Solid-state ¹⁵ N NMR Spectroscopy Detect all Soil Organic Nitrogen?. <i>Biogeochemistry</i> , 2005, 75, 507-528.	1.7	55
122	Solid-state ¹⁵ N NMR analysis of highly ¹⁵ N-enriched plant materials. <i>Plant and Soil</i> , 2005, 275, 271-283.	1.8	18
123	A New Way to Use Solid-State Carbon-13 Nuclear Magnetic Resonance Spectroscopy to Study the Sorption of Organic Compounds to Soil Organic Matter. <i>Journal of Environmental Quality</i> , 2005, 34, 1194-1204.	1.0	18
124	Application of Spin Counting to the Solid-State ³¹ P NMR Analysis of Pasture Soils with Varying Phosphorus Content. <i>Soil Science Society of America Journal</i> , 2005, 69, 2058-2070.	1.2	32
125	Using ¹³ C nuclear magnetic resonance spectroscopy for the study of northern hardwood tissues. <i>Canadian Journal of Forest Research</i> , 2005, 35, 1821-1831.	0.8	26
126	Solid-state ¹³ C NMR spectroscopic studies of soil organic matter at two magnetic field strengths. <i>Geoderma</i> , 2005, 125, 249-271.	2.3	27

#	ARTICLE	IF	CITATIONS
127	Investigation of the Role of Structural Domains Identified in Sedimentary Organic Matter in the Sorption of Hydrophobic Organic Compounds. <i>Environmental Science & Technology</i> , 2005, 39, 3925-3932.	4.6	42
128	Changes in the Nature of Sewage Sludge Organic Matter During a Twenty-One-Month Incubation. <i>Journal of Environmental Quality</i> , 2004, 33, 1924-1929.	1.0	18
129	Quantitative solid-state ¹³ C NMR spectroscopy of organic matter fractions in lowland rice soils. <i>European Journal of Soil Science</i> , 2004, 55, 367-379.	1.8	13
130	Cadmium sorption in biosolids amended soils: results from a field trial. <i>Science of the Total Environment</i> , 2004, 327, 239-247.	3.9	14
131	Characterisation of sedimentary organic matter from three south-eastern Australian estuaries using solid-state ¹³ C-NMR techniques. <i>Marine and Freshwater Research</i> , 2004, 55, 285.	0.7	10
132	Spin accounting and RESTORE - two new methods to improve quantitation in solid-state ¹³ C NMR analysis of soil organic matter. <i>European Journal of Soil Science</i> , 2003, 54, 103-116.	1.8	41
133	Characterization of Sewage Sludge Organic Matter Using Solid-State Carbon-13 Nuclear Magnetic Resonance Spectroscopy. <i>Journal of Environmental Quality</i> , 2003, 32, 1516-1522.	1.0	34
134	Advanced Solid-State Carbon-13 Nuclear Magnetic Resonance Spectroscopic Studies of Sewage Sludge Organic Matter. <i>Journal of Environmental Quality</i> , 2003, 32, 1523.	1.0	13
135	Chemical composition and bioavailability of thermally altered <i>Pinus resinosa</i> (Red pine) wood. <i>Organic Geochemistry</i> , 2002, 33, 1093-1109.	0.9	723
136	Paramagnetic Effects on Solid State Carbon-13 Nuclear Magnetic Resonance Spectra of Soil Organic Matter. <i>Journal of Environmental Quality</i> , 2002, 31, 414-420.	1.0	20
137	Determination of T ₁ ρH Relaxation Rates in Charred and Uncharred Wood and Consequences for NMR Quantitation. <i>Solid State Nuclear Magnetic Resonance</i> , 2002, 22, 50-70.	1.5	67
138	Impact of Remote Protonation on ¹³ C CPMAS NMR Quantitation of Charred and Uncharred Wood. <i>Solid State Nuclear Magnetic Resonance</i> , 2002, 22, 71-82.	1.5	47
139	Paramagnetic effects on solid state carbon-13 nuclear magnetic resonance spectra of soil organic matter. <i>Journal of Environmental Quality</i> , 2002, 31, 414-20.	1.0	5
140	A solid state ¹³ C-NMR study of kerogen degradation during black shale weathering. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 1867-1882.	1.6	89
141	Solid-state ¹³ C-NMR dipolar dephasing experiments for quantifying protonated and non-protonated carbon in soil organic matter and model systems. <i>European Journal of Soil Science</i> , 2001, 52, 103-120.	1.8	43
142	Background Signal in Solid State ¹³ C NMR Spectra of Soil Organic Matter (SOM) – Quantification and Minimization. <i>Solid State Nuclear Magnetic Resonance</i> , 2001, 20, 74-84.	1.5	37
143	Effect of paramagnetic cations on solid state ¹³ C nuclear magnetic resonance spectra of natural organic materials. <i>Communications in Soil Science and Plant Analysis</i> , 2000, 31, 3011-3026.	0.6	24
144	The use of spin counting for determining quantitation in solid state ¹³ C NMR spectra of natural organic matter. <i>Geoderma</i> , 2000, 96, 101-129.	2.3	183

#	ARTICLE	IF	CITATIONS
145	The use of spin counting for determining quantitation in solid state ^{13}C NMR spectra of natural organic matter. <i>Geoderma</i> , 2000, 96, 159-171.	2.3	133
146	Effects of added paramagnetic ions on the CP/MAS NMR spectrum of a de-ashed soil. <i>Geoderma</i> , 1999, 89, 219-248.	2.3	77
147	Synthesis and Properties of Iron(II) Hydride Complexes Containing the Tripodal Tetraphosphine Ligand $\text{P}(\text{CH}_2\text{CH}_2\text{PMe}_2)_3$. <i>Inorganic Chemistry</i> , 1997, 36, 5984-5990.	1.9	32
148	Iron Complexes Containing the Tripodal Tetraphosphine Ligand $\text{P}(\text{CH}_2\text{CH}_2\text{PMe}_2)_3$. <i>Inorganic Chemistry</i> , 1997, 36, 2884-2892.	1.9	30
149	Synthesis of new tetradentate oligophosphine ligands. <i>Inorganic Chemistry</i> , 1993, 32, 4084-4088.	1.9	31
150	The vinylidene-acetylene rearrangement. A phantom minimum on the MP2 potential energy surface. <i>Chemical Physics Letters</i> , 1992, 188, 589-594.	1.2	27