
Celine Harmanus

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4946671/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Emergence of reduced susceptibility to metronidazole in Clostridium difficile. Journal of Antimicrobial Chemotherapy, 2008, 62, 1046-1052.	1.3	230
2	Development and Validation of an Internationally-Standardized, High-Resolution Capillary Gel-Based Electrophoresis PCR-Ribotyping Protocol for Clostridium difficile. PLoS ONE, 2015, 10, e0118150.	1.1	176
3	Plasmid-mediated metronidazole resistance in Clostridioides difficile. Nature Communications, 2020, 11, 598.	5.8	79

Genetic markers for Clostridium difficile lineages linked to hypervirulence. Microbiology (United) Tj ETQq0 0 0 rgBT $_{0.752}^{10}$ Vorlock 10 Tf 50 6 $_{52}^{20}$

5	Subtyping and antimicrobial susceptibility of Clostridium difficile PCR ribotype 078/126 isolates of human and animal origin. Veterinary Microbiology, 2017, 199, 15-22.	0.8	38
6	Isolation of Clostridium difficile from dogs with digestive disorders, including stable metronidazole-resistant strains. Anaerobe, 2017, 43, 78-81.	1.0	37
7	Haem is crucial for medium-dependent metronidazole resistance in clinical isolates of <i>Clostridioides difficile</i> . Journal of Antimicrobial Chemotherapy, 2021, 76, 1731-1740.	1.3	34
8	Shedding of Clostridium difficile PCR ribotype 078 by zoo animals, and report of an unstable metronidazole-resistant isolate from a zebra foal (Equus quagga burchellii). Veterinary Microbiology, 2014, 169, 218-222.	0.8	32
9	Toxigenic Clostridium difficile PCR ribotypes in edible marine bivalve molluscs in Italy. International Journal of Food Microbiology, 2015, 208, 30-34.	2.1	32
10	Prevalence and characteristics of Clostridium perfringens and Clostridium difficile in dogs and cats attended in diverse veterinary clinics from the Madrid region. Anaerobe, 2017, 48, 47-55.	1.0	31
11	Occurrence of Clostridium difficile PCR-ribotype 027 and it's closely related PCR-ribotype 176 in hospitals in Poland in 2008–2010. Anaerobe, 2014, 28, 13-17.	1.0	29
12	Occurrence of Clostridium difficile ribotype 027 in hospitals of Silesia, Poland. Anaerobe, 2017, 45, 106-113.	1.0	25
13	The Bacterial Gut Microbiota of Adult Patients Infected, Colonized or Noncolonized by Clostridioides difficile. Microorganisms, 2020, 8, 677.	1.6	25
14	Recreational sandboxes for children and dogs can be a source of epidemic ribotypes of <i>Clostridium difficile</i> . Zoonoses and Public Health, 2018, 65, 88-95.	0.9	24
15	Characterization and antimicrobial susceptibility of Clostridium difficile strains isolated from adult patients with diarrhoea hospitalized in two university hospitals in Poland, 2004–2006. Journal of Medical Microbiology, 2011, 60, 1200-1205.	0.7	22
16	Characterization of the virulence of a non-RT027, non-RT078 and binary toxin-positive <i>Clostridium difficile</i> strain associated with severe diarrhea. Emerging Microbes and Infections, 2018, 7, 1-11.	3.0	17
17	Quantification of Clostridioides (Clostridium) difficile in feces of calves of different age and determination of predominant Clostridioides difficile ribotype 033 relatedness and transmission between family dairy farms using multilocus variable-number tandem-repeat analysis. BMC Veterinary Research. 2018. 14. 298.	0.7	17
18	PCR-ribotype distribution of Clostridium difficile in Irish pigs. Anaerobe, 2017, 48, 237-241.	1.0	16

CELINE HARMANUS

#	Article	IF	CITATIONS
19	A helicase-containing module defines a family of pCD630-like plasmids in Clostridium difficile. Anaerobe, 2018, 49, 78-84.	1.0	13
20	Distribution and tracking of Clostridium difficile and Clostridium perfringens in a free-range pig abattoir and processing plant. Food Research International, 2018, 113, 456-464.	2.9	9
21	First molecular characterisation and PCR ribotyping of Clostridium difficile strains isolated in two Algerian Hospitals. Journal of Infection in Developing Countries, 2018, 12, 015-021.	0.5	9
22	Ribotype 078 Clostridium difficile infection incidence in Dutch hospitals is not associated with provincial pig farming: Results from a national sentinel surveillance, 2009-2015. PLoS ONE, 2017, 12, e0189183.	1.1	8
23	Detection of Clostridium difficile in the environment in a veterinary teaching hospital. Anaerobe, 2019, 57, 55-58.	1.0	5
24	Clostridioides difficile Ribotype 027 (RT027) Outbreak Investigation Due to the Emergence of Rifampicin Resistance Using Multilocus Variable-Number Tandem Repeat Analysis (MLVA). Infection and Drug Resistance, 2021, Volume 14, 3247-3254.	1.1	5
25	Data from a survey of Clostridium perfringens and Clostridium difficile shedding by dogs and cats in the Madrid region (Spain), including phenotypic and genetic characteristics of recovered isolates. Data in Brief, 2017, 14, 88-100.	0.5	3
26	Detection of Clostridioides difficile in hospital environment by using C diff Banana Brothâ"¢. Anaerobe, 2021, , 102408.	1.0	3
27	InÂvitro anti-clostridial action and potential of the spice herbs essential oils to prevent biofilm formation of hypervirulent Clostridioides difficile strains isolated from hospitalized patients with CDI. Anaerobe, 2022, 76, 102604.	1.0	2