
## Liao-Yuan Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4946847/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CircSCAF8 promotes growth and metastasis of prostate cancer through the circSCAF8-miR-140-3p/miR-335-LIF pathway. Cell Death and Disease, 2022, 13, .	2.7	12
2	68Ga-PSMA ligand PET/CT integrating indocyanine green-guided salvage lymph node dissection for lymph node metastasis after radical prostatectomy. Asian Journal of Andrology, 2021, .	0.8	1
3	A urine extracellular vesicle circRNA classifier for detection of high-grade prostate cancer in patients with prostate-specific antigen 2–10Âng/mL at initial biopsy. Molecular Cancer, 2021, 20, 96.	7.9	34
4	Calpainâ€2 triggers prostate cancer metastasis via enhancing CRMP4 promoter methylation through NFâ€₽B/DNMT1 signaling pathway. Prostate, 2018, 78, 682-690.	1.2	15
5	Prospective Study ofCRMP4Promoter Methylation in Prostate Biopsies as a Predictor For Lymph Node Metastases. Journal of the National Cancer Institute, 2017, 109, djw282.	3.0	12
6	Prospective validation of DACH2 as a novel biomarker for prediction of metastasis and prognosis in muscle-invasive urothelial carcinoma of the bladder. Biochemical and Biophysical Research Communications, 2015, 459, 416-423.	1.0	3
7	Manipulation of prostate cancer metastasis by locus-specific modification of the CRMP4 promoter region using chimeric TALE DNA methyltransferase and demethylase. Oncotarget, 2015, 6, 10030-10044.	0.8	35
8	Loupe-assisted versus microscopic varicocelectomy: is there an intraoperative anatomic difference?. Asian Journal of Andrology, 2014, 16, 112.	0.8	17
9	Editorial Comment to Simple and reliable predictor of urinary continence after radical prostatectomy: Serial measurement of urine loss ratio after catheter removal. International Journal of Urology, 2014, 21, 652-652.	0.5	Ο
10	Macroscopic and microsurgical varicocelectomy: what's the intraoperative difference?. World Journal of Urology, 2013, 31, 603-608.	1.2	9
11	Singleâ€port transvesical laparoscopic radical prostatectomy for organâ€confined prostate cancer: technique and outcomes. BJU International, 2013, 112, 944-952.	1.3	14
12	<i>ERG</i> Rearrangement for Predicting Subsequent Cancer Diagnosis in High-Grade Prostatic Intraepithelial Neoplasia and Lymph Node Metastasis. Clinical Cancer Research, 2012, 18, 4163-4172.	3.2	34
13	Comparison of Penile Size and Erectile Function after High-intensity Focused Ultrasound and Targeted Cryoablation for Localized Prostate Cancer: A Prospective Pilot Study. Journal of Sexual Medicine, 2010, 7, 3135-3142.	0.3	25
14	Detection of TMPRSS2-ETS Fusions by a Multiprobe Fluorescence in Situ Hybridization Assay for the Early Diagnosis of Prostate Cancer. Journal of Molecular Diagnostics, 2010, 12, 718-724.	1.2	25
15	Profiling Protein Markers Associated with Lymph Node Metastasis in Prostate Cancer by DIGE-based Proteomics Analysis. Journal of Proteome Research, 2010, 9, 216-226.	1.8	92
16	Does a Smaller Tract in Percutaneous Nephrolithotomy Contribute to Less Invasiveness? A Prospective Comparative Study. Urology, 2010, 75, 56-61.	0.5	83
17	Laparoscopic radical prostatectomy: oncological and functional results of 126 patients with a minimum 3-year follow-up at a single Chinese institute. Asian Journal of Andrology, 2009, 11, 548-556.	0.8	11
18	Prospective comparison of five mediators of the systemic response after highâ€intensity focused ultrasound and targeted cryoablation for localized prostate cancer. BJU International, 2009, 104, 1063-1067.	1.3	10

Liao-Yuan Li

#	Article	IF	CITATIONS
19	Preoperative diagnosis of solitary fibrous tumor of the kidney with percutaneous fine needle biopsy and management with laparoscopic partial nephrectomy: One case report and literatures review. Chinese Journal of Clinical Oncology, 2008, 5, 453-455.	0.0	1
20	Urinary fibronectin as a predictor of a residual tumour load after transurethral resection of bladder transitional cell carcinoma. BJU International, 2008, 102, 566-571.	1.3	12
21	Poor visualization of renal collecting system in intravenous urography as an indicator of invasive transitional cell carcinoma in the upper urinary tract. Chinese Medical Journal, 2007, 120, 1387-1390.	0.9	1
22	Preliminary study on androgen dependence of calcitonin gene-related peptide in rat penis. Asian Journal of Andrology, 2005, 7, 55-59.	0.8	4