

# Yong Ding

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4947392/publications.pdf>

Version: 2024-02-01

102  
papers

5,452  
citations

71061

41  
h-index

85498

71  
g-index

104  
all docs

104  
docs citations

104  
times ranked

4964  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrathin FeOOH Nanolayers with Abundant Oxygen Vacancies on BiVO <sub>4</sub> Photoanodes for Efficient Water Oxidation. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2248-2252.	7.2	558
2	Efficient Light-Driven Carbon-Free Cobalt-Based Molecular Catalyst for Water Oxidation. <i>Journal of the American Chemical Society</i> , 2011, 133, 2068-2071.	6.6	336
3	K7[CoII(II)(H <sub>2</sub> O)W11O39]: a molecular mixed-valence Keggin polyoxometalate catalyst of high stability and efficiency for visible light-driven water oxidation. <i>Energy and Environmental Science</i> , 2013, 6, 1170.	15.6	285
4	Porous Co <sub>3</sub> O <sub>4</sub> /CuO hollow polyhedral nanocages derived from metal-organic frameworks with heterojunctions as efficient photocatalytic water oxidation catalysts. <i>Applied Catalysis B: Environmental</i> , 2016, 198, 447-456.	10.8	153
5	In Situ Grown Pristine Cobalt Sulfide as Bifunctional Photocatalyst for Hydrogen and Oxygen Evolution. <i>Advanced Functional Materials</i> , 2017, 27, 1605846.	7.8	145
6	Rationally Designed/Constructed CoO <sub>x</sub> /WO <sub>3</sub> Anode for Efficient Photoelectrochemical Water Oxidation. <i>ACS Catalysis</i> , 2017, 7, 1841-1845.	5.5	141
7	Study of the Active Sites in Porous Nickel Oxide Nanosheets by Manganese Modulation for Enhanced Oxygen Evolution Catalysis. <i>ACS Energy Letters</i> , 2018, 3, 2150-2158.	8.8	131
8	P vacancies-enriched 3D hierarchical reduced cobalt phosphide as a precursor template for defect engineering for efficient water oxidation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14939-14948.	5.2	125
9	Carbon quantum dots enriching molecular nickel polyoxometalate over CdS semiconductor for photocatalytic water splitting. <i>Applied Catalysis B: Environmental</i> , 2021, 293, 120214.	10.8	112
10	Carbon quantum dots assisted strategy to synthesize Co@NC for boosting photocatalytic hydrogen evolution performance of CdS. <i>Chemical Engineering Journal</i> , 2020, 389, 124432.	6.6	108
11	Mn-doping and NiFe layered double hydroxide coating: Effective approaches to enhancing the performance of Fe <sub>2</sub> O <sub>3</sub> in photoelectrochemical water oxidation. <i>Journal of Catalysis</i> , 2016, 340, 261-269.	3.1	107
12	Amorphous Ni <sup>2+</sup> /Fe double hydroxide hollow nanocubes enriched with oxygen vacancies as efficient electrocatalytic water oxidation catalysts. <i>Chemical Communications</i> , 2019, 55, 1044-1047.	2.2	102
13	[Fe(C <sub>5</sub> H <sub>5</sub> N(CH <sub>2</sub> ) <sub>15</sub> CH <sub>3</sub> ) <sub>3</sub> [PW <sub>4</sub> O <sub>32</sub> ]/H <sub>2</sub> O <sub>2</sub> /ethyl acetate/alkenes: a recyclable and environmentally benign alkenes epoxidation catalytic system. <i>Green Chemistry</i> , 2008, 10, 910.	4.6	94
14	Efficient photocatalytic H <sub>2</sub> evolution catalyzed by an unprecedented robust molecular semiconductor {Fe <sub>11</sub> } nanocluster without cocatalysts at neutral conditions. <i>Nano Energy</i> , 2015, 16, 247-255.	8.2	94
15	Efficient photocatalytic water oxidation catalyzed by polyoxometalate [Fe <sub>11</sub> (H <sub>2</sub> O) <sub>14</sub> (OH) <sub>2</sub> (W <sub>3</sub> O <sub>10</sub> ) <sub>2</sub> (SbW <sub>6</sub> O <sub>42</sub> ) <sub>2</sub> ] based on abundant metals. <i>Chemical Communications</i> , 2015, 51, 13925-13928.	6.2	92
16	Facet effect of Co <sub>3</sub> O <sub>4</sub> nanocrystals on visible-light driven water oxidation. <i>Applied Catalysis B: Environmental</i> , 2018, 237, 74-84.	10.8	88
17	Solvation effect promoted formation of p-n junction between WO <sub>3</sub> and FeOOH: A high performance photoanode for water oxidation. <i>Journal of Catalysis</i> , 2016, 333, 200-206.	3.1	86
18	A Bioinspired Molecular Polyoxometalate Catalyst with Two Cobalt(II) Oxide Cores for Photocatalytic Water Oxidation. <i>ChemSusChem</i> , 2015, 8, 2630-2634.	3.6	78

#	ARTICLE	IF	CITATIONS
19	Enhancing the macroscopic polarization of CdS for piezo-photocatalytic water splitting. <i>Nano Energy</i> , 2021, 90, 106635.	8.2	77
20	Amorphous CoO coupled carbon dots as a spongy porous bifunctional catalyst for efficient photocatalytic water oxidation and CO <sub>2</sub> reduction. <i>Chinese Journal of Catalysis</i> , 2020, 41, 1826-1836.	6.9	76
21	A mononuclear cobalt complex with an organic ligand acting as a precatalyst for efficient visible light-driven water oxidation. <i>Chemical Communications</i> , 2014, 50, 2167-2169.	2.2	71
22	Flower-like 3D CuO microsphere acting as photocatalytic water oxidation catalyst. <i>Chinese Journal of Catalysis</i> , 2016, 37, 123-134.	6.9	69
23	Rationally designed/assembled hybrid BiVO <sub>4</sub> -based photoanode for enhanced photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , 2020, 260, 118136.	10.8	69
24	Boosting photocatalytic water oxidation achieved by BiVO <sub>4</sub> coupled with iron-containing polyoxometalate: Analysis the true catalyst. <i>Journal of Catalysis</i> , 2018, 363, 109-116.	3.1	67
25	Design and synthesis of Cu modified cobalt oxides with hollow polyhedral nanocages as efficient electrocatalytic and photocatalytic water oxidation catalysts. <i>Journal of Catalysis</i> , 2017, 352, 246-255.	3.1	66
26	A graphene oxide-molecular Cu porphyrin-integrated BiVO <sub>4</sub> photoanode for improved photoelectrochemical water oxidation performance. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4062-4072.	5.2	66
27	M <sub>x</sub> Co <sub>3-x</sub> O <sub>4</sub> (M = Co, Mn, Fe) porous nanocages derived from metal-organic frameworks as efficient water oxidation catalysts. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22300-22310.	5.2	65
28	Polyoxometalate-based manganese clusters as catalysts for efficient photocatalytic and electrochemical water oxidation. <i>Applied Catalysis B: Environmental</i> , 2017, 209, 45-52.	10.8	62
29	Ultrathin CoO nanolayers derived from polyoxometalate for enhanced photoelectrochemical performance of hematite photoanodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6294-6303.	5.2	61
30	Efficient visible light-driven water oxidation catalyzed by an all-inorganic copper-containing polyoxometalate. <i>Chemical Communications</i> , 2015, 51, 17443-17446.	2.2	60
31	Hexagonal assembly of Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> nanoparticles acting as an efficient catalyst for visible light-driven water oxidation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19308-19314.	5.2	58
32	An efficient oxygen evolving catalyst based on a 1/4-O diiron coordination complex. <i>Chemical Communications</i> , 2014, 50, 12779-12782.	2.2	58
33	Ultrathin FeOOH Nanolayers with Abundant Oxygen Vacancies on BiVO <sub>4</sub> Photoanodes for Efficient Water Oxidation. <i>Angewandte Chemie</i> , 2018, 130, 2270-2274.	1.6	57
34	Recent advances in the field of light-driven water oxidation catalyzed by transition-metal substituted polyoxometalates. <i>Dalton Transactions</i> , 2018, 47, 8180-8188.	1.6	56
35	Visible-light driven ZnIn <sub>2</sub> S <sub>4</sub> /TiO <sub>2-x</sub> heterostructure for boosting photocatalytic H <sub>2</sub> evolution. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 6262-6271.	3.8	53
36	Mild and recyclable catalytic oxidation of pyridines to N-oxides with H <sub>2</sub> O <sub>2</sub> in water mediated by a vanadium-substituted polyoxometalate. <i>Green Chemistry</i> , 2011, 13, 1486.	4.6	52

#	ARTICLE	IF	CITATIONS
37	Homogeneous electrocatalytic water oxidation at neutral pH by a robust trinuclear copper(II)-substituted polyoxometalate. <i>Chemical Communications</i> , 2018, 54, 354-357.	2.2	52
38	Homogeneous and heterogeneous photocatalytic water oxidation by polyoxometalates containing the most earth-abundant transition metal, iron. <i>Applied Catalysis B: Environmental</i> , 2018, 237, 1091-1100.	10.8	47
39	Light-Driven CO <sub>2</sub> Reduction over Prussian Blue Analogues as Heterogeneous Catalysts. <i>ACS Catalysis</i> , 2022, 12, 89-100.	5.5	47
40	Enhanced photoelectrochemical water oxidation activity of BiVO <sub>4</sub> by coating of Co-phenolic networks as hole-transfer and co-catalyst. <i>Journal of Catalysis</i> , 2019, 377, 684-691.	3.1	43
41	[ <sup>2</sup> -SiNi <sub>2</sub> W <sub>10</sub> O <sub>36</sub> (OH) <sub>2</sub> (H <sub>2</sub> O)] <sup>24-</sup> : a new robust visible light-driven water oxidation catalyst based on nickel-containing polyoxometalate. <i>Chemical Communications</i> , 2016, 52, 14494-14497.	2.2	42
42	Immobilization of Metal-Organic Framework MIL-100(Fe) on the Surface of BiVO <sub>4</sub> : A New Platform for Enhanced Visible-Light-Driven Water Oxidation. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10410-10419.	4.0	42
43	Si-doped graphene nanosheets for NO <sub>x</sub> gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2021, 328, 129005.	4.0	42
44	Efficient light-driven water oxidation catalyzed by a mononuclear cobalt(III) complex. <i>Chemical Communications</i> , 2015, 51, 17309-17312.	2.2	41
45	Efficient hydrogen production from MIL-53(Fe) catalyst-modified Mo:BiVO <sub>4</sub> photoelectrodes. <i>Catalysis Science and Technology</i> , 2017, 7, 4971-4976.	2.1	41
46	The mechanism change by switching the reactants from water to hydroxyl ions for electrocatalytic water oxidation: a case study of copper oxide microspheres. <i>Dalton Transactions</i> , 2017, 46, 7327-7331.	1.6	40
47	Synthesis of a 6-nm-Long Transition-Metal-Rare-Earth-Containing Polyoxometalate. <i>Inorganic Chemistry</i> , 2019, 58, 12534-12537.	1.9	38
48	Co Nanoparticles Decorated with Nitrogen Doped Carbon Nanotubes for Boosting Photocatalytic Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1753-1759.	3.2	38
49	An octanuclear Cu(II) cluster with a bio-inspired Cu <sub>4</sub> O <sub>4</sub> cubic fragment for efficient photocatalytic water oxidation. <i>Chemical Communications</i> , 2018, 54, 12515-12518.	2.2	36
50	Water oxidation catalytic ability of polypyridine complex containing a <sup>1</sup> / <sub>4</sub> -OH, <sup>1</sup> / <sub>4</sub> -O <sub>2</sub> dicobalt(III) core. <i>Chinese Journal of Catalysis</i> , 2018, 39, 463-471.	6.9	35
51	Hydroxylation of phenol catalyzed by copper Keggin-type heteropoly compounds with hydrogen peroxide. <i>New Journal of Chemistry</i> , 2002, 26, 376-377.	1.4	34
52	Visible-Light-Induced Water Oxidation Mediated by a Mononuclear Cobalt(II)-Substituted Silicotungstate. <i>Chemistry - an Asian Journal</i> , 2014, 9, 3228-3237.	1.7	33
53	MnO <sub>2</sub> spontaneously coated on carbon nanotubes for enhanced water oxidation. <i>Chemical Communications</i> , 2014, 50, 11938-11941.	2.2	31
54	Structural evolution of imine-linked covalent organic frameworks and their NH <sub>3</sub> sensing performance. <i>Journal of Materials Chemistry C</i> , 2021, 9, 8562-8569.	2.7	31

#	ARTICLE	IF	CITATIONS
55	Crystal facet engineering of BiVO <sub>4</sub> /CQDs/TPP with improved charge transfer efficiency for photocatalytic water oxidation. Chemical Engineering Journal, 2022, 430, 132872.	6.6	30
56	Integrating Mo <sub>2</sub> Bx (x=1, 4) with CdS for efficient photocatalytic hydrogen production. Chemical Engineering Journal, 2021, 410, 128339.	6.6	29
57	Efficient Photochemical, Thermal, and Electrochemical Water Oxidation Catalyzed by a Porous Iron-Based Oxide Derived Metal-Organic Framework. Journal of Physical Chemistry C, 2016, 120, 517-526.	1.5	29
58	Recent Progress in Visible Light Driven Water Oxidation Using Semiconductors Coupled with Molecular Catalysts. ChemCatChem, 2019, 11, 6190-6202.	1.8	28
59	Insight into a hexanuclear cobalt complex: Strategy to construct efficient catalysts for visible light-driven water oxidation. Applied Catalysis B: Environmental, 2019, 241, 351-358.	10.8	28
60	Efficient Co@CoO core-shell nanocrystals as catalysts for visible-light-driven water oxidation. Applied Catalysis B: Environmental, 2017, 210, 67-76.	10.8	27
61	Enhanced Photoelectrochemical Performance of WO <sub>3</sub> -Based Composite Photoanode Coupled with Carbon Quantum Dots and NiFe Layered Double Hydroxide. ChemSusChem, 2019, 12, 4685-4692.	3.6	27
62	A novel dicobalt-substituted tungstoantimonate polyoxometalate: Synthesis, characterization, and photocatalytic water oxidation properties. Chinese Journal of Catalysis, 2019, 40, 953-958.	6.9	25
63	Cubic Co-Co prussian blue MOF-based transition metal phosphide as an efficient catalyst for visible light-driven water oxidation. Journal of Catalysis, 2020, 382, 13-21.	3.1	25
64	A homogeneous Cu-based polyoxometalate coupled with mesoporous TiO <sub>2</sub> for efficient photocatalytic H <sub>2</sub> production. Journal of Colloid and Interface Science, 2021, 587, 613-621.	5.0	24
65	A stable iron-containing polyoxometalate coupled with semiconductor for efficient photocatalytic water oxidation under acidic condition. Chemical Communications, 2019, 55, 11778-11781.	2.2	23
66	Iron-cobalt bimetal oxide nanorods as efficient and robust water oxidation catalysts. Dalton Transactions, 2017, 46, 10602-10610.	1.6	22
67	Covalent immobilization of molecular complexes on metal-organic frameworks towards robust and highly efficient heterogeneous water oxidation catalysts. Applied Catalysis B: Environmental, 2021, 291, 120070.	10.8	22
68	Metal-Organic Cages with {SiW <sub>9</sub> Ni <sub>4</sub> } Polyoxotungstate Nodes. Angewandte Chemie - International Edition, 2022, 61, .	7.2	22
69	A new halide-free efficient reaction-controlled phase-transfer catalyst based on silicotungstate of [(C <sub>18</sub> H <sub>37</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> N] <sub>3</sub> [SiO <sub>4</sub> H(WO <sub>5</sub> ) <sub>21</sub> ] for olefin epoxidation, oxidation of sulfides and alcohols with hydrogen peroxide. RSC Advances, 2014, 4, 32054-32062.	1.7	21
70	Ferromagnetic nanocrystallines containing copper as an efficient catalyst for photoinduced water oxidation. Physical Chemistry Chemical Physics, 2015, 17, 10648-10655.	1.3	20
71	FeO <sub>x</sub> Derived from an Iron-Containing Polyoxometalate Boosting the Photocatalytic Water Oxidation Activity of Ti <sup>3+</sup> -Doped TiO <sub>2</sub> . ACS Applied Materials & Interfaces, 2019, 11, 23135-23143.	4.0	20
72	Covalent triazine-based frameworks for NH <sub>3</sub> gas sensing at room temperature. Sensors and Actuators B: Chemical, 2020, 321, 128513.	4.0	20

#	ARTICLE	IF	CITATIONS
73	Identification of homogeneous [Co <sub>4</sub> (H <sub>2</sub> O) <sub>4</sub> (HPMIDA) <sub>2</sub> (PMIDA) <sub>2</sub> ] <sup>6+</sup> as an effective molecular-light-driven water oxidation catalyst. <i>Applied Catalysis B: Environmental</i> , 2017, 202, 397-403.	10.8	19
74	Rationally designed/constructed MnOx/WO <sub>3</sub> anode for photoelectrochemical water oxidation. <i>Chinese Chemical Letters</i> , 2018, 29, 811-814.	4.8	19
75	Enhanced photocatalytic activity of BiVO <sub>4</sub> coupled with iron-based complexes for water oxidation under visible light irradiation. <i>Chemical Communications</i> , 2019, 55, 2529-2532.	2.2	18
76	Visible-light-driven hydrogen evolution using a polyoxometalate-based copper molecular catalyst. <i>Dalton Transactions</i> , 2020, 49, 3457-3462.	1.6	18
77	Coupling NiCo catalysts with carbon quantum dots on hematite photoanodes for highly efficient oxygen evolution. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2813-2818.	5.2	17
78	Morphology-Controlled Self-Assembly and Nanostructured NiO: An Efficient and Robust Photocatalytic Water Oxidation Catalyst. <i>ChemCatChem</i> , 2015, 7, 2370-2376.	1.8	16
79	Catalysts Based on Earth-Abundant Metals for Visible Light-Driven Water Oxidation Reaction. <i>Chemical Record</i> , 2018, 18, 1531-1547.	2.9	16
80	The oxidation of pyridines catalyzed by surfactant-encapsulated polyoxometalate [(C <sub>18</sub> H <sub>37</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> N] <sub>8</sub> [HBW <sub>11</sub> O <sub>39</sub> ] with the temperature-responsive property of solubility. <i>New Journal of Chemistry</i> , 2013, 37, 2614.	1.4	15
81	Some New Features on Synthesis of Titanium Silicalite-1 in a Non-TPAOH Inorganic Reactant Synthetic System. <i>Journal of Porous Materials</i> , 2005, 12, 131-141.	1.3	14
82	Efficient visible light-driven water oxidation catalysts based on B- <sup>12</sup> -{BiW <sub>8</sub> O <sub>30</sub> } and unique 14-nuclear hetero-metal sandwich unit. <i>Chemical Communications</i> , 2018, 54, 674-677.	2.2	13
83	Electrochemical Trimming of Graphene Oxide Affords Graphene Quantum Dots for Fe <sup>3+</sup> Detection. <i>ACS Applied Nano Materials</i> , 2021, 4, 5220-5229.	2.4	13
84	Progress in Polyoxometalates-Catalyzed Water Oxidation. <i>Acta Chimica Sinica</i> , 2014, 72, 133.	0.5	13
85	[(C <sub>18</sub> H <sub>37</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> N] <sub>7</sub> [PW <sub>11</sub> O <sub>39</sub> ]: a temperature-controlled phase transfer catalyst for olefin epoxidation. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2011, 102, 93-102.	0.8	12
86	An effective and recyclable catalytic system for alcohol oxidation in water based on a temperature-responsive catalyst. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2011, 102, 85-92.	0.8	11
87	Si-doped graphene nanosheets as a metal-free catalyst for electrochemical detection of nitroaromatic explosives. <i>Journal of Colloid and Interface Science</i> , 2021, 594, 848-856.	5.0	11
88	Carbon Quantum Dot Conjugated Copper(II) Phthalocyanine Integrating BiVO <sub>4</sub> Semiconductor for Photocatalytic Water Oxidation. <i>Journal of Physical Chemistry C</i> , 2021, 125, 24413-24421.	1.5	11
89	Lacunary Derivative [HPW <sub>9</sub> O <sub>34</sub> ] <sup>8-</sup> as Reusable and Active Catalyst for Alcohol Oxidation in Water. <i>Synthetic Communications</i> , 2012, 42, 554-562.	1.1	8
90	Binuclear polyoxometalates based on abundant metals as efficient homogeneous photocatalytic water oxidation catalysts. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 355, 371-376.	2.0	8

#	ARTICLE	IF	CITATIONS
91	Morphology Engineering of BiVO <sub>4</sub> with CoO <sub>x</sub> Derived from Cobalt-containing Polyoxometalate as Co-catalyst for Oxygen Evolution. Chemistry - an Asian Journal, 2021, 16, 2967-2972.	1.7	8
92	Epoxidation of Alkenes by Hydrogen Peroxide over 12-Heteropolyacids of Molybdenum and Tungsten (H <sub>3</sub> PMo <sub>3</sub> W <sub>9</sub> O <sub>40</sub> ) Combined with Cetylpyridinium Bromide. Journal of Chemical Research, 2006, 2006, 499-503.	0.6	7
93	Sulfamic Acid as A Cost-Effective Catalyst for Synthesis of $\alpha$ -Acyloxyacrylate Esters as Candidate Monomers for Biobased Polymers by Acylation of Pyruvate Esters. Synthetic Communications, 2012, 42, 3053-3060.	1.1	7
94	Viologen-based covalent triazine frameworks for NO <sub>2</sub> sensing at room temperature. Sensors and Actuators B: Chemical, 2022, 352, 131045.	4.0	7
95	Immobilization of heteropolytungstate on functionalized KIT-1 mesoporous silica: catalyst for alkene epoxidation. Reaction Kinetics, Mechanisms and Catalysis, 2011, 102, 459-472.	0.8	6
96	A kinetic and spectroscopic study on the polyoxometalate species in a reaction-controlled phase transfer catalytic epoxidation system. Reaction Kinetics, Mechanisms and Catalysis, 2013, 109, 509-524.	0.8	5
97	Oxidation of Alcohols and Pyridines by a Water-Soluble Polyoxometalate with Hydrogen Peroxide. Synthetic Communications, 2013, 43, 1211-1218.	1.1	5
98	One-Step Synthesis of Isoamyl Butyrate from Isoamyl Alcohol and n-Butyraldehyde over TS-1 in Air. Catalysis Letters, 2003, 87, 81-83.	1.4	4
99	Study two kind different catalytic behaviors for K <sub>4</sub> H <sub>1.2</sub> [Co <sub>0.6</sub> (H <sub>2</sub> O) <sub>0.6</sub> SiW <sub>11.4</sub> O <sub>39.4</sub> ]-cocatalyzed visible light driven water oxidation in pH 1-7 media. Journal of Catalysis, 2020, 392, 29-38.	3.1	4
100	Metal-Organic Cages with {SiW <sub>9</sub> Ni <sub>4</sub> } Polyoxotungstate Nodes. Angewandte Chemie, 0, , .	1.6	4
101	Efficient water splitting over a hybrid photocatalyst with (002) active facets and heterostructure. Chemical Communications, 2022, 58, 8129-8132.	2.2	4
102	Defective acidic 2D COF-based catalysts for boosting the performance of polyoxymethylene diethyl ether synthesis under mild conditions. Dalton Transactions, 2021, 50, 5139-5145.	1.6	2