

Anne E Cust

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4948322/publications.pdf>

Version: 2024-02-01

201
papers

7,798
citations

57719

44
h-index

60583

81
g-index

207
all docs

207
docs citations

207
times ranked

10662
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the Potential for Patient-led Surveillance After Treatment of Localized Melanoma (MEL-SELF). <i>JAMA Dermatology</i> , 2022, 158, 33.	2.0	26
2	Effect of an interactive educational activity using handheld ultraviolet radiation dosimeters on sun protection knowledge among Australian primary school students. <i>Preventive Medicine Reports</i> , 2022, 25, 101690.	0.8	1
3	Early detection of skin cancer in Australia – current approaches and new opportunities. <i>Public Health Research and Practice</i> , 2022, 32, .	0.7	9
4	Sentinel lymph node biopsy rates in Victoria, 2018 and 2019. <i>Medical Journal of Australia</i> , 2022, 217, 208-209.	0.8	3
5	Protocol for the implementation of a stepped-care model to address fear of cancer recurrence in patients previously diagnosed with early-stage (Oâ€“II) melanoma. <i>BMJ Open</i> , 2022, 12, e054337.	0.8	2
6	Global Burden of Cutaneous Melanoma in 2020 and Projections to 2040. <i>JAMA Dermatology</i> , 2022, 158, 495.	2.0	254
7	Independent evaluation of melanoma polygenic risk scores in <scp>UK</scp> and Australian prospective cohorts*. <i>British Journal of Dermatology</i> , 2022, 186, 823-834.	1.4	10
8	Sensitivity of two Australian melanoma risk tools to identify highâ€“risk individuals among people presenting with their first primary melanoma. <i>Australasian Journal of Dermatology</i> , 2022, , .	0.4	0
9	Systematic development of quality indicators for skin cancer management in primary care: a mixed-methods study protocol. <i>BMJ Open</i> , 2022, 12, e059829.	0.8	2
10	Precision Public Health Initiatives in Cancer: Proceedings from the Transdisciplinary Conference for Future Leaders in Precision Public Health. <i>BMC Proceedings</i> , 2022, 16, .	1.8	0
11	Experiences of Patient-Led Surveillance, Including Patient-Performed Teledermoscopy, in the MEL-SELF Pilot Randomized Controlled Trial: Qualitative Interview Study. <i>JMIR Dermatology</i> , 2022, 5, e35916.	0.4	3
12	FRAME: Familial Risk Assessment of Melanomaâ€“a risk prediction tool to guide CDKN2A germline mutation testing in Australian familial melanoma. <i>Familial Cancer</i> , 2021, 20, 231-239.	0.9	6
13	Melanomas and stress patterns on the foot: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 256-258.	0.6	5
14	A different finding on whether naevus numbers change during adulthood. <i>British Journal of Dermatology</i> , 2021, 184, 193-193.	1.4	1
15	Risk factors for melanoma by anatomical site: an evaluation of aetiological heterogeneity*. <i>British Journal of Dermatology</i> , 2021, 184, 1085-1093.	1.4	13
16	An independent external validation of melanoma risk prediction models using the Australian Melanoma Family Study. <i>British Journal of Dermatology</i> , 2021, 184, 957-960.	1.4	3
17	Knowledge and attitudes of Australian dermatologists towards sentinel lymph node biopsy for melanoma: a mixed methods study. <i>Australasian Journal of Dermatology</i> , 2021, 62, 168-176.	0.4	3
18	Prevalence of skin examination behaviours among Australians over time. <i>Cancer Epidemiology</i> , 2021, 70, 101874.	0.8	11

#	ARTICLE	IF	CITATIONS
19	Differences in Melanoma Between Canada and New South Wales, Australia: A Population-Based Genes, Environment, and Melanoma (GEM) Study. <i>JID Innovations</i> , 2021, 1, 100002.	1.2	1
20	Sentinel node biopsy in patients with melanoma improves the accuracy of staging when added to clinicopathological features of the primary tumor. <i>Annals of Oncology</i> , 2021, 32, 375-383.	0.6	25
21	Genomic Risk Score for Melanoma in a Prospective Study of Older Individuals. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1379-1385.	3.0	14
22	Birth cohort-specific trends of sun-related behaviors among individuals from an international consortium of melanoma-prone families. <i>BMC Public Health</i> , 2021, 21, 692.	1.2	4
23	Diagnostic tools used for melanoma: A survey of Australian general practitioners and dermatologists. <i>Australasian Journal of Dermatology</i> , 2021, 62, 300-309.	0.4	4
24	Changes in sun protection behaviours, sun exposure and shade availability among adults, children and adolescents in New South Wales, 2003-2016. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 462-468.	0.8	7
25	Can patient-led surveillance detect subsequent new primary or recurrent melanomas and reduce the need for routinely scheduled follow-up? A protocol for the MEL-SELF randomised controlled trial. <i>Trials</i> , 2021, 22, 324.	0.7	10
26	Acceptability of risk-stratified population screening across cancer types: Qualitative interviews with the Australian public. <i>Health Expectations</i> , 2021, 24, 1326-1336.	1.1	20
27	School-based interventions to improve sun-safe knowledge, attitudes and behaviors in childhood and adolescence: A systematic review. <i>Preventive Medicine</i> , 2021, 146, 106459.	1.6	15
28	Efficiency of Detecting New Primary Melanoma Among Individuals Treated in a High-risk Clinic for Skin Surveillance. <i>JAMA Dermatology</i> , 2021, 157, 521.	2.0	25
29	526 Functional, inherited vitamin D-binding protein variants associated with mortality among melanoma patients. <i>Journal of Investigative Dermatology</i> , 2021, 141, S92.	0.3	0
30	Advancing precision public health using human genomics: examples from the field and future research opportunities. <i>Genome Medicine</i> , 2021, 13, 97.	3.6	26
31	Identifying the 'Active Ingredients' of an Effective Psychological Intervention to Reduce Fear of Cancer Recurrence: A Process Evaluation. <i>Frontiers in Psychology</i> , 2021, 12, 661190.	1.1	4
32	Health utilities for non-melanoma skin cancers and pre-cancerous lesions: A systematic review. <i>Skin Health and Disease</i> , 2021, 1, e51.	0.7	5
33	Knowledge, views and expectations for cancer polygenic risk testing in clinical practice: A cross-sectional survey of health professionals. <i>Clinical Genetics</i> , 2021, 100, 430-439.	1.0	15
34	Surveillance of patients with thin melanoma. <i>Australasian Journal of Dermatology</i> , 2021, 62, 530-532.	0.4	0
35	Strengthening melanoma prevention and early detection among people with type 2 diabetes. <i>British Journal of Dermatology</i> , 2021, 185, 692-693.	1.4	0
36	Metastatic acral melanoma treatment outcomes: a systematic review and meta-analysis. <i>Melanoma Research</i> , 2021, 31, 482-486.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Impact of personal genomic risk information on melanoma prevention behaviors and psychological outcomes: a randomized controlled trial. <i>Genetics in Medicine</i> , 2021, 23, 2394-2403.	1.1	22
38	Comparison of community pathologists with expert dermatopathologists evaluating Breslow thickness and histopathologic subtype in a large international population-based study of melanoma. <i>JAAD International</i> , 2021, 4, 25-27.	1.1	3
39	Mendelian Randomization in Cardiovascular Research. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e005623.	0.9	9
40	“There is a lot of good in knowing, but there is also a lot of downs”: public views on ethical considerations in population genomic screening. <i>Journal of Medical Ethics</i> , 2021, 47, e28-e28.	1.0	7
41	Disease-Associated Risk Variants in <i>ANRIL</i> Are Associated with Tumor-Infiltrating Lymphocyte Presence in Primary Melanomas in the Population-Based GEM Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2309-2316.	1.1	2
42	Association Between Melanoma Detected During Routine Skin Checks and Mortality. <i>JAMA Dermatology</i> , 2021, 157, 1425.	2.0	27
43	Germline variants are associated with increased primary melanoma tumor thickness at diagnosis. <i>Human Molecular Genetics</i> , 2021, 29, 3578-3587.	1.4	3
44	Association of Melanoma-Risk Variants with Primary Melanoma Tumor Prognostic Characteristics and Melanoma-Specific Survival in the GEM Study. <i>Current Oncology</i> , 2021, 28, 4756-4771.	0.9	1
45	Benefits of a brief psychological intervention targeting fear of cancer recurrence in people at high risk of developing another melanoma: 12-month follow-up results of a randomized controlled trial. <i>British Journal of Dermatology</i> , 2020, 182, 860-868.	1.4	13
46	Development and external validation study of a melanoma risk prediction model incorporating clinically assessed naevi and solar lentigines. <i>British Journal of Dermatology</i> , 2020, 182, 1262-1268.	1.4	12
47	Inherited Melanoma Risk Variants Associated with Histopathologically Amelanotic Melanoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 918-922.e7.	0.3	1
48	A risk prediction model for the development of subsequent primary melanoma in a population-based cohort. <i>British Journal of Dermatology</i> , 2020, 182, 1148-1157.	1.4	28
49	MC1R variants and associations with pigmentation characteristics and genetic ancestry in a Hispanic, predominately Puerto Rican, population. <i>Scientific Reports</i> , 2020, 10, 7303.	1.6	9
50	Multiplex melanoma families are enriched for polygenic risk. <i>Human Molecular Genetics</i> , 2020, 29, 2976-2985.	1.4	9
51	“There is a lot of good in knowing, but there is also a lot of downs”: public views on ethical considerations in population genomic screening. <i>Journal of Medical Ethics</i> , 2021, 47, e28-e28.	1.0	7
52	Association of Known Melanoma Risk Factors with Primary Melanoma of the Scalp and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2203-2210.	1.1	6
53	Development of a new method to calculate individuals’ melanoma risk. <i>British Journal of Dermatology</i> , 2020, 182, e166.	1.4	0
54	Early detection of melanoma: a consensus report from the Australian Skin and Skin Cancer Research Centre Melanoma Screening Summit. <i>Australian and New Zealand Journal of Public Health</i> , 2020, 44, 111-115.	0.8	30

#	ARTICLE	IF	CITATIONS
55	Identifying challenges to implementation of clinical practice guidelines for sentinel lymph node biopsy in patients with melanoma in Australia: protocol paper for a mixed methods study. <i>BMJ Open</i> , 2020, 10, e032636.	0.8	6
56	Implementation considerations for offering personal genomic risk information to the public: a qualitative study. <i>BMC Public Health</i> , 2020, 20, 1028.	1.2	11
57	The Melanoma Genomics Managing Your Risk Study randomised controlled trial: statistical analysis plan. <i>Trials</i> , 2020, 21, 594.	0.7	5
58	Long-term deaths from melanoma according to tumor thickness at diagnosis. <i>International Journal of Cancer</i> , 2020, 147, 1391-1396.	2.3	16
59	Association of <i>IRF4</i> single-nucleotide polymorphism rs12203592 with melanoma-specific survival. <i>British Journal of Dermatology</i> , 2020, 183, 163-165.	1.4	6
60	Who dies from thin melanoma?. <i>British Journal of Dermatology</i> , 2020, 182, 827-828.	1.4	1
61	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	9.4	138
62	Gene-environment interactions and melanoma risk. <i>British Journal of Dermatology</i> , 2020, 183, 205-206.	1.4	2
63	Australian general practitioners' attitudes and knowledge of sentinel lymph node biopsy in melanoma management. <i>Australian Journal of General Practice</i> , 2020, 49, 355-362.	0.3	3
64	GPs' involvement in diagnosing, treating, and referring patients with suspected or confirmed primary cutaneous melanoma: a qualitative study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101028.	0.9	11
65	Molecular Epidemiology of Melanoma. , 2020, , 451-469.		0
66	Personalized melanoma risk assessments and tailored prevention advice: a pragmatic randomized controlled trial in Australian general practice. <i>Family Practice</i> , 2019, 36, 237-246.	0.8	7
67	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 386-394.	0.6	17
68	Cost-Effectiveness of a Psycho-Educational Intervention Targeting Fear of Cancer Recurrence in People Treated for Early-Stage Melanoma. <i>Applied Health Economics and Health Policy</i> , 2019, 17, 669-681.	1.0	11
69	Emotional and behavioural reactions to melanoma genomic risk information. <i>British Journal of Dermatology</i> , 2019, 180, e241.	1.4	0
70	Gender equity in epidemiology: a policy brief. <i>Annals of Epidemiology</i> , 2019, 35, 1-3.	0.9	12
71	Associations of pigmentary and naevus phenotype with melanoma risk in two populations with comparable ancestry but contrasting levels of ambient sun exposure. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1874-1885.	1.3	10
72	Patients' Views About Skin Self-examination After Treatment for Localized Melanoma. <i>JAMA Dermatology</i> , 2019, 155, 914.	2.0	22

#	ARTICLE	IF	CITATIONS
73	Risk attitudes and sun protection behaviour: Can behaviour be altered by using a melanoma genomic risk intervention?. <i>Cancer Epidemiology</i> , 2019, 61, 8-13.	0.8	6
74	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 332-342.	2.7	16
75	Relationship of Chromosome Arm 10q Variants to Occurrence of Multiple Primary Melanoma in the Population-Based Genes, Environment, and Melanoma (GEM) Study. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1410-1412.	0.3	0
76	ã¹é»‘è%²ç~é–ä¼4é£Žé™©ä¿;ǣçš,,æf...æ,,Ÿä’Æè;Æä,°äâº”. <i>British Journal of Dermatology</i> , 2019, 180, e258.	1.4	0
77	Exploring the emotional and behavioural reactions to receiving personalized melanoma genomic risk information: a qualitative study. <i>British Journal of Dermatology</i> , 2019, 180, 1390-1396.	1.4	14
78	The steadily growing problem of lentigo maligna and lentigo maligna melanoma in Australia: Population-based data on diagnosis and management. <i>Australasian Journal of Dermatology</i> , 2019, 60, 118-125.	0.4	21
79	Cancer screening in Australia: future directions in melanoma, Lynch syndrome, and liver, lung and prostate cancers. <i>Public Health Research and Practice</i> , 2019, 29, .	0.7	5
80	GP attitudes to and expectations for providing personal genomic risk information to the public: a qualitative study. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101633.	0.9	15
81	Molecular Epidemiology of Melanoma. , 2019, , 1-19.		0
82	Polyunsaturated fatty acids and risk of melanoma: A Mendelian randomisation analysis. <i>International Journal of Cancer</i> , 2018, 143, 508-514.	2.3	18
83	Beyond country-specific incidence and mortality: the global burden of melanoma. <i>British Journal of Dermatology</i> , 2018, 178, 315-316.	1.4	9
84	Prognostic features for acral lentiginous melanoma. <i>British Journal of Dermatology</i> , 2018, 178, 311-312.	1.4	7
85	Validation of Questionnaire and Diary Measures of Time Outdoors Against an Objective Measure of Personal Ultraviolet Radiation Exposure. <i>Photochemistry and Photobiology</i> , 2018, 94, 815-820.	1.3	10
86	Follow-Up Recommendations after Diagnosis of Primary Cutaneous Melanoma: A Population-Based Study in New South Wales, Australia. <i>Annals of Surgical Oncology</i> , 2018, 25, 617-625.	0.7	18
87	A National Budget Impact Analysis of a Specialised Surveillance Programme for Individuals at Very High Risk of Melanoma in Australia. <i>Applied Health Economics and Health Policy</i> , 2018, 16, 235-242.	1.0	7
88	Development and Evaluation of a Telephone Communication Protocol for the Delivery of Personalized Melanoma Genomic Risk to the General Population. <i>Journal of Genetic Counseling</i> , 2018, 27, 370-380.	0.9	20
89	Distress, uncertainty, and positive experiences associated with receiving information on personal genomic risk of melanoma. <i>European Journal of Human Genetics</i> , 2018, 26, 1094-1100.	1.4	21
90	The interaction between vitamin D receptor polymorphisms and sun exposure around time of diagnosis influences melanoma survival. <i>Pigment Cell and Melanoma Research</i> , 2018, 31, 287-296.	1.5	13

#	ARTICLE	IF	CITATIONS
91	Sensitivity of Preference-Based Quality-of-Life Measures for Economic Evaluations in Early-Stage Melanoma. <i>JAMA Dermatology</i> , 2018, 154, 52.	2.0	11
92	The Importance of Population-Based Estimates of Melanocytic Pathology. <i>JAMA Dermatology</i> , 2018, 154, 15.	2.0	1
93	Exercise as part of routine cancer care. <i>Lancet Oncology</i> , The, 2018, 19, e432.	5.1	8
94	The melanoma genomics managing your risk study: A protocol for a randomized controlled trial evaluating the impact of personal genomic risk information on skin cancer prevention behaviors. <i>Contemporary Clinical Trials</i> , 2018, 70, 106-116.	0.8	19
95	Inherited Genetic Variants Associated with Melanoma BRAF/NRAS Subtypes. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2398-2404.	0.3	9
96	Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. <i>Human Molecular Genetics</i> , 2018, 27, 4145-4156.	1.4	34
97	Sunscreen Use and Melanoma Risk Among Young Australian Adults. <i>JAMA Dermatology</i> , 2018, 154, 1001.	2.0	40
98	Melanoma—role of the environment and genetics. <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 1853-1860.	1.6	18
99	Why a randomized melanoma screening trial may be a good idea. <i>British Journal of Dermatology</i> , 2018, 179, 1227-1228.	1.4	3
100	Assessing the Incremental Contribution of Common Genomic Variants to Melanoma Risk Prediction in Two Population-Based Studies. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2617-2624.	0.3	52
101	Clinical Oncology Society of Australia position statement on exercise in cancer care. <i>Medical Journal of Australia</i> , 2018, 209, 184-187.	0.8	254
102	Sustained long-term benefits of a psycho-educational intervention targeting fear of cancer recurrence in people at high risk of developing another melanoma: A randomised controlled trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 10082-10082.	0.8	1
103	Sun exposure and skin cancer, and the puzzle of cutaneous melanoma. <i>Cancer Epidemiology</i> , 2017, 48, 147-156.	0.8	96
104	Does personalized melanoma genomic risk information trigger conversations about skin cancer prevention and skin examination with family, friends and health professionals?. <i>British Journal of Dermatology</i> , 2017, 177, 779-790.	1.4	15
105	Shared decision making in Australia in 2017. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 123-124, 17-20.	0.7	20
106	Increasing prevalence but not incidence of psoriasis in the U.K.. <i>British Journal of Dermatology</i> , 2017, 176, 568-569.	1.4	0
107	Germline Variation at CDKN2A and Associations with Nevus Phenotypes among Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2606-2612.	0.3	18
108	Associations of MC1R Genotype and Patient Phenotypes with BRAF and NRAS Mutations in Melanoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2588-2598.	0.3	11

#	ARTICLE	IF	CITATIONS
109	Functional melanoma risk variant <i>rs12203592</i> associated with Breslow thickness: a pooled international study of primary melanomas. <i>British Journal of Dermatology</i> , 2017, 177, e180-e182.	1.4	14
110	Association of Incident Amelanotic Melanoma With Phenotypic Characteristics, <i>MC1R</i> Status, and Prior Amelanotic Melanoma. <i>JAMA Dermatology</i> , 2017, 153, 1026.	2.0	19
111	Estimating the future health service burden of keratinocyte cancers in the U.K.. <i>British Journal of Dermatology</i> , 2017, 176, 1107-1108.	1.4	0
112	Poor Adherence to National Clinical Management Guidelines: A Population-Based, Cross-Sectional Study of the Surgical Management of Melanoma in New South Wales, Australia. <i>Annals of Surgical Oncology</i> , 2017, 24, 2080-2088.	0.7	31
113	Clinical Features Associated With Individuals at Higher Risk of Melanoma. <i>JAMA Dermatology</i> , 2017, 153, 23.	2.0	43
114	Diagnosis and clinical management of melanoma patients at higher risk of a new primary melanoma: A population-based study in New South Wales, Australia. <i>Australasian Journal of Dermatology</i> , 2017, 58, 278-285.	0.4	12
115	A Pilot Randomized Controlled Trial of the Feasibility, Acceptability, and Impact of Giving Information on Personalized Genomic Risk of Melanoma to the Public. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 212-221.	1.1	44
116	Cost-Effectiveness of Skin Surveillance Through a Specialized Clinic for Patients at High Risk of Melanoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 63-71.	0.8	66
117	Psychoeducational intervention for people at high risk of developing another melanoma: a pilot randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e015195.	0.8	8
118	Abstract B15: Communicating information about personalised genomic risk of melanoma to family, friends, and health professionals. , 2017, , .		0
119	Economic evaluations of psychosocial interventions in cancer: a systematic review. <i>Psycho-Oncology</i> , 2016, 25, 1380-1392.	1.0	53
120	Psychometric properties of the Fear of Cancer Recurrence Inventory: an item response theory approach. <i>Psycho-Oncology</i> , 2016, 25, 832-838.	1.0	34
121	Nevus count associations with pigmented phenotype, histopathological melanoma characteristics and survival from melanoma. <i>International Journal of Cancer</i> , 2016, 139, 1217-1222.	2.3	11
122	Protocol for a within-trial economic evaluation of a psychoeducational intervention tailored to people at high risk of developing a second or subsequent melanoma. <i>BMJ Open</i> , 2016, 6, e012153.	0.8	6
123	Psychoeducational Intervention to Reduce Fear of Cancer Recurrence in People at High Risk of Developing Another Primary Melanoma: Results of a Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 4405-4414.	0.8	91
124	Public preferences for communicating personal genomic risk information: a focus group study. <i>Health Expectations</i> , 2016, 19, 1203-1214.	1.1	28
125	“Melanoma: Questions and Answers.” Development and evaluation of a psycho-educational resource for people with a history of melanoma. <i>Supportive Care in Cancer</i> , 2016, 24, 4849-4859.	1.0	19
126	Doctors’ recognition and management of melanoma patients’ risk: An Australian population-based study. <i>Cancer Epidemiology</i> , 2016, 45, 32-39.	0.8	1

#	ARTICLE	IF	CITATIONS
127	Variants in autophagy-related genes and clinical characteristics in melanoma: a population-based study. <i>Cancer Medicine</i> , 2016, 5, 3336-3345.	1.3	23
128	Physical Activity Correlates, Barriers, and Preferences for Women With Gynecological Cancer. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 1530-1537.	1.2	21
129	Development and External Validation of a Melanoma Risk Prediction Model Based on Self-assessed Risk Factors. <i>JAMA Dermatology</i> , 2016, 152, 889.	2.0	53
130	Melanoma Epidemiology and Prevention. <i>Cancer Treatment and Research</i> , 2016, 167, 17-49.	0.2	111
131	Association of Interferon Regulatory Factor-4 Polymorphism rs12203592 With Divergent Melanoma Pathways. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw004.	3.0	28
132	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1066-1069.	0.3	13
133	Randomised controlled trial of a psycho-educational intervention to reduce fear of cancer recurrence in people at high risk of developing another primary melanoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, 10068-10068.	0.8	1
134	A pilot randomised controlled trial examining the feasibility, acceptability and impact of giving information on personalised genomic risk of melanoma to the public, for motivating preventive behaviours.. <i>Journal of Clinical Oncology</i> , 2016, 34, 1556-1556.	0.8	0
135	Abstract 1016: Variants in autophagy related genes and clinical characteristics in melanoma: a population-based study. , 2016, , .		0
136	Inherited variation at <i>MC1R</i> and <i>ASIP</i> and association with melanoma-specific survival. <i>International Journal of Cancer</i> , 2015, 136, 2659-2667.	2.3	27
137	Exploring the Potential Emotional and Behavioural Impact of Providing Personalised Genomic Risk Information to the Public: A Focus Group Study. <i>Public Health Genomics</i> , 2015, 18, 309-317.	0.6	15
138	Inherited Variation at <i>MC1R</i> and Histological Characteristics of Primary Melanoma. <i>PLoS ONE</i> , 2015, 10, e0119920.	1.1	22
139	Association Between <i>NRAS</i> and <i>BRAF</i> Mutational Status and Melanoma-Specific Survival Among Patients With Higher-Risk Primary Melanoma. <i>JAMA Oncology</i> , 2015, 1, 359.	3.4	164
140	Specialized Surveillance for Individuals at High Risk for Melanoma. <i>JAMA Dermatology</i> , 2015, 151, 178.	2.0	25
141	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. <i>Nature Genetics</i> , 2015, 47, 987-995.	9.4	218
142	Accuracy of Self-Reported Nevus and Pigmentation Phenotype Compared with Clinical Assessment in a Population-Based Study of Young Australian Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 736-743.	1.1	15
143	Exposure to the 'Dark Side of Tanning' skin cancer prevention mass media campaign and its association with tanning attitudes in New South Wales, Australia. <i>Health Education Research</i> , 2015, 30, 336-346.	1.0	26
144	Inherited Genetic Variants Associated with Occurrence of Multiple Primary Melanoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 992-997.	1.1	36

#	ARTICLE	IF	CITATIONS
145	The Melanoma care study: protocol of a randomised controlled trial of a psycho-educational intervention for melanoma survivors at high risk of developing new primary disease. <i>BMC Psychology</i> , 2015, 3, 23.	0.9	14
146	Clinical practice guidelines for identification, screening and follow-up of individuals at high risk of primary cutaneous melanoma: a systematic review. <i>British Journal of Dermatology</i> , 2015, 172, 33-47.	1.4	115
147	Sun Exposure and Melanoma Survival: A GEM Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2145-2152.	1.1	26
148	Identification of a melanoma susceptibility locus and somatic mutation in <i>TET2</i> . <i>Carcinogenesis</i> , 2014, 35, 2097-2101.	1.3	41
149	Occupational sun exposure and risk of melanoma according to anatomical site. <i>International Journal of Cancer</i> , 2014, 134, 2735-2741.	2.3	29
150	Improving subjective perception of personal cancer risk: systematic review and meta-analysis of educational interventions for people with cancer or at high risk of cancer. <i>Psycho-Oncology</i> , 2014, 23, 613-625.	1.0	29
151	<i>MITF</i> E318K's effect on melanoma risk independent of, but modified by, other risk factors. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 485-488.	1.5	35
152	Accuracy of Self-Report of Nevus and Pigmentation Phenotype Compared to Clinical Assessment in Young Australian Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 566.1-566.	1.1	0
153	Contribution of <i>MC1R</i> Genotype and Novel Common Genomic Variants to Melanoma Risk Prediction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 566-567.	1.1	6
154	Prevalence and predictors of germline <i>CDKN2A</i> mutations for melanoma cases from Australia, Spain and the United Kingdom. <i>Hereditary Cancer in Clinical Practice</i> , 2014, 12, 20.	0.6	45
155	The Effect on Melanoma Risk of Genes Previously Associated With Telomere Length. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	109
156	Risk Prediction Models for Incident Primary Cutaneous Melanoma. <i>JAMA Dermatology</i> , 2014, 150, 434.	2.0	74
157	<i>MC1R</i> genotype as a predictor of early-onset melanoma, compared with self-reported and physician-measured traditional risk factors: an Australian case-control-family study. <i>BMC Cancer</i> , 2013, 13, 406.	1.1	30
158	A variant in <i>FTO</i> shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , 2013, 45, 428-432.	9.4	111
159	Association between putative functional variants in the <i>PSMB9</i> gene and risk of melanoma – re-analysis of published melanoma genome-wide association studies. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 392-401.	1.5	5
160	Association between functional polymorphisms in genes involved in the MAPK signaling pathways and cutaneous melanoma risk. <i>Carcinogenesis</i> , 2013, 34, 885-892.	1.3	10
161	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort – A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	1.6	119
162	<i>MC1R</i> genotypes and risk of melanoma before age 40 years: A population-based case-control family study. <i>International Journal of Cancer</i> , 2012, 131, E269-81.	2.3	32

#	ARTICLE	IF	CITATIONS
163	Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. Human Molecular Genetics, 2011, 20, 5012-5023.	1.4	187
164	Genome-wide association study identifies three new melanoma susceptibility loci. Nature Genetics, 2011, 43, 1108-1113.	9.4	230
165	Pathway-Based Analysis of a Melanoma Genome-Wide Association Study: Analysis of Genes Related to Tumour-Immunosuppression. PLoS ONE, 2011, 6, e29451.	1.1	18
166	Early-life sun exposure and risk of melanoma before age 40 years. Cancer Causes and Control, 2011, 22, 885-897.	0.8	43
167	Sunbed use during adolescence and early adulthood is associated with increased risk of early-onset melanoma. International Journal of Cancer, 2011, 128, 2425-2435.	2.3	194
168	Melanoma risk for CDKN2A mutation carriers who are relatives of population-based case carriers in Australia and the UK. Journal of Medical Genetics, 2011, 48, 266-272.	1.5	41
169	A novel recurrent mutation in MITF predisposes to familial and sporadic melanoma. Nature, 2011, 480, 99-103.	13.7	413
170	Genome-wide association study identifies a new melanoma susceptibility locus at 1q21.3. Nature Genetics, 2011, 43, 1114-1118.	9.4	140
171	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2404-2415.	2.3	68
172	Physical Activity and Gynecologic Cancer Prevention. Recent Results in Cancer Research, 2010, 186, 159-185.	1.8	46
173	Methodological Challenges in the Application of the Glycemic Index in Epidemiological Studies Using Data from the European Prospective Investigation into Cancer and Nutrition. Journal of Nutrition, 2009, 139, 568-575.	1.3	61
174	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 351-354.	1.1	70
175	Self-reported Confidence in Recall as a Predictor of Validity and Repeatability of Physical Activity Questionnaire Data. Epidemiology, 2009, 20, 433-441.	1.2	29
176	Population-based, Case-Control-Family Design to Investigate Genetic and Environmental Influences on Melanoma Risk: Australian Melanoma Family Study. American Journal of Epidemiology, 2009, 170, 1541-1554.	1.6	46
177	The influence of overweight and insulin resistance on breast cancer risk and tumour stage at diagnosis: a prospective study. Breast Cancer Research and Treatment, 2009, 113, 567-576.	1.1	88
178	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S37-S60.	1.3	87
179	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S188-S205.	1.3	52
180	Common sequence variants on 20q11.22 confer melanoma susceptibility. Nature Genetics, 2008, 40, 838-840.	9.4	209

#	ARTICLE	IF	CITATIONS
181	Validity and repeatability of the EPIC physical activity questionnaire: a validation study using accelerometers as an objective measure. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 33.	2.0	153
182	Physical activity and breast cancer risk: impact of timing, type and dose of activity and population subgroup effects. <i>British Journal of Sports Medicine</i> , 2008, 42, 636-647.	3.1	260
183	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	1.6	228
184	The association between dietary macronutrient intake and the prevalence of the metabolic syndrome. <i>British Journal of Nutrition</i> , 2008, 100, 400-407.	1.2	33
185	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	1.6	104
186	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
187	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	1.6	53
188	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
189	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	2.3	89
190	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	2.3	166
191	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
192	Physical activity and endometrial cancer risk: a review of the current evidence, biologic mechanisms and the quality of physical activity assessment methods. <i>Cancer Causes and Control</i> , 2007, 18, 243-258.	0.8	72
193	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
194	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	2.3	62
195	Noninvasive Ventilation. <i>New England Journal of Medicine</i> , 2004, 351, 1257-1259.	13.9	3
196	Can polyclonal intravenous immunoglobulin limit cytokine mediated cerebral damage and chronic lung disease in preterm infants?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, 5F-8.	1.4	13
197	Improved outcomes for very low birthweight infants: evidence from New Zealand national population based data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2003, 88, 23F-28.	1.4	83
198	Outcomes for high risk New Zealand newborn infants in 1998-1999: a population based, national study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2003, 88, 15F-22.	1.4	45

#	ARTICLE	IF	CITATIONS
199	Polyclonal intravenous immunoglobulin to prevent brain injury in preterm infants. Lancet, The, 2002, 359, 1522.	6.3	3
200	Alarm settings for the Marquette 8000 pulse oximeter to prevent hyperoxic and hypoxic episodes. Journal of Paediatrics and Child Health, 1999, 35, 159-162.	0.4	0
201	Barriers and Facilitators for Population Genetic Screening in Healthy Populations: A Systematic Review. Frontiers in Genetics, 0, 13, .	1.1	10