Henk P Van Der Jeugd

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4948934/henk-p-van-der-jeugd-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,502
citations

28
h-index

9-index

84
ext. papers

2,906
ext. citations

5
avg, IF

L-index

#	Paper	IF	Citations
81	Warming temperatures drive at least half of the magnitude of long-term trait changes in European birds <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e210	54 1 6511	19 ¹
80	Biological Earth observation with animal sensors <i>Trends in Ecology and Evolution</i> , 2022 , 37, 293-298	10.9	3
79	Great tits do not compensate over time for a radio-tag-induced reduction in escape-flight performance <i>Ecology and Evolution</i> , 2021 , 11, 16600-16617	2.8	O
78	Postnatal growth rate varies with latitude in range-expanding geese: The role of plasticity and day length. <i>Journal of Animal Ecology</i> , 2021 ,	4.7	1
77	Circadian and Seasonal Patterns of Body Temperature in Arctic Migratory and Temperate Non-migratory Geese. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1
76	Nocturnal foraging lifts time constraints in winter for migratory geese but hardly speeds up fueling. <i>Behavioral Ecology</i> , 2021 , 32, 539-552	2.3	4
75	Ontogenetic niche shifts as a driver of seasonal migration. <i>Oecologia</i> , 2020 , 193, 285-297	2.9	10
74	Mortality limits used in wind energy impact assessment underestimate impacts of wind farms on bird populations. <i>Ecology and Evolution</i> , 2020 , 10, 6274-6287	2.8	5
73	Reduced avian body condition due to global warming has little reproductive or population consequences. <i>Oikos</i> , 2020 , 129, 714-730	4	4
72	Detection of West Nile virus in a common whitethroat () and mosquitoes in the Netherlands, 2020. <i>Eurosurveillance</i> , 2020 , 25,	19.8	11
71	Low productivity and unsuitable management drive the decline of central European lapwing populations. <i>Animal Conservation</i> , 2020 , 23, 286-296	3.2	5
70	Individual variability and versatility in an eco-evolutionary model of avian migration. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20201339	4.4	8
69	Spatial risk analysis for the introduction and circulation of six arboviruses in the Netherlands. <i>Parasites and Vectors</i> , 2020 , 13, 464	4	2
68	Risk factors associated with sustained circulation of six zoonotic arboviruses: a systematic review for selection of surveillance sites in non-endemic areas. <i>Parasites and Vectors</i> , 2019 , 12, 265	4	28
67	Seasonal survival and migratory connectivity of the Eurasian Oystercatcher revealed by citizen science. <i>Auk</i> , 2019 , 136,	2.1	7
66	Stochastic simulations reveal few green wave surfing populations among spring migrating herbivorous waterfowl. <i>Nature Communications</i> , 2019 , 10, 2187	17.4	15
65	Colour-ring wear and loss effects in citizen science mark-resighting studies. <i>Avian Research</i> , 2019 , 10,	2	2

(2016-2019)

64	Climate warming may affect the optimal timing of reproduction for migratory geese differently in the low and high Arctic. <i>Oecologia</i> , 2019 , 191, 1003-1014	2.9	7
63	Carrying a logger reduces escape flight speed in a passerine bird, but relative logger mass may be a misleading measure of this flight performance detriment. <i>Methods in Ecology and Evolution</i> , 2019 , 10, 70-79	7.7	8
62	Climate change leads to differential shifts in the timing of annual cycle stages in a migratory bird. <i>Global Change Biology</i> , 2018 , 24, 823-835	11.4	45
61	Agricultural pastures challenge the attractiveness of natural saltmarsh for a migratory goose. Journal of Applied Ecology, 2018 , 55, 2707-2718	5.8	11
60	Body stores persist as fitness correlate in a long-distance migrant released from food constraints. Behavioral Ecology, 2018 , 29, 1157-1166	2.3	9
59	Arctic Geese Tune Migration to a Warming Climate but Still Suffer from a Phenological Mismatch. <i>Current Biology</i> , 2018 , 28, 2467-2473.e4	6.3	45
58	High intra-specific variation in avian body condition responses to climate limits generalisation across species. <i>PLoS ONE</i> , 2018 , 13, e0192401	3.7	13
57	Local amplification of highly pathogenic avian influenza H5N8 viruses in wild birds in the Netherlands, 2016 to 2017. <i>Eurosurveillance</i> , 2018 , 23,	19.8	40
56	Effects of harness-attached tracking devices on survival, migration, and reproduction in three species of migratory waterfowl. <i>Animal Biotelemetry</i> , 2018 , 6,	2.8	12
55	Deaths among Wild Birds during Highly Pathogenic Avian Influenza A(H5N8) Virus Outbreak, the Netherlands. <i>Emerging Infectious Diseases</i> , 2017 , 23, 2050-2054	10.2	49
54	Responses of wintering geese to the designation of goose foraging areas in The Netherlands. <i>Ambio</i> , 2017 , 46, 241-250	6.5	7
53	Management of a Dutch resident barnacle goose Branta leucopsis population: How can results from counts, ringing and hunting bag statistics be reconciled?. <i>Ambio</i> , 2017 , 46, 251-261	6.5	8
52	Delineating large-scale migratory connectivity of reed warblers using integrated multistate models. <i>Diversity and Distributions</i> , 2017 , 23, 27-40	5	18
51	Analyzing time-ordered event data with missed observations. <i>Ecology and Evolution</i> , 2017 , 7, 7362-7369	2.8	5
50	Widespread activity of multiple lineages of Usutu virus, western Europe, 2016. <i>Eurosurveillance</i> , 2017 , 22,	19.8	8o
49	Taxonomy of the European Pied Flycatcher Ficedula hypoleuca (Aves: Muscicapidae). <i>Zootaxa</i> , 2017 , 4291, 171	0.5	2
48	Survival of Afro-Palaearctic passerine migrants in western Europe and the impacts of seasonal weather variables. <i>Ibis</i> , 2016 , 158, 465-480	1.9	26
47	Lack of virological and serological evidence for continued circulation of highly pathogenic avian influenza H5N8 virus in wild birds in the Netherlands, 14 November 2014 to 31 January 2016. <i>Eurosurveillance</i> , 2016 , 21,	19.8	25

46	Widespread Usutu virus outbreak in birds in the Netherlands, 2016. Eurosurveillance, 2016, 21,	19.8	60
45	The nature of plant adaptations to salinity stress has trophic consequences. <i>Oikos</i> , 2016 , 125, 804-811	4	8
44	Demographic Changes Underpinning the Population Decline of StarlingsSturnus vulgarisin The Netherlands. <i>Ardea</i> , 2016 , 104, 153-165	0.9	3
43	Forecasting spring from afar? Timing of migration and predictability of phenology along different migration routes of an avian herbivore. <i>Journal of Animal Ecology</i> , 2015 , 84, 272-83	4.7	63
42	Latitudinal gradients in the productivity of European migrant warblers have not shifted northwards during a period of climate change. <i>Global Ecology and Biogeography</i> , 2015 , 24, 427-436	6.1	17
41	Wild bird surveillance around outbreaks of highly pathogenic avian influenza A(H5N8) virus in the Netherlands, 2014, within the context of global flyways. <i>Eurosurveillance</i> , 2015 , 20,	19.8	81
40	Temporal dynamics of bird community composition: an analysis of baseline conditions from long-term data. <i>Oecologia</i> , 2014 , 175, 1301-13	2.9	18
39	Baseline immune activity is associated with date rather than with moult stage in the Arctic-breeding barnacle goose (Branta leucopsis). <i>PLoS ONE</i> , 2014 , 9, e114812	3.7	3
38	Latitudinal variability in the seroprevalence of antibodies against Toxoplasma gondii in non-migrant and Arctic migratory geese. <i>Veterinary Parasitology</i> , 2013 , 194, 9-15	2.8	26
37	Contrasting context dependence of familiarity and kinship in animal social networks. <i>Animal Behaviour</i> , 2013 , 86, 993-1001	2.8	43
36	Determining patterns of variability in ecological communities: time lag analysis revisited. <i>Environmental and Ecological Statistics</i> , 2013 , 20, 271-284	2.2	11
35	Genetic consequences of breaking migratory traditions in barnacle geese Branta leucopsis. <i>Molecular Ecology</i> , 2013 , 22, 5835-47	5.7	34
34	Long-distance dispersal in migratory pied flycatchers Ficedula hypoleuca is relatively common between the UK and the Netherlands. <i>Journal of Avian Biology</i> , 2012 , 43, 193-197	1.9	14
33	Large-scale changes in community composition: determining land use and climate change signals. <i>PLoS ONE</i> , 2012 , 7, e35272	3.7	64
32	The development of a genome wide SNP set for the Barnacle goose Branta leucopsis. <i>PLoS ONE</i> , 2012 , 7, e38412	3.7	19
31	Distribution of Barnacle GeeseBranta leucopsisin Relation to Food Resources, Distance to Roosts, and the Location of Refuges. <i>Ardea</i> , 2011 , 99, 217-226	0.9	29
30	Long-term trends in survival of a declining population: the case of the little owl (Athene noctua) in the Netherlands. <i>Oecologia</i> , 2011 , 166, 369-79	2.9	15
29	Monitoring Passerine Reproduction by Constant Effort Ringing: Evaluation of the Efficiency of Trend Detection. <i>Ardea</i> , 2011 , 99, 129-136	0.9	4

(2001-2010)

28	Improving the analysis of movement data from marked individuals through explicit estimation of observer heterogeneity. <i>Journal of Avian Biology</i> , 2010 , 41, 8-17	1.9	47	
27	Bird population trends are linearly affected by climate change along species thermal ranges. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 3601-8	4.4	96	
26	Fueling Incubation: Differential Use of Body Stores in Arctic- and Temperate-breeding Barnacle Geese (Branta leucopsis). <i>Auk</i> , 2010 , 127, 162-172	2.1	19	
25	Are Dutch Skylarks Partial Migrants? Ring Recovery Data and Radio-Telemetry Suggest Local Coexistence of Contrasting Migration Strategies. <i>Ardea</i> , 2010 , 98, 135-143	0.9	13	
24	Current estimates of goose population sizes in western Europe, a gap analysis and an assessment of trends. <i>Ornis Svecica</i> , 2010 , 20,	О	113	
23	Nest parasitism in the barnacle goose: evidence from protein fingerprinting and microsatellites. <i>Animal Behaviour</i> , 2009 , 78, 167-174	2.8	18	
22	Keeping up with early springs: rapid range expansion in an avian herbivore incurs a mismatch between reproductive timing and food supply. <i>Global Change Biology</i> , 2009 , 15, 1057-1071	11.4	81	
21	Colony kin structure and host-parasite relatedness in the barnacle goose. <i>Molecular Ecology</i> , 2009 , 18, 4955-63	5.7	11	
20	Sociable schedules: interplay between avian seasonal and social behaviour. <i>Animal Behaviour</i> , 2006 , 72, 245-262	2.8	80	
19	A silver spoon for a golden future: long-term effects of natal origin on fitness prospects of oystercatchers (Haematopus ostralegus). <i>Journal of Animal Ecology</i> , 2006 , 75, 616-26	4.7	156	
18	A framework for the study of genetic variation in migratory behaviour. <i>Journal Fur Ornithologie</i> , 2006 , 147, 221-233		61	
17	Adult survival and avian cholera in Common Guillemots Uria aalge in the Baltic Sea. <i>Ibis</i> , 2004 , 146, 531	-5 <u>3.</u>	20	
16	Breeding barnacle geese in Kolokolkova Bay, Russia: number of breeding pairs, reproductive success and morphology. <i>Polar Biology</i> , 2003 , 26, 700-706	2	28	
15	Survival in king penguins Aptenodytes patagonicus: temporal and sex-specific effects of environmental variability. <i>Oecologia</i> , 2002 , 132, 509-516	2.9	34	
14	Effects of spatial autocorrelation, natal philopatry and phenotypic plasticity on the heritability of laying date. <i>Journal of Evolutionary Biology</i> , 2002 , 15, 380-387	2.3	64	
13	Kin clustering in barnacle geese: familiarity or phenotype matching?. <i>Behavioral Ecology</i> , 2002 , 13, 786-	7903	43	
				١
12	Teenage love: the importance of trial liaisons, subadult plumage and early pairing in barnacle geese. <i>Animal Behaviour</i> , 2001 , 62, 1075-1083	2.8	9	

10	Movements and group structure of giraffe (Giraffa camelopardalis) in Lake Manyara National Park, Tanzania. <i>Journal of Zoology</i> , 2000 , 251, 15-21	2	17
9	LOCAL DOMINANCE AND TERRITORIAL SETTLEMENT OF NONBREEDING OYSTERCATCHERS. <i>Behaviour</i> , 2000 , 137, 473-530	1.4	41
8	Movements and group structure of giraffe (Giraffa camelopardalis) in Lake Manyara National Park, Tanzania. <i>Journal of Zoology</i> , 2000 , 251, 15-21	2	43
7	Pre-breeding survival of barnacle geese Branta leucopsis in relation to fledgling characteristics. <i>Journal of Animal Ecology</i> , 1998 , 67, 953-66	4.7	76
6	Body Size Declines Despite Positive Directional Selection on Heritable Size Traits in a Barnacle Goose Population. <i>Evolution; International Journal of Organic Evolution</i> , 1998 , 52, 1169	3.8	28
5	BODY SIZE DECLINES DESPITE POSITIVE DIRECTIONAL SELECTION ON HERITABLE SIZE TRAITS IN A BARNACLE GOOSE POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 1998 , 52, 1169-1	1 ² 8 ⁸ 4	63
4	Elephant decline in Lake Manyara National Park, Tanzania. <i>African Journal of Ecology</i> , 1994 , 32, 185-191	0.8	16
3	Herbivore Population Crashes and Woodland Structure in East Africa. <i>Journal of Ecology</i> , 1993 , 81, 305	6	237
2	Growth rates of shrubs on different soils in Tanzania. <i>African Journal of Ecology</i> , 1992 , 30, 309-315	0.8	12
1	Searching for the causes of decline in the Dutch population of European Turtle Doves (Streptopelia turtur). <i>Ibis</i> ,	1.9	3