

Jukka Ronkainen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4950325/publications.pdf>

Version: 2024-02-01

25
papers

3,425
citations

393982

19
h-index

580395

25
g-index

26
all docs

26
docs citations

26
times ranked

3051
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness and cost-effectiveness of a people-centred care model for community-living older people versus usual care – A randomised controlled trial. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 3004-3012.	1.5	7
2	Duodenal eosinophilia and the link to anxiety: A population-based endoscopic study. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14109.	1.6	14
3	Role of smoking in functional dyspepsia and irritable bowel syndrome: three random population-based studies. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 32-42.	1.9	18
4	Neutrophils, eosinophils, and intraepithelial lymphocytes in the squamous esophagus in subjects with and without gastroesophageal reflux symptoms. <i>Human Pathology</i> , 2021, 115, 112-122.	1.1	4
5	Editorial: the overlap between dyspepsia and gastroesophageal reflux is duodenal eosinophilia the missing link? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 455-456.	1.9	0
6	Duodenal eosinophilia is associated with functional dyspepsia and new onset gastroesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 24-32.	1.9	46
7	Functional dyspepsia. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17081.	18.1	226
8	Decreased Number of Duodenal Endocrine Cells with Unaltered Serotonin-Containing Cells in Functional Dyspepsia. <i>American Journal of Gastroenterology</i> , 2016, 111, 1852-1853.	0.2	7
9	Anxiety Is Linked to New-Onset Dyspepsia in the Swedish Population: A 10-Year Follow-up Study. <i>Gastroenterology</i> , 2015, 148, 928-937.	0.6	128
10	Epidemiology of reflux symptoms and GORD. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2013, 27, 325-337.	1.0	50
11	Celiac disease, eosinophilic esophagitis and gastroesophageal reflux disease, an adult population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 808-814.	0.6	50
12	Lymphocytic oesophagitis, a condition in search of a disease?: Table 1. <i>Gut</i> , 2012, 61, 1776.1-1776.	6.1	22
13	Erosive Esophagitis Is a Risk Factor for Barrett's Esophagus: A Community-Based Endoscopic Follow-Up Study. <i>American Journal of Gastroenterology</i> , 2011, 106, 1946-1952.	0.2	94
14	Use of tobacco products and gastrointestinal morbidity: an endoscopic population-based study (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.5	28
15	Detection of Celiac Disease and Lymphocytic Enteropathy by Parallel Serology and Histopathology in a Population-Based Study. <i>Gastroenterology</i> , 2010, 139, 112-119.	0.6	218
16	Anxiety Is Associated With Uninvestigated and Functional Dyspepsia (Rome III Criteria) in a Swedish Population-Based Study. <i>Gastroenterology</i> , 2009, 137, 94-100.	0.6	220
17	Serum biomarkers provide an accurate method for diagnosis of atrophic gastritis in a general population: The Kalixanda study. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 1448-1455.	0.6	102
18	Prevalence of oesophageal eosinophils and eosinophilic oesophagitis in adults: the population-based Kalixanda study. <i>Gut</i> , 2007, 56, 615-620.	6.1	249

#	ARTICLE	IF	CITATIONS
19	Non-ulcer Dyspepsia and Duodenal Eosinophilia: An Adult Endoscopic Population-Based Case-Control Study. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 1175-1183.	2.4	277
20	Gastro-oesophageal reflux symptoms and health-related quality of life in the adult general population - the Kalixanda study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 1725-1733.	1.9	153
21	Antimicrobial Susceptibility of <i>Helicobacter pylori</i> Strains in a Random Adult Swedish Population. <i>Helicobacter</i> , 2006, 11, 224-230.	1.6	34
22	Peptic Ulcer Disease in a General Adult Population. <i>American Journal of Epidemiology</i> , 2006, 163, 1025-1034.	1.6	163
23	A negative <i>Helicobacter pylori</i> serology test is more reliable for exclusion of premalignant gastric conditions than a negative test for current <i>H. pylori</i> infection: A report on histology and <i>H. pylori</i> detection in the general adult population. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 302-311.	0.6	43
24	Prevalence of Barrett's Esophagus in the General Population: An Endoscopic Study. <i>Gastroenterology</i> , 2005, 129, 1825-1831.	0.6	854
25	High prevalence of gastroesophageal reflux symptoms and esophagitis with or without symptoms in the general adult Swedish population: A Kalixanda study report. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 275-285.	0.6	422