# Jukka Ronkainen

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4950325/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 25 papers | 3,425 citations | 394421 19 h-index | 580821 25 g-index |
| 26 all docs | 26 docs citations | 26 times ranked | 3051 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Effectiveness and cost-effectiveness of a people-centred care model for community-living older people versus usual care â”€ A randomised controlled trial. Research in Social and Administrative Pharmacy, 2022, 18, 3004-3012. | 3.0 | 7 |
| 2 | Duodenal eosinophilia and the link to anxiety: A populationâ€based endoscopic study. Neurogastroenterology and Motility, 2021, 33, e14109. | 3.0 | 14 |
| 3 | Role of smoking in functional dyspepsia and irritable bowel syndrome: three random populationâ€based studies. Alimentary Pharmacology and Therapeutics, 2021, 54, 32-42. | 3.7 | 18 |
| 4 | Neutrophils, eosinophils, and intraepithelial lymphocytes in the squamous esophagus in subjects with and without gastroesophageal reflux symptoms. Human Pathology, 2021, 115, 112-122. | 2.0 | 4 |
| 5 | Editorial: the overlap between dyspepsia and gastroâ€oesophageal refluxâ”is duodenal eosinophilia the missing link? Authors' reply. Alimentary Pharmacology and Therapeutics, 2019, 50, 455-456. | 3.7 | 0 |
| 6 | Duodenal eosinophilia is associated with functional dyspepsia and new onset gastroâ€oesophageal reflux disease. Alimentary Pharmacology and Therapeutics, 2019, 50, 24-32. | 3.7 | 46 |
| 7 | Functional dyspepsia. Nature Reviews Disease Primers, 2017, 3, 17081. | 30.5 | 226 |
| 8 | Decreased Number of Duodenal Endocrine Cells with Unaltered Serotonin-Containing Cells in Functional Dyspepsia. American Journal of Gastroenterology, 2016, 111, 1852-1853. | 0.4 | 7 |
| 9 | Anxiety Is Linked to New-Onset Dyspepsia in the Swedish Population: A 10-Year Follow-up Study. Gastroenterology, 2015, 148, 928-937. | 1.3 | 128 |
| 10 | Epidemiology of reflux symptoms and GORD. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2013, 27, 325-337. | 2.4 | 50 |
| 11 | Celiac disease, eosinophilic esophagitis and gastroesophageal reflux disease, an adult population-based study. Scandinavian Journal of Gastroenterology, 2013, 48, 808-814. | 1.5 | 50 |
| 12 | Lymphocytic oesophagitis, a condition in search of a disease?: Table 1. Gut, 2012, 61, 1776.1-1776. | 12.1 | 22 |
| 13 | Erosive Esophagitis Is a Risk Factor for Barrett's Esophagus: A Community-Based Endoscopic Follow-Up Study. American Journal of Gastroenterology, 2011, 106, 1946-1952. | 0.4 | 94 |
| 14 | Use of tobacco products and gastrointestinal morbidity: an endoscopic population-based study (the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 3.7 | 23 |
| 15 | Detection of Celiac Disease and Lymphocytic Enteropathy by Parallel Serology and Histopathology in a Population-Based Study. Gastroenterology, 2010, 139, 112-119. | 1.3 | 218 |
| 16 | Anxiety Is Associated With Uninvestigated and Functional Dyspepsia (Rome III Criteria) in a Swedish Population-Based Study. Gastroenterology, 2009, 137, 94-100. | 1.3 | 220 |
| 17 | Serum biomarkers provide an accurate method for diagnosis of atrophic gastritis in a general population: The Kalixanda study. Scandinavian Journal of Gastroenterology, 2008, 43, 1448-1455. | 1.5 | 102 |
| 18 | Prevalence of oesophageal eosinophils and eosinophilic oesophagitis in adults: the population-based Kalixanda study. Gut, 2007, 56, 615-620. | 12.1 | 249 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Non-ulcer Dyspepsia and Duodenal Eosinophilia: An Adult Endoscopic Population-Based Case-Control Study. Clinical Gastroenterology and Hepatology, 2007, 5, 1175-1183. | 4.4 | 277 |
| 20 | Gastroâ€oesophageal reflux symptoms and healthâ€related quality of life in the adult general population â€“ the Kalixanda study. Alimentary Pharmacology and Therapeutics, 2006, 23, 1725-1733. | 3.7 | 153 |
| 21 | Antimicrobial Susceptibility of Helicobacter pylori Strains in a Random Adult Swedish Population. Helicobacter, 2006, 11, 224-230. | 3.5 | 34 |
| 22 | Peptic Ulcer Disease in a General Adult Population. American Journal of Epidemiology, 2006, 163, 1025-1034. | 3.4 | 163 |
| 23 | A negativeHelicobacter pyloriserology test is more reliable for exclusion of premalignant gastric conditions than a negative test for currentH. pyloriinfection: A report on histology andH. pyloridetection in the general adult population. Scandinavian Journal of Gastroenterology, 2005, 40, 302-311. | 1.5 | 43 |
| 24 | Prevalence of Barrettâ€™s Esophagus in the General Population: An Endoscopic Study. Gastroenterology, 2005, 129, 1825-1831. | 1.3 | 854 |
| 25 | High prevalence of gastroesophageal reflux symptoms and esophagitis with or without symptoms in the general adult Swedish population: A Kalixanda study report. Scandinavian Journal of Gastroenterology, 2005, 40, 275-285. | 1.5 | 422 |