Martin Reck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4950861/publications.pdf

Version: 2024-02-01

159525 345118 41,455 37 30 36 citations h-index g-index papers 38 38 38 25949 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Pembrolizumab versus Chemotherapy for PD-L1–Positive Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2016, 375, 1823-1833.	13.9	7,847
2	Nivolumab versus Docetaxel in Advanced Squamous-Cell Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2015, 373, 123-135.	13.9	7,261
3	Pembrolizumab plus Chemotherapy in Metastatic Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 378, 2078-2092.	13.9	4,701
4	Atezolizumab for First-Line Treatment of Metastatic Nonsquamous NSCLC. New England Journal of Medicine, 2018, 378, 2288-2301.	13.9	2,808
5	Nivolumab plus Ipilimumab in Lung Cancer with a High Tumor Mutational Burden. New England Journal of Medicine, 2018, 378, 2093-2104.	13.9	2,469
6	First-Line Atezolizumab plus Chemotherapy in Extensive-Stage Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 379, 2220-2229.	13.9	2,228
7	Overall Survival with Durvalumab after Chemoradiotherapy in Stage III NSCLC. New England Journal of Medicine, 2018, 379, 2342-2350.	13.9	2,150
8	First-Line Nivolumab in Stage IV or Recurrent Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2017, 376, 2415-2426.	13.9	2,145
9	Nivolumab plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2019, 381, 2020-2031.	13.9	1,866
10	Updated Analysis of KEYNOTE-024: Pembrolizumab Versus Platinum-Based Chemotherapy for Advanced Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score of 50% or Greater. Journal of Clinical Oncology, 2019, 37, 537-546.	0.8	1,144
11	First-line nivolumab plus ipilimumab combined with two cycles of chemotherapy in patients with non-small-cell lung cancer (CheckMate 9LA): an international, randomised, open-label, phase 3 trial. Lancet Oncology, The, 2021, 22, 198-211.	5.1	773
12	Nivolumab Versus Docetaxel in Previously Treated Patients With Advanced Non–Small-Cell Lung Cancer: Two-Year Outcomes From Two Randomized, Open-Label, Phase III Trials (CheckMate 017 and) Tj ETQq0 (Oorget/O	Dv ∉øo ck 10 T1
13	Updated Analysis From KEYNOTE-189: Pembrolizumab or Placebo Plus Pemetrexed and Platinum for Previously Untreated Metastatic Nonsquamous Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 1505-1517.	0.8	710
14	Atezolizumab plus bevacizumab and chemotherapy in non-small-cell lung cancer (IMpower150): key subgroup analyses of patients with EGFR mutations or baseline liver metastases in a randomised, open-label phase 3 trial. Lancet Respiratory Medicine, the, 2019, 7, 387-401.	5. 2	704
15	Five-Year Outcomes With Pembrolizumab Versus Chemotherapy for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%. Journal of Clinical Oncology, 2021, 39, 2339-2349.	0.8	468
16	First-Line Nivolumab Plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer (CheckMate 568): Outcomes by Programmed Death Ligand 1 and Tumor Mutational Burden as Biomarkers. Journal of Clinical Oncology, 2019, 37, 992-1000.	0.8	457
17	Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 1301-1311.	0.8	445
18	Four-Year Survival With Durvalumab After Chemoradiotherapy in Stage III NSCLC—an Update From the PACIFIC Trial. Journal of Thoracic Oncology, 2021, 16, 860-867.	0.5	323

#	Article	lF	CITATIONS
19	Updated Overall Survival and PD-L1 Subgroup Analysis of Patients With Extensive-Stage Small-Cell Lung Cancer Treated With Atezolizumab, Carboplatin, and Etoposide (IMpower133). Journal of Clinical Oncology, 2021, 39, 619-630.	0.8	317
20	First-Line Immunotherapy for Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 586-597.	0.8	312
21	Health-related quality-of-life results for pembrolizumab versus chemotherapy in advanced, PD-L1-positive NSCLC (KEYNOTE-024): a multicentre, international, randomised, open-label phase 3 trial. Lancet Oncology, The, 2017, 18, 1600-1609.	5.1	282
22	Randomized Phase III Trial of Amrubicin Versus Topotecan As Second-Line Treatment for Patients With Small-Cell Lung Cancer. Journal of Clinical Oncology, 2014, 32, 4012-4019.	0.8	276
23	First-Line Nivolumab Plus Ipilimumab in Advanced NSCLC: 4-Year Outcomes From the Randomized, Open-Label, Phase 3 CheckMate 227 Part 1 Trial. Journal of Thoracic Oncology, 2022, 17, 289-308.	0.5	173
24	Nivolumab plus ipilimumab versus chemotherapy as first-line treatment in advanced non–small-cell lung cancer with high tumour mutational burden: patient-reported outcomes results from the randomised, open-label, phase III CheckMate 227 trial. European Journal of Cancer, 2019, 116, 137-147.	1.3	167
25	Nivolumab and Ipilimumab as Maintenance Therapy in Extensive-Disease Small-Cell Lung Cancer: CheckMate 451. Journal of Clinical Oncology, 2021, 39, 1349-1359.	0.8	147
26	Pembrolizumab Plus Ipilimumab or Placebo for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%: Randomized, Double-Blind Phase III KEYNOTE-598 Study. Journal of Clinical Oncology, 2021, 39, 2327-2338.	0.8	146
27	Patient-reported outcomes following pembrolizumab or placebo plus pemetrexed and platinum in patients with previously untreated, metastatic, non-squamous non-small-cell lung cancer (KEYNOTE-189): a multicentre, double-blind, randomised, placebo-controlled, phase 3 trial. Lancet Oncology. The, 2020, 21, 387-397.	5.1	119
28	Nivolumab (NIVO) + ipilimumab (IPI) + 2 cycles of platinum-doublet chemotherapy (chemo) vs 4 cycles chemo as first-line (1L) treatment (tx) for stage IV/recurrent non-small cell lung cancer (NSCLC): CheckMate 9LA Journal of Clinical Oncology, 2020, 38, 9501-9501.	0.8	119
29	Safety and Patient-Reported Outcomes of Atezolizumab Plus Chemotherapy With or Without Bevacizumab Versus Bevacizumab Plus Chemotherapy in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 2530-2542.	0.8	47
30	Design and Rationale for a Phase III, Double-Blind, Placebo-Controlled Study of Neoadjuvant Durvalumabâ€+â€Chemotherapy Followed by Adjuvant Durvalumab for the Treatment of Patients With Resectable Stages II and III non-small-cell Lung Cancer: The AEGEAN Trial. Clinical Lung Cancer, 2022, 23, e247-e251.	1.1	47
31	Nivolumab (NIVO) plus ipilimumab (IPI) versus chemotherapy (chemo) as first-line (1L) treatment for advanced non-small cell lung cancer (NSCLC): 4-year update from CheckMate 227 Journal of Clinical Oncology, 2021, 39, 9016-9016.	0.8	25
32	Evaluation of blood TMB (bTMB) in KEYNOTE-189: Pembrolizumab (pembro) plus chemotherapy (chemo) with pemetrexed and platinum versus placebo plus chemo as first-line therapy for metastatic nonsquamous NSCLC Journal of Clinical Oncology, 2020, 38, 9521-9521.	0.8	17
33	PLO4a.01: Health-Related Quality of Life for Pembrolizumab vs Chemotherapy in Advanced NSCLC with PD-L1 TPS ≥50%:ÂData from KEYNOTE-024. Journal of Thoracic Oncology, 2017, 12, S8-S9.	0.5	11
34	Assessment of hyperprogression versus the natural course of disease development with nivolumab with or without ipilimumab versus placebo in phase III, randomized, controlled trials., 2022, 10, e004273.		10
35	Randomized, double-blind, phase 3 trial of first-line pembrolizumab + platinum doublet chemotherapy (chemo) ± lenvatinib in patients (pts) with metastatic nonsquamous non–small-cell lung cancer (NSCLC): LEAP-006 Journal of Clinical Oncology, 2019, 37, TPS9118-TPS9118.	0.8	7
36	Immune Checkpoint Inhibition in Non-metastatic Non-small Cell Lung Cancer: Chance for Cure?. Drugs, 2019, 79, 1937-1945.	4.9	4

#	Article	IF	CITATIONS
37	ANtiangiogenic Second-line Lung cancer Meta-Analysis on individual patient data in non-small cell lung cancer: ANSELMA. European Journal of Cancer, 2022, 166, 112-125.	1.3	4