

Paul C Lambert

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4951189/paul-c-lambert-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

9,361
citations

44
h-index

95
g-index

158
ext. papers

10,969
ext. citations

4.8
avg, IF

6.29
L-index

#	Paper	IF	Citations
149	What to add to nothing? Use and avoidance of continuity corrections in meta-analysis of sparse data. <i>Statistics in Medicine</i> , 2004 , 23, 1351-75	2.3	1124
148	Meta-analysis of individual participant data: rationale, conduct, and reporting. <i>BMJ, The</i> , 2010 , 340, c2215.9		925
147	Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. <i>BMJ, The</i> , 2007 , 334, 299	5.9	773
146	Further Development of Flexible Parametric Models for Survival Analysis. <i>The Stata Journal</i> , 2009 , 9, 265-290	3.5	410
145	Life Expectancy of Patients With Chronic Myeloid Leukemia Approaches the Life Expectancy of the General Population. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2851-7	2.2	390
144	How vague is vague? A simulation study of the impact of the use of vague prior distributions in MCMC using WinBUGS. <i>Statistics in Medicine</i> , 2005 , 24, 2401-28	2.3	352
143	Changes in the risk of death after HIV seroconversion compared with mortality in the general population. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 51-9	27.4	339
142	Progress in cancer survival, mortality, and incidence in seven high-income countries 1995-2014 (ICBP SURVMARK-2): a population-based study. <i>Lancet Oncology, The</i> , 2019 , 20, 1493-1505	21.7	270
141	Oral prednisolone for preschool children with acute virus-induced wheezing. <i>New England Journal of Medicine</i> , 2009 , 360, 329-38	59.2	241
140	Different strategies for screening and prevention of type 2 diabetes in adults: cost effectiveness analysis. <i>BMJ, The</i> , 2008 , 336, 1180-5	5.9	197
139	Meta-analysis of continuous outcomes combining individual patient data and aggregate data. <i>Statistics in Medicine</i> , 2008 , 27, 1870-93	2.3	185
138	Flexible parametric models for relative survival, with application in coronary heart disease. <i>Statistics in Medicine</i> , 2007 , 26, 5486-98	2.3	161
137	Efficacy of a short course of parent-initiated oral prednisolone for viral wheeze in children aged 1-5 years: randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 1433-8	4.0	156
136	Estimating and modeling the cure fraction in population-based cancer survival analysis. <i>Biostatistics</i> , 2007 , 8, 576-94	3.7	155
135	Bivariate random-effects meta-analysis and the estimation of between-study correlation. <i>BMC Medical Research Methodology</i> , 2007 , 7, 3	4.7	154
134	A systematic review of molecular and biological tumor markers in neuroblastoma. <i>Clinical Cancer Research</i> , 2004 , 10, 4-12	12.9	148
133	Meta-analysis of heterogeneously reported trials assessing change from baseline. <i>Statistics in Medicine</i> , 2005 , 24, 3823-44	2.3	145

132	Survival and cure of acute myeloid leukaemia in England, 1971-2006: a population-based study. <i>British Journal of Haematology</i> , 2013 , 162, 509-16	4.5	127
131	Screening and cervical cancer cure: population based cohort study. <i>BMJ, The</i> , 2012 , 344, e900	5.9	126
130	Evidence-based sample size calculations based upon updated meta-analysis. <i>Statistics in Medicine</i> , 2007 , 26, 2479-500	2.3	104
129	Meta-analysis of rare and adverse event data. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002 , 2, 367-79	2.2	93
128	Choosing the relative survival method for cancer survival estimation. <i>European Journal of Cancer</i> , 2011 , 47, 2202-10	7.5	92
127	Risk and Cause of Death in Patients Diagnosed With Myeloproliferative Neoplasms in Sweden Between 1973 and 2005: A Population-Based Study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2288-95	2.2	84
126	Estimating the loss in expectation of life due to cancer using flexible parametric survival models. <i>Statistics in Medicine</i> , 2013 , 32, 5286-300	2.3	79
125	Estimating the crude probability of death due to cancer and other causes using relative survival models. <i>Statistics in Medicine</i> , 2010 , 29, 885-95	2.3	78
124	Flexible parametric modelling of cause-specific hazards to estimate cumulative incidence functions. <i>BMC Medical Research Methodology</i> , 2013 , 13, 13	4.7	73
123	Estimating and modelling cure in population-based cancer studies within the framework of flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2011 , 11, 96	4.7	73
122	Modeling of the Cure Fraction in Survival Studies. <i>The Stata Journal</i> , 2007 , 7, 351-375	3.5	72
121	Automated, ambulatory, or conventional blood pressure measurement in pregnancy: which is the better predictor of severe hypertension?. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 521-64	6.4	71
120	Joint Modeling of Longitudinal and Survival Data. <i>The Stata Journal</i> , 2013 , 13, 165-184	3.5	70
119	Simulating biologically plausible complex survival data. <i>Statistics in Medicine</i> , 2013 , 32, 4118-34	2.3	63
118	Assessing methods for dealing with treatment switching in randomised controlled trials: a simulation study. <i>BMC Medical Research Methodology</i> , 2011 , 11, 4	4.7	63
117	A population-based comparison of the survival of patients with colorectal cancer in England, Norway and Sweden between 1996 and 2004. <i>Gut</i> , 2011 , 60, 1087-93	19.2	63
116	Breast cancer, sickness absence, income and marital status. A study on life situation 1 year prior diagnosis compared to 3 and 5 years after diagnosis. <i>PLoS ONE</i> , 2011 , 6, e18040	3.7	57
115	The use of restricted cubic splines to approximate complex hazard functions in the analysis of time-to-event data: a simulation study. <i>Journal of Statistical Computation and Simulation</i> , 2015 , 85, 777-793	6.9	55

114	Adjusting survival time estimates to account for treatment switching in randomized controlled trials—an economic evaluation context: methods, limitations, and recommendations. <i>Medical Decision Making</i> , 2014 , 34, 387-402	2.5	55
113	Comparison of methods for calculating relative survival in population-based studies. <i>Cancer Epidemiology</i> , 2012 , 36, 16-21	2.8	51
112	Additive and multiplicative covariate regression models for relative survival incorporating fractional polynomials for time-dependent effects. <i>Statistics in Medicine</i> , 2005 , 24, 3871-85	2.3	49
111	Parametric multistate survival models: Flexible modelling allowing transition-specific distributions with application to estimating clinically useful measures of effect differences. <i>Statistics in Medicine</i> , 2017 , 36, 4719-4742	2.3	47
110	Individual patient data meta-analysis of survival data using Poisson regression models. <i>BMC Medical Research Methodology</i> , 2012 , 12, 34	4.7	46
109	Bayesian implementation of a genetic model-free approach to the meta-analysis of genetic association studies. <i>Statistics in Medicine</i> , 2005 , 24, 3845-61	2.3	46
108	Comparison of different approaches to estimating age standardized net survival. <i>BMC Medical Research Methodology</i> , 2015 , 15, 64	4.7	45
107	A general framework for parametric survival analysis. <i>Statistics in Medicine</i> , 2014 , 33, 5280-97	2.3	45
106	Relative survival: what can cardiovascular disease learn from cancer?. <i>European Heart Journal</i> , 2008 , 29, 941-7	9.5	45
105	Flexible parametric joint modelling of longitudinal and survival data. <i>Statistics in Medicine</i> , 2012 , 31, 4456-71	4.3	40
104	Temporal trends in the proportion cured for cancer of the colon and rectum: a population-based study using data from the Finnish Cancer Registry. <i>International Journal of Cancer</i> , 2007 , 121, 2052-9	7.5	40
103	A Bayesian approach to evaluating net clinical benefit allowed for parameter uncertainty. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 26-40	5.7	37
102	Colorectal cancer survival in socioeconomic groups in England: variation is mainly in the short term after diagnosis. <i>European Journal of Cancer</i> , 2012 , 48, 46-53	7.5	35
101	How can we make cancer survival statistics more useful for patients and clinicians: an illustration using localized prostate cancer in Sweden. <i>Cancer Causes and Control</i> , 2013 , 24, 505-15	2.8	35
100	Predicting costs over time using Bayesian Markov chain Monte Carlo methods: an application to early inflammatory polyarthritis. <i>Health Economics (United Kingdom)</i> , 2007 , 16, 37-56	2.4	35
99	Urine protein estimation in hypertensive pregnancy: which thresholds and laboratory assay best predict clinical outcome?. <i>Hypertension in Pregnancy</i> , 2005 , 24, 291-302	2	35
98	The role of observer error in antenatal dipstick proteinuria analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 1177-80	3.7	35
97	Quantifying differences in breast cancer survival between England and Norway. <i>Cancer Epidemiology</i> , 2011 , 35, 526-33	2.8	33

96	Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 633-7	6.4	33
95	A Bayesian approach to Markov modelling in cost-effectiveness analyses: application to taxane use in advanced breast cancer. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2003 , 166, 389-405	2.1	32
94	Transmission of Neurodegenerative Disorders Through Blood Transfusion: A Cohort Study. <i>Annals of Internal Medicine</i> , 2016 , 165, 316-24	8	32
93	Estimating the impact of a cancer diagnosis on life expectancy by socio-economic group for a range of cancer types in England. <i>British Journal of Cancer</i> , 2017 , 117, 1419-1426	8.7	30
92	Sensitivity analyses allowed more appropriate and reliable meta-analysis conclusions for multiple outcomes when missing data was present. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 911-24	5.7	27
91	Cost-effectiveness analysis using data from multinational trials: the use of bivariate hierarchical modeling. <i>Medical Decision Making</i> , 2007 , 27, 471-90	2.5	26
90	Randomised controlled trial of the effectiveness of feedback in improving test ordering in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2003 , 21, 219-23	2.7	24
89	Assessing methods for dealing with treatment switching in clinical trials: A follow-up simulation study. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 765-784	2.3	23
88	Proportion cured models applied to 23 cancer sites in Norway. <i>International Journal of Cancer</i> , 2013 , 132, 1700-10	7.5	23
87	The impact of under and over-recording of cancer on death certificates in a competing risks analysis: a simulation study. <i>Cancer Epidemiology</i> , 2013 , 37, 11-9	2.8	23
86	Analysis of ambulatory blood pressure monitor data using a hierarchical model incorporating restricted cubic splines and heterogeneous within-subject variances. <i>Statistics in Medicine</i> , 2001 , 20, 3789-805	2.3	23
85	Effect of concentration and biochemical assay on the accuracy of urine dipsticks in hypertensive pregnancies. <i>Hypertension in Pregnancy</i> , 2001 , 20, 205-17	2	23
84	stgenreg: AStataPackage for General Parametric Survival Analysis. <i>Journal of Statistical Software</i> , 2013 , 53,	7.3	23
83	The loss in expectation of life after colon cancer: a population-based study. <i>BMC Cancer</i> , 2015 , 15, 412	4.8	20
82	Adjusting for the proportion of cancer deaths in the general population when using relative survival: a sensitivity analysis. <i>Cancer Epidemiology</i> , 2012 , 36, 148-52	2.8	20
81	Simulating Complex Survival Data. <i>The Stata Journal</i> , 2012 , 12, 674-687	3.5	20
80	Estimating net survival in population-based cancer studies. <i>International Journal of Cancer</i> , 2013 , 133, 519-21	7.5	20
79	Automated blood pressure measurement as a predictor of proteinuric pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997 , 104, 559-62	3.7	20

78	Temporal trends in mortality from diseases of the circulatory system after treatment for Hodgkin lymphoma: a population-based cohort study in Sweden (1973 to 2006). <i>Journal of Clinical Oncology</i> , 2013 , 31, 1435-41	2.2	19
77	Estimating the cure proportion of malignant melanoma, an alternative approach to assess long term survival: a population-based study. <i>Cancer Epidemiology</i> , 2014 , 38, 93-9	2.8	18
76	Partitioning of excess mortality in population-based cancer patient survival studies using flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2012 , 12, 86	4.7	18
75	Temporal trends in the proportion cured among adults diagnosed with acute myeloid leukaemia in Sweden 1973-2001, a population-based study. <i>British Journal of Haematology</i> , 2010 , 148, 918-24	4.5	18
74	A Bayesian approach to a general regression model for ROC curves. <i>Medical Decision Making</i> , 1998 , 18, 436-43	2.5	18
73	Joint modelling of longitudinal and survival data: incorporating delayed entry and an assessment of model misspecification. <i>Statistics in Medicine</i> , 2016 , 35, 1193-209	2.3	18
72	Flexible parametric modelling of the cause-specific cumulative incidence function. <i>Statistics in Medicine</i> , 2017 , 36, 1429-1446	2.3	17
71	Understanding the impact of socioeconomic differences in colorectal cancer survival: potential gain in life-years. <i>British Journal of Cancer</i> , 2019 , 120, 1052-1058	8.7	17
70	Prognostic value of admission blood glucose concentration and diabetes diagnosis on survival after acute myocardial infarction: results from 4702 index cases in routine practice. <i>Clinical Science</i> , 2010 , 118, 527-35	6.5	16
69	Robustness of individual and marginal model-based estimates: A sensitivity analysis of flexible parametric models. <i>Cancer Epidemiology</i> , 2019 , 58, 17-24	2.8	15
68	A Flexible Parametric Competing-risks Model Using a Direct Likelihood Approach for the Cause-specific Cumulative Incidence Function. <i>The Stata Journal</i> , 2017 , 17, 462-489	3.5	14
67	Adjusting for measurement error in baseline prognostic biomarkers included in a time-to-event analysis: a joint modelling approach. <i>BMC Medical Research Methodology</i> , 2013 , 13, 146	4.7	14
66	Estimating the cost-effectiveness of an intervention in a clinical trial when partial cost information is available: a Bayesian approach. <i>Health Economics (United Kingdom)</i> , 2008 , 17, 67-81	2.4	14
65	Trends in cancer survival in the Nordic countries 1990-2016: the NORDCAN survival studies. <i>Acta Oncologica</i> , 2020 , 59, 1266-1274	3.2	14
64	Projecting cancer incidence using age-period-cohort models incorporating restricted cubic splines. <i>International Journal of Biostatistics</i> , 2012 , 8, 33	1.3	13
63	Validation of the DCA 2000 microalbumin:creatinine ratio urinalyzer for its use in pregnancy and preeclampsia. <i>Hypertension in Pregnancy</i> , 2003 , 22, 77-92	2	13
62	Urinary microalbumin/creatinine ratios: reference range in uncomplicated pregnancy. <i>Clinical Science</i> , 2003 , 104, 103-7	6.5	13
61	Incidence of non-specific abdominal pain in children during school term: population survey based on discharge diagnoses 1999 , 318, 1455-1455		13

60	Direct likelihood inference on the cause-specific cumulative incidence function: A flexible parametric regression modelling approach. <i>Statistics in Medicine</i> , 2018 , 37, 82-97	2.3	12
59	Analysis, power and design of antimicrobial resistance surveillance studies, taking account of inter-centre variation and turnover. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 62 Suppl 2, ii29-39	5.1	12
58	Loss in life expectancy and gain in life years as measures of cancer impact. <i>Cancer Epidemiology</i> , 2019 , 60, 168-173	2.8	11
57	Modelling time to death or discharge in neonatal care: an application of competing risks. <i>Paediatric and Perinatal Epidemiology</i> , 2013 , 27, 426-33	2.7	11
56	Providing more up-to-date estimates of patient survival: a comparison of standard survival analysis with period analysis using life-table methods and proportional hazards models. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 14-20	5.7	11
55	Association of fractures with the incidence of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 419-425	3.6	10
54	Adjusting Expected Mortality Rates Using Information From a Control Population: An Example Using Socioeconomic Status. <i>American Journal of Epidemiology</i> , 2018 , 187, 828-836	3.8	10
53	Capturing simple and complex time-dependent effects using flexible parametric survival models: A simulation study. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019 , 1-17	0.6	10
52	The application of cure models in the presence of competing risks: a tool for improved risk communication in population-based cancer patient survival. <i>Epidemiology</i> , 2014 , 25, 742-8	3.1	10
51	Bed occupancy rates and hospital-acquired Clostridium difficile infection: a cohort study. <i>Infection Control and Hospital Epidemiology</i> , 2013 , 34, 1062-9	2	10
50	The analysis of peak expiratory flow data using a three-level hierarchical model. <i>Statistics in Medicine</i> , 2004 , 23, 3821-39	2.3	10
49	Strcs: A Command for Fitting Flexible Parametric Survival Models on the Log-hazard Scale. <i>The Stata Journal</i> , 2016 , 16, 989-1012	3.5	10
48	Flexible Parametric Illness-Death Models. <i>The Stata Journal</i> , 2013 , 13, 759-775	3.5	9
47	Fitting and Modeling Cure in Population-Based Cancer Studies within the Framework of Flexible Parametric Survival Models. <i>The Stata Journal</i> , 2012 , 12, 623-638	3.5	9
46	Comment on article by Browne and Draper. <i>Bayesian Analysis</i> , 2006 , 1, 543	2.3	9
45	stpm2cr: A flexible parametric competing risks model using a direct likelihood approach for the cause-specific cumulative incidence function. <i>The Stata Journal</i> , 2017 , 17, 462-489	3.5	9
44	The estimation and modelling of cause-specific cumulative incidence functions using time-dependent weights. <i>The Stata Journal</i> , 2017 , 17, 181-207	3.5	9
43	A flexible parametric approach to examining spatial variation in relative survival. <i>Statistics in Medicine</i> , 2016 , 35, 5448-5463	2.3	9

42	Contemporarily Treated Patients With Hodgkin Lymphoma Have Childbearing Potential in Line With Matched Comparators. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2718-2725	2.2	9
41	Potential gain in life years for Swedish women with breast cancer if stage and survival differences between education groups could be eliminated - Three what-if scenarios. <i>Breast</i> , 2019 , 45, 75-81	3.6	8
40	Temporal recalibration for improving prognostic model development and risk predictions in settings where survival is improving over time. <i>International Journal of Epidemiology</i> , 2020 , 49, 1316-1325	7.8	8
39	Familial coaggregation of Alzheimer's disease and Parkinson's disease: systematic review and meta-analysis. <i>Neuroepidemiology</i> , 2014 , 42, 69-80	5.4	8
38	Urinary microalbumin/creatinine ratios: reference range in uncomplicated pregnancy. <i>Clinical Science</i> , 2003 , 104, 103-107	6.5	7
37	Marginal measures and causal effects using the relative survival framework. <i>International Journal of Epidemiology</i> , 2020 , 49, 619-628	7.8	6
36	Loss in working years after a breast cancer diagnosis. <i>British Journal of Cancer</i> , 2018 , 118, 738-743	8.7	6
35	Illustration of different modelling assumptions for estimation of loss in expectation of life due to cancer. <i>BMC Medical Research Methodology</i> , 2019 , 19, 145	4.7	6
34	Exploring the impact of cancer registry completeness on international cancer survival differences: a simulation study. <i>British Journal of Cancer</i> , 2021 , 124, 1026-1032	8.7	6
33	Impact on survival of modelling increased surgical resection rates in patients with non-small-cell lung cancer and cardiovascular comorbidities: a VICORI study. <i>British Journal of Cancer</i> , 2020 , 123, 471-479	8.7	5
32	Estimation of age-standardized net survival, even when age-specific data are sparse. <i>Cancer Epidemiology</i> , 2020 , 67, 101745	2.8	5
31	InterPreT cancer survival: A dynamic web interactive prediction cancer survival tool for health-care professionals and cancer epidemiologists. <i>Cancer Epidemiology</i> , 2018 , 56, 46-52	2.8	5
30	Placental weight and breast cancer survival in young women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 777-83	4	5
29	Understanding the impact of sex and stage differences on melanoma cancer patient survival: a SEER-based study. <i>British Journal of Cancer</i> , 2021 , 124, 671-677	8.7	5
28	Where Next for Evidence Synthesis of Prognostic Marker Studies? Improving the Quality and Reporting of Primary Studies to Facilitate Clinically Relevant Evidence-Based Results 2007 , 39-58		4
27	Conditional crude probabilities of death for English cancer patients. <i>British Journal of Cancer</i> , 2019 , 121, 883-889	8.7	3
26	The impact of excluding or including Death Certificate Initiated (DCI) cases on estimated cancer survival: A simulation study. <i>Cancer Epidemiology</i> , 2021 , 71, 101881	2.8	3
25	Temporal trends in treatment-related incidence of diseases of the circulatory system among Hodgkin lymphoma patients. <i>International Journal of Cancer</i> , 2019 , 145, 1200-1208	7.5	2

24	Can different definitions of date of cancer incidence explain observed international variation in cancer survival? An ICBP SURVMARK-2 study. <i>Cancer Epidemiology</i> , 2020 , 67, 101759	2.8	2
23	Rebuttal to editorial saying cancer survival statistics are misleading. <i>BMJ, The</i> , 2011 , 343, d4214	5.9	2
22	Minimum sample size calculations for external validation of a clinical prediction model with a time-to-event outcome.. <i>Statistics in Medicine</i> , 2021 ,	2.3	2
21	Temporal Trends in Chronic Myeloid Leukemia Outcome Using the Loss in Expectation of Life: A Swedish Population-Based Study. <i>Blood</i> , 2015 , 126, 2779-2779	2.2	2
20	Understanding disparities in cancer prognosis: An extension of mediation analysis to the relative survival framework. <i>Biometrical Journal</i> , 2021 , 63, 341-353	1.5	2
19	Reference-adjusted and standardized all-cause and crude probabilities as an alternative to net survival in population-based cancer studies. <i>International Journal of Epidemiology</i> , 2020 , 49, 1614-1623	7.8	2
18	Individual participant data meta-analysis for external validation, recalibration, and updating of a flexible parametric prognostic model. <i>Statistics in Medicine</i> , 2021 , 40, 3066-3084	2.3	2
17	Reply to D. Pulte et al. <i>Journal of Clinical Oncology</i> , 2017 , 35, 696-697	2.2	1
16	Comments on "Trying to be precise about vagueness" by Stephen Senn, <i>Statistics in Medicine</i> 2007; 26:1417-1430. <i>Statistics in Medicine</i> , 2008 , 27, 619-22, author reply 622-4	2.3	1
15	Case-ascertainment of acute myocardial infarction hospitalisations in cancer patients: a cohort study using English linked electronic health data. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	1
14	Data Resource Profile: The Virtual Cardio-Oncology Research Initiative (VICORI) linking national English cancer registration and cardiovascular audits. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
13	A multistate model incorporating estimation of excess hazards and multiple time scales. <i>Statistics in Medicine</i> , 2021 , 40, 2139-2154	2.3	1
12	Estimating restricted mean survival time and expected life-years lost in the presence of competing risks within flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2021 , 21, 52	4.7	1
11	Potential bias introduced by not including multiple time-scales in survival analysis: a simulation study. <i>Communications in Statistics Part B: Simulation and Computation</i> , 1-14	0.6	1
10	Non-parametric estimation of reference adjusted, standardised probabilities of all-cause death and death due to cancer for population group comparisons.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 2	4.7	0
9	Development of a dynamic interactive web tool to enhance understanding of multi-state model analyses: MSMplus. <i>BMC Medical Research Methodology</i> , 2021 , 21, 262	4.7	0
8	A way to explore the existence of "immortals" in cancer registry data - An illustration using data from ICBP SURVMARK-2.. <i>Cancer Epidemiology</i> , 2021 , 76, 102085	2.8	0
7	Relaxing the assumption of constant transition rates in a multi-state model in hospital epidemiology. <i>BMC Medical Research Methodology</i> , 2021 , 21, 16	4.7	0

6	Inverse probability weighting and doubly robust standardization in the relative survival framework. <i>Statistics in Medicine</i> , 2021 , 40, 6069-6092	2.3	0
5	Reply to Letter to the Editor by Remontet et al. <i>Statistics in Medicine</i> , 2015 , 34, 3378-80	2.3	
4	Loss in working years after a breast cancer diagnosis: A population-based study (Sweden).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 209-209	2.2	
3	Temporal Trends in the Proportion Cured Among Patients Diagnosed with Acute Myeloid Leukemia in Sweden 1973-2001, a Population-Based Study.. <i>Blood</i> , 2009 , 114, 1378-1378	2.2	
2	Direct modelling of age standardized marginal relative survival through incorporation of time-dependent weights. <i>BMC Medical Research Methodology</i> , 2021 , 21, 84	4.7	
1	Assessing the impact of including variation in general population mortality on standard errors of relative survival and loss in life expectancy.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 130	4.7	