

Paul C Lambert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4951189/paul-c-lambert-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

9,361
citations

44
h-index

95
g-index

158
ext. papers

10,969
ext. citations

4.8
avg, IF

6.29
L-index

#	Paper	IF	Citations
149	Non-parametric estimation of reference adjusted, standardised probabilities of all-cause death and death due to cancer for population group comparisons.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 2	4.7	0
148	Assessing the impact of including variation in general population mortality on standard errors of relative survival and loss in life expectancy.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 130	4.7	
147	Minimum sample size calculations for external validation of a clinical prediction model with a time-to-event outcome.. <i>Statistics in Medicine</i> , 2021 ,	2.3	2
146	Development of a dynamic interactive web tool to enhance understanding of multi-state model analyses: MSMplus. <i>BMC Medical Research Methodology</i> , 2021 , 21, 262	4.7	0
145	A way to explore the existence of "immortals" in cancer registry data - An illustration using data from ICBP SURVMARK-2.. <i>Cancer Epidemiology</i> , 2021 , 76, 102085	2.8	0
144	Understanding disparities in cancer prognosis: An extension of mediation analysis to the relative survival framework. <i>Biometrical Journal</i> , 2021 , 63, 341-353	1.5	2
143	Individual participant data meta-analysis for external validation, recalibration, and updating of a flexible parametric prognostic model. <i>Statistics in Medicine</i> , 2021 , 40, 3066-3084	2.3	2
142	The impact of excluding or including Death Certificate Initiated (DCI) cases on estimated cancer survival: A simulation study. <i>Cancer Epidemiology</i> , 2021 , 71, 101881	2.8	3
141	Direct modelling of age standardized marginal relative survival through incorporation of time-dependent weights. <i>BMC Medical Research Methodology</i> , 2021 , 21, 84	4.7	
140	Case-ascertainment of acute myocardial infarction hospitalisations in cancer patients: a cohort study using English linked electronic health data. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	1
139	Data Resource Profile: The Virtual Cardio-Oncology Research Initiative (VICORI) linking national English cancer registration and cardiovascular audits. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
138	Understanding the impact of sex and stage differences on melanoma cancer patient survival: a SEER-based study. <i>British Journal of Cancer</i> , 2021 , 124, 671-677	8.7	5
137	Exploring the impact of cancer registry completeness on international cancer survival differences: a simulation study. <i>British Journal of Cancer</i> , 2021 , 124, 1026-1032	8.7	6
136	Relaxing the assumption of constant transition rates in a multi-state model in hospital epidemiology. <i>BMC Medical Research Methodology</i> , 2021 , 21, 16	4.7	0
135	A multistate model incorporating estimation of excess hazards and multiple time scales. <i>Statistics in Medicine</i> , 2021 , 40, 2139-2154	2.3	1
134	Estimating restricted mean survival time and expected life-years lost in the presence of competing risks within flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2021 , 21, 52	4.7	1
133	Inverse probability weighting and doubly robust standardization in the relative survival framework. <i>Statistics in Medicine</i> , 2021 , 40, 6069-6092	2.3	0

132	Impact on survival of modelling increased surgical resection rates in patients with non-small-cell lung cancer and cardiovascular comorbidities: a VICORI study. <i>British Journal of Cancer</i> , 2020 , 123, 471-479	8.7	5
131	Can different definitions of date of cancer incidence explain observed international variation in cancer survival? An ICBP SURVMARK-2 study. <i>Cancer Epidemiology</i> , 2020 , 67, 101759	2.8	2
130	Marginal measures and causal effects using the relative survival framework. <i>International Journal of Epidemiology</i> , 2020 , 49, 619-628	7.8	6
129	Estimation of age-standardized net survival, even when age-specific data are sparse. <i>Cancer Epidemiology</i> , 2020 , 67, 101745	2.8	5
128	Temporal recalibration for improving prognostic model development and risk predictions in settings where survival is improving over time. <i>International Journal of Epidemiology</i> , 2020 , 49, 1316-1325	7.8	8
127	Trends in cancer survival in the Nordic countries 1990-2016: the NORDCAN survival studies. <i>Acta Oncologica</i> , 2020 , 59, 1266-1274	3.2	14
126	Reference-adjusted and standardized all-cause and crude probabilities as an alternative to net survival in population-based cancer studies. <i>International Journal of Epidemiology</i> , 2020 , 49, 1614-1623	7.8	2
125	Progress in cancer survival, mortality, and incidence in seven high-income countries 1995-2014 (ICBP SURVMARK-2): a population-based study. <i>Lancet Oncology</i> , 2019 , 20, 1493-1505	21.7	270
124	Temporal trends in treatment-related incidence of diseases of the circulatory system among Hodgkin lymphoma patients. <i>International Journal of Cancer</i> , 2019 , 145, 1200-1208	7.5	2
123	Loss in life expectancy and gain in life years as measures of cancer impact. <i>Cancer Epidemiology</i> , 2019 , 60, 168-173	2.8	11
122	Understanding the impact of socioeconomic differences in colorectal cancer survival: potential gain in life-years. <i>British Journal of Cancer</i> , 2019 , 120, 1052-1058	8.7	17
121	Potential gain in life years for Swedish women with breast cancer if stage and survival differences between education groups could be eliminated - Three what-if scenarios. <i>Breast</i> , 2019 , 45, 75-81	3.6	8
120	Illustration of different modelling assumptions for estimation of loss in expectation of life due to cancer. <i>BMC Medical Research Methodology</i> , 2019 , 19, 145	4.7	6
119	Capturing simple and complex time-dependent effects using flexible parametric survival models: A simulation study. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019 , 1-17	0.6	10
118	Conditional crude probabilities of death for English cancer patients. <i>British Journal of Cancer</i> , 2019 , 121, 883-889	8.7	3
117	Robustness of individual and marginal model-based estimates: A sensitivity analysis of flexible parametric models. <i>Cancer Epidemiology</i> , 2019 , 58, 17-24	2.8	15
116	Adjusting Expected Mortality Rates Using Information From a Control Population: An Example Using Socioeconomic Status. <i>American Journal of Epidemiology</i> , 2018 , 187, 828-836	3.8	10
115	Loss in working years after a breast cancer diagnosis. <i>British Journal of Cancer</i> , 2018 , 118, 738-743	8.7	6

114	Assessing methods for dealing with treatment switching in clinical trials: A follow-up simulation study. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 765-784	2.3	23
113	Direct likelihood inference on the cause-specific cumulative incidence function: A flexible parametric regression modelling approach. <i>Statistics in Medicine</i> , 2018 , 37, 82-97	2.3	12
112	InterPreT cancer survival: A dynamic web interactive prediction cancer survival tool for health-care professionals and cancer epidemiologists. <i>Cancer Epidemiology</i> , 2018 , 56, 46-52	2.8	5
111	Contemporarily Treated Patients With Hodgkin Lymphoma Have Childbearing Potential in Line With Matched Comparators. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2718-2725	2.2	9
110	Association of fractures with the incidence of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 419-425	3.6	10
109	Flexible parametric modelling of the cause-specific cumulative incidence function. <i>Statistics in Medicine</i> , 2017 , 36, 1429-1446	2.3	17
108	Reply to D. Pulte et al. <i>Journal of Clinical Oncology</i> , 2017 , 35, 696-697	2.2	1
107	A Flexible Parametric Competing-risks Model Using a Direct Likelihood Approach for the Cause-specific Cumulative Incidence Function. <i>The Stata Journal</i> , 2017 , 17, 462-489	3.5	14
106	Parametric multistate survival models: Flexible modelling allowing transition-specific distributions with application to estimating clinically useful measures of effect differences. <i>Statistics in Medicine</i> , 2017 , 36, 4719-4742	2.3	47
105	Estimating the impact of a cancer diagnosis on life expectancy by socio-economic group for a range of cancer types in England. <i>British Journal of Cancer</i> , 2017 , 117, 1419-1426	8.7	30
104	stpm2cr: A flexible parametric competing risks model using a direct likelihood approach for the cause-specific cumulative incidence function. <i>The Stata Journal</i> , 2017 , 17, 462-489	3.5	9
103	The estimation and modelling of cause-specific cumulative incidence functions using time-dependent weights. <i>The Stata Journal</i> , 2017 , 17, 181-207	3.5	9
102	Loss in working years after a breast cancer diagnosis: A population-based study (Sweden).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 209-209	2.2	
101	Life Expectancy of Patients With Chronic Myeloid Leukemia Approaches the Life Expectancy of the General Population. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2851-7	2.2	390
100	Strcs: A Command for Fitting Flexible Parametric Survival Models on the Log-hazard Scale. <i>The Stata Journal</i> , 2016 , 16, 989-1012	3.5	10
99	Transmission of Neurodegenerative Disorders Through Blood Transfusion: A Cohort Study. <i>Annals of Internal Medicine</i> , 2016 , 165, 316-24	8	32
98	Joint modelling of longitudinal and survival data: incorporating delayed entry and an assessment of model misspecification. <i>Statistics in Medicine</i> , 2016 , 35, 1193-209	2.3	18
97	A flexible parametric approach to examining spatial variation in relative survival. <i>Statistics in Medicine</i> , 2016 , 35, 5448-5463	2.3	9

96	The use of restricted cubic splines to approximate complex hazard functions in the analysis of time-to-event data: a simulation study. <i>Journal of Statistical Computation and Simulation</i> , 2015 , 85, 777-793	8.9	55
95	Risk and Cause of Death in Patients Diagnosed With Myeloproliferative Neoplasms in Sweden Between 1973 and 2005: A Population-Based Study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2288-95	2.2	84
94	Comparison of different approaches to estimating age standardized net survival. <i>BMC Medical Research Methodology</i> , 2015 , 15, 64	4.7	45
93	The loss in expectation of life after colon cancer: a population-based study. <i>BMC Cancer</i> , 2015 , 15, 412	4.8	20
92	Reply to Letter to the Editor by Remontet et al. <i>Statistics in Medicine</i> , 2015 , 34, 3378-80	2.3	
91	Temporal Trends in Chronic Myeloid Leukemia Outcome Using the Loss in Expectation of Life: A Swedish Population-Based Study. <i>Blood</i> , 2015 , 126, 2779-2779	2.2	2
90	Estimating the cure proportion of malignant melanoma, an alternative approach to assess long term survival: a population-based study. <i>Cancer Epidemiology</i> , 2014 , 38, 93-9	2.8	18
89	Familial coaggregation of Alzheimer@ disease and Parkinson@ disease: systematic review and meta-analysis. <i>Neuroepidemiology</i> , 2014 , 42, 69-80	5.4	8
88	A general framework for parametric survival analysis. <i>Statistics in Medicine</i> , 2014 , 33, 5280-97	2.3	45
87	The application of cure models in the presence of competing risks: a tool for improved risk communication in population-based cancer patient survival. <i>Epidemiology</i> , 2014 , 25, 742-8	3.1	10
86	Adjusting survival time estimates to account for treatment switching in randomized controlled trials--an economic evaluation context: methods, limitations, and recommendations. <i>Medical Decision Making</i> , 2014 , 34, 387-402	2.5	55
85	Survival and cure of acute myeloid leukaemia in England, 1971-2006: a population-based study. <i>British Journal of Haematology</i> , 2013 , 162, 509-16	4.5	127
84	Flexible parametric modelling of cause-specific hazards to estimate cumulative incidence functions. <i>BMC Medical Research Methodology</i> , 2013 , 13, 13	4.7	73
83	Adjusting for measurement error in baseline prognostic biomarkers included in a time-to-event analysis: a joint modelling approach. <i>BMC Medical Research Methodology</i> , 2013 , 13, 146	4.7	14
82	Simulating biologically plausible complex survival data. <i>Statistics in Medicine</i> , 2013 , 32, 4118-34	2.3	63
81	Estimating the loss in expectation of life due to cancer using flexible parametric survival models. <i>Statistics in Medicine</i> , 2013 , 32, 5286-300	2.3	79
80	Proportion cured models applied to 23 cancer sites in Norway. <i>International Journal of Cancer</i> , 2013 , 132, 1700-10	7.5	23
79	The impact of under and over-recording of cancer on death certificates in a competing risks analysis: a simulation study. <i>Cancer Epidemiology</i> , 2013 , 37, 11-9	2.8	23

78	Flexible Parametric Illness-Death Models. <i>The Stata Journal</i> , 2013 , 13, 759-775	3.5	9
77	How can we make cancer survival statistics more useful for patients and clinicians: an illustration using localized prostate cancer in Sweden. <i>Cancer Causes and Control</i> , 2013 , 24, 505-15	2.8	35
76	Bed occupancy rates and hospital-acquired Clostridium difficile infection: a cohort study. <i>Infection Control and Hospital Epidemiology</i> , 2013 , 34, 1062-9	2	10
75	Temporal trends in mortality from diseases of the circulatory system after treatment for Hodgkin lymphoma: a population-based cohort study in Sweden (1973 to 2006). <i>Journal of Clinical Oncology</i> , 2013 , 31, 1435-41	2.2	19
74	Estimating net survival in population-based cancer studies. <i>International Journal of Cancer</i> , 2013 , 133, 519-21	7.5	20
73	Modelling time to death or discharge in neonatal care: an application of competing risks. <i>Paediatric and Perinatal Epidemiology</i> , 2013 , 27, 426-33	2.7	11
72	Joint Modeling of Longitudinal and Survival Data. <i>The Stata Journal</i> , 2013 , 13, 165-184	3.5	70
71	stgenreg: AStataPackage for General Parametric Survival Analysis. <i>Journal of Statistical Software</i> , 2013 , 53,	7.3	23
70	Projecting cancer incidence using age-period-cohort models incorporating restricted cubic splines. <i>International Journal of Biostatistics</i> , 2012 , 8, 33	1.3	13
69	Flexible parametric joint modelling of longitudinal and survival data. <i>Statistics in Medicine</i> , 2012 , 31, 4456-71	4.7	40
68	Comparison of methods for calculating relative survival in population-based studies. <i>Cancer Epidemiology</i> , 2012 , 36, 16-21	2.8	51
67	Adjusting for the proportion of cancer deaths in the general population when using relative survival: a sensitivity analysis. <i>Cancer Epidemiology</i> , 2012 , 36, 148-52	2.8	20
66	Colorectal cancer survival in socioeconomic groups in England: variation is mainly in the short term after diagnosis. <i>European Journal of Cancer</i> , 2012 , 48, 46-53	7.5	35
65	Partitioning of excess mortality in population-based cancer patient survival studies using flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2012 , 12, 86	4.7	18
64	Individual patient data meta-analysis of survival data using Poisson regression models. <i>BMC Medical Research Methodology</i> , 2012 , 12, 34	4.7	46
63	Fitting and Modeling Cure in Population-Based Cancer Studies within the Framework of Flexible Parametric Survival Models. <i>The Stata Journal</i> , 2012 , 12, 623-638	3.5	9
62	Simulating Complex Survival Data. <i>The Stata Journal</i> , 2012 , 12, 674-687	3.5	20
61	Screening and cervical cancer cure: population based cohort study. <i>BMJ, The</i> , 2012 , 344, e900	5.9	126

60	Quantifying differences in breast cancer survival between England and Norway. <i>Cancer Epidemiology</i> , 2011 , 35, 526-33	2.8	33
59	Choosing the relative survival method for cancer survival estimation. <i>European Journal of Cancer</i> , 2011 , 47, 2202-10	7.5	92
58	Rebuttal to editorial saying cancer survival statistics are misleading. <i>BMJ, The</i> , 2011 , 343, d4214	5.9	2
57	Breast cancer, sickness absence, income and marital status. A study on life situation 1 year prior diagnosis compared to 3 and 5 years after diagnosis. <i>PLoS ONE</i> , 2011 , 6, e18040	3.7	57
56	Assessing methods for dealing with treatment switching in randomised controlled trials: a simulation study. <i>BMC Medical Research Methodology</i> , 2011 , 11, 4	4.7	63
55	Estimating and modelling cure in population-based cancer studies within the framework of flexible parametric survival models. <i>BMC Medical Research Methodology</i> , 2011 , 11, 96	4.7	73
54	A population-based comparison of the survival of patients with colorectal cancer in England, Norway and Sweden between 1996 and 2004. <i>Gut</i> , 2011 , 60, 1087-93	19.2	63
53	Temporal trends in the proportion cured among adults diagnosed with acute myeloid leukaemia in Sweden 1973-2001, a population-based study. <i>British Journal of Haematology</i> , 2010 , 148, 918-24	4.5	18
52	Prognostic value of admission blood glucose concentration and diabetes diagnosis on survival after acute myocardial infarction: results from 4702 index cases in routine practice. <i>Clinical Science</i> , 2010 , 118, 527-35	6.5	16
51	Meta-analysis of individual participant data: rationale, conduct, and reporting. <i>BMJ, The</i> , 2010 , 340, c2215.9	925	
50	Estimating the crude probability of death due to cancer and other causes using relative survival models. <i>Statistics in Medicine</i> , 2010 , 29, 885-95	2.3	78
49	Further Development of Flexible Parametric Models for Survival Analysis. <i>The Stata Journal</i> , 2009 , 9, 265-290	3.5	410
48	Placental weight and breast cancer survival in young women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 777-83	4	5
47	Oral prednisolone for preschool children with acute virus-induced wheezing. <i>New England Journal of Medicine</i> , 2009 , 360, 329-38	59.2	241
46	Temporal Trends in the Proportion Cured Among Patients Diagnosed with Acute Myeloid Leukemia in Sweden 1973-2001, a Population-Based Study.. <i>Blood</i> , 2009 , 114, 1378-1378	2.2	
45	Relative survival: what can cardiovascular disease learn from cancer?. <i>European Heart Journal</i> , 2008 , 29, 941-7	9.5	45
44	Different strategies for screening and prevention of type 2 diabetes in adults: cost effectiveness analysis. <i>BMJ, The</i> , 2008 , 336, 1180-5	5.9	197
43	Analysis, power and design of antimicrobial resistance surveillance studies, taking account of inter-centre variation and turnover. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 62 Suppl 2, ii29-39	5.1	12

42	Changes in the risk of death after HIV seroconversion compared with mortality in the general population. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 51-9	27.4	339
41	Comments on 'Trying to be precise about vagueness' by Stephen Senn, <i>Statistics in Medicine</i> 2007; 26:1417-1430. <i>Statistics in Medicine</i> , 2008 , 27, 619-22, author reply 622-4	2.3	1
40	Meta-analysis of continuous outcomes combining individual patient data and aggregate data. <i>Statistics in Medicine</i> , 2008 , 27, 1870-93	2.3	185
39	Estimating the cost-effectiveness of an intervention in a clinical trial when partial cost information is available: a Bayesian approach. <i>Health Economics (United Kingdom)</i> , 2008 , 17, 67-81	2.4	14
38	Estimating and modeling the cure fraction in population-based cancer survival analysis. <i>Biostatistics</i> , 2007 , 8, 576-94	3.7	155
37	Modeling of the Cure Fraction in Survival Studies. <i>The Stata Journal</i> , 2007 , 7, 351-375	3.5	72
36	Temporal trends in the proportion cured for cancer of the colon and rectum: a population-based study using data from the Finnish Cancer Registry. <i>International Journal of Cancer</i> , 2007 , 121, 2052-9	7.5	40
35	Predicting costs over time using Bayesian Markov chain Monte Carlo methods: an application to early inflammatory polyarthritis. <i>Health Economics (United Kingdom)</i> , 2007 , 16, 37-56	2.4	35
34	Evidence-based sample size calculations based upon updated meta-analysis. <i>Statistics in Medicine</i> , 2007 , 26, 2479-500	2.3	104
33	Flexible parametric models for relative survival, with application in coronary heart disease. <i>Statistics in Medicine</i> , 2007 , 26, 5486-98	2.3	161
32	Bivariate random-effects meta-analysis and the estimation of between-study correlation. <i>BMC Medical Research Methodology</i> , 2007 , 7, 3	4.7	154
31	Where Next for Evidence Synthesis of Prognostic Marker Studies? Improving the Quality and Reporting of Primary Studies to Facilitate Clinically Relevant Evidence-Based Results 2007 , 39-58		4
30	Cost-effectiveness analysis using data from multinational trials: the use of bivariate hierarchical modeling. <i>Medical Decision Making</i> , 2007 , 27, 471-90	2.5	26
29	Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. <i>BMJ, The</i> , 2007 , 334, 299	5.9	773
28	Comment on article by Browne and Draper. <i>Bayesian Analysis</i> , 2006 , 1, 543	2.3	9
27	A Bayesian approach to evaluating net clinical benefit allowed for parameter uncertainty. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 26-40	5.7	37
26	How vague is vague? A simulation study of the impact of the use of vague prior distributions in MCMC using WinBUGS. <i>Statistics in Medicine</i> , 2005 , 24, 2401-28	2.3	352
25	Bayesian implementation of a genetic model-free approach to the meta-analysis of genetic association studies. <i>Statistics in Medicine</i> , 2005 , 24, 3845-61	2.3	46

24	Additive and multiplicative covariate regression models for relative survival incorporating fractional polynomials for time-dependent effects. <i>Statistics in Medicine</i> , 2005 , 24, 3871-85	2.3	49
23	Meta-analysis of heterogeneously reported trials assessing change from baseline. <i>Statistics in Medicine</i> , 2005 , 24, 3823-44	2.3	145
22	Urine protein estimation in hypertensive pregnancy: which thresholds and laboratory assay best predict clinical outcome?. <i>Hypertension in Pregnancy</i> , 2005 , 24, 291-302	2	35
21	What to add to nothing? Use and avoidance of continuity corrections in meta-analysis of sparse data. <i>Statistics in Medicine</i> , 2004 , 23, 1351-75	2.3	1124
20	The analysis of peak expiratory flow data using a three-level hierarchical model. <i>Statistics in Medicine</i> , 2004 , 23, 3821-39	2.3	10
19	A systematic review of molecular and biological tumor markers in neuroblastoma. <i>Clinical Cancer Research</i> , 2004 , 10, 4-12	12.9	148
18	Sensitivity analyses allowed more appropriate and reliable meta-analysis conclusions for multiple outcomes when missing data was present. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 911-24	5.7	27
17	Providing more up-to-date estimates of patient survival: a comparison of standard survival analysis with period analysis using life-table methods and proportional hazards models. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 14-20	5.7	11
16	Randomised controlled trial of the effectiveness of feedback in improving test ordering in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2003 , 21, 219-23	2.7	24
15	Validation of the DCA 2000 microalbumin:creatinine ratio urinalyzer for its use in pregnancy and preeclampsia. <i>Hypertension in Pregnancy</i> , 2003 , 22, 77-92	2	13
14	Urinary microalbumin/creatinine ratios: reference range in uncomplicated pregnancy. <i>Clinical Science</i> , 2003 , 104, 103-107	6.5	7
13	Urinary microalbumin/creatinine ratios: reference range in uncomplicated pregnancy. <i>Clinical Science</i> , 2003 , 104, 103-7	6.5	13
12	A Bayesian approach to Markov modelling in cost-effectiveness analyses: application to taxane use in advanced breast cancer. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2003 , 166, 389-405	2.1	32
11	Efficacy of a short course of parent-initiated oral prednisolone for viral wheeze in children aged 1-5 years: randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 1433-8	4.0	156
10	Meta-analysis of rare and adverse event data. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002 , 2, 367-79	2.2	93
9	Analysis of ambulatory blood pressure monitor data using a hierarchical model incorporating restricted cubic splines and heterogeneous within-subject variances. <i>Statistics in Medicine</i> , 2001 , 20, 3789-805	2.3	23
8	Effect of concentration and biochemical assay on the accuracy of urine dipsticks in hypertensive pregnancies. <i>Hypertension in Pregnancy</i> , 2001 , 20, 205-17	2	23
7	Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 633-7	6.4	33

6	The role of observer error in antenatal dipstick proteinuria analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 1177-80	3.7	35
5	Incidence of non-specific abdominal pain in children during school term: population survey based on discharge diagnoses 1999 , 318, 1455-1455		13
4	Automated, ambulatory, or conventional blood pressure measurement in pregnancy: which is the better predictor of severe hypertension?. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 521-6	6.4	71
3	A Bayesian approach to a general regression model for ROC curves. <i>Medical Decision Making</i> , 1998 , 18, 436-43	2.5	18
2	Automated blood pressure measurement as a predictor of proteinuric pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997 , 104, 559-62	3.7	20
1	Potential bias introduced by not including multiple time-scales in survival analysis: a simulation study. <i>Communications in Statistics Part B: Simulation and Computation</i> , 1-14	0.6	1