Yago Nieto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/495168/publications.pdf Version: 2024-02-01



<u>Υλςο Νιέτο</u>

#	Article	IF	CITATIONS
1	Use of CAR-Transduced Natural Killer Cells in CD19-Positive Lymphoid Tumors. New England Journal of Medicine, 2020, 382, 545-553.	13.9	1,252
2	Phase I study of cord blood-derived natural killer cells combined with autologous stem cell transplantation in multiple myeloma. British Journal of Haematology, 2017, 177, 457-466.	1.2	158
3	PD-1 blockade with pembrolizumab for classical Hodgkin lymphoma after autologous stem cell transplantation. Blood, 2019, 134, 22-29.	0.6	129
4	Predictors of Radiation Pneumonitis in Patients Receiving Intensity Modulated Radiation Therapy for Hodgkin and Non-Hodgkin Lymphoma. International Journal of Radiation Oncology Biology Physics, 2015, 92, 175-182.	0.4	110
5	Prognostic Significance of Overexpression and Phosphorylation of Epidermal Growth Factor Receptor (EGFR) and the Presence of Truncated EGFRvIII in Locoregionally Advanced Breast Cancer. Journal of Clinical Oncology, 2007, 25, 4405-4413.	0.8	84
6	Clarifying busulfan metabolism and drug interactions to support new therapeutic drug monitoring strategies: a comprehensive review. Expert Opinion on Drug Metabolism and Toxicology, 2017, 13, 901-923.	1.5	84
7	Results of a 2â€arm, phase 2 clinical trial using postâ€transplantation cyclophosphamide for the prevention of graftâ€versusâ€host disease in haploidentical donor and mismatched unrelated donor hematopoietic stem cell transplantation. Cancer, 2016, 122, 3316-3326.	2.0	75
8	Combining AFM13, a Bispecific CD30/CD16 Antibody, with Cytokine-Activated Blood and Cord Blood–Derived NK Cells Facilitates CAR-like Responses Against CD30+ Malignancies. Clinical Cancer Research, 2021, 27, 3744-3756.	3.2	69
9	Autologous Stem Cell Transplantation for Refractory orÂPoor-Risk Relapsed Hodgkin's Lymphoma: Effect of theÂSpecific High-Dose Chemotherapy Regimen onÂOutcome. Biology of Blood and Marrow Transplantation, 2013, 19, 410-417.	2.0	61
10	Lower Graft-versus-Host Disease and Relapse Risk in Post-Transplant Cyclophosphamide–Based Haploidentical versus Matched Sibling Donor Reduced-Intensity Conditioning Transplant for Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2019, 25, 1859-1868.	2.0	58
11	CRP and ferritin in addition to the EASIX score predict CAR-T–related toxicity. Blood Advances, 2021, 5, 2799-2806.	2.5	57
12	Specific combinations of donor and recipient KIR-HLA genotypes predict for large differences in outcome after cord blood transplantation. Blood, 2016, 128, 297-312.	0.6	54
13	Single-Institution Experience in the Treatment of Primary Mediastinal B Cell Lymphoma Treated With Immunochemotherapy in the Setting of Response Assessment by 18Fluorodeoxyglucose Positron Emission Tomography. International Journal of Radiation Oncology Biology Physics, 2015, 92, 113-121.	0.4	50
14	Double epigenetic modulation of highâ€dose chemotherapy with azacitidine and vorinostat for patients with refractory or poorâ€risk relapsed lymphoma. Cancer, 2016, 122, 2680-2688.	2.0	48
15	Vorinostat Combined with High-Dose Gemcitabine, Busulfan, and Melphalan with Autologous Stem Cell Transplantation in Patients with Refractory Lymphomas. Biology of Blood and Marrow Transplantation, 2015, 21, 1914-1920.	2.0	46
16	PD-1 blockade for diffuse large B-cell lymphoma after autologous stem cell transplantation. Blood Advances, 2020, 4, 122-126.	2.5	46
17	Allogeneic transplantation after PD-1 blockade for classic Hodgkin lymphoma. Leukemia, 2021, 35, 2672-2683.	3.3	45
18	Outcomes Associated With Thiotepa-Based Conditioning in Patients With Primary Central Nervous System Lymphoma After Autologous Hematopoietic Cell Transplant. JAMA Oncology, 2021, 7, 993.	3.4	44

#	Article	IF	CITATIONS
19	High-Dose Infusional Gemcitabine Combined with Busulfan and Melphalan with Autologous Stem-Cell Transplantation in Patients with Refractory Lymphoid Malignancies. Biology of Blood and Marrow Transplantation, 2012, 18, 1677-1686.	2.0	43
20	Epigenetic modifiers enhance the synergistic cytotoxicity of combined nucleoside analog-DNA alkylating agents in lymphoma cell lines. Experimental Hematology, 2012, 40, 800-810.	0.2	41
21	Intravenous Busulfan Plus Melphalan Is a Highly Effective, Well-Tolerated Preparative Regimen for Autologous Stem Cell Transplantation in Patients with Advanced Lymphoid Malignancies. Biology of Blood and Marrow Transplantation, 2011, 17, 412-420.	2.0	40
22	Impact of TKIs post–allogeneic hematopoietic cell transplantation in Philadelphia chromosome–positive ALL. Blood, 2020, 136, 1786-1789.	0.6	40
23	Phase II Trial of Graft-versus-Host Disease Prophylaxis with Post-Transplantation Cyclophosphamide after Reduced-Intensity Busulfan/Fludarabine Conditioning for Hematological Malignancies. Biology of Blood and Marrow Transplantation, 2015, 21, 906-912.	2.0	35
24	Combination of a hypomethylating agent and inhibitors of PARP and HDAC traps PARP1 and DNMT1 to chromatin, acetylates DNA repair proteins, down-regulates NuRD and induces apoptosis in human leukemia and lymphoma cells. Oncotarget, 2018, 9, 3908-3921.	0.8	35
25	Post-Transplant Outcomes in High-Risk Compared with Non–High-Risk Multiple Myeloma: A CIBMTR Analysis. Biology of Blood and Marrow Transplantation, 2016, 22, 1893-1899.	2.0	34
26	Better allele-level matching improves transplant-related mortality after double cord blood transplantation. Haematologica, 2015, 100, 1361-1370.	1.7	32
27	Leukemia cell mobilization with G-CSF plus plerixafor during busulfan–fludarabine conditioning for allogeneic stem cell transplantation. Bone Marrow Transplantation, 2015, 50, 939-946.	1.3	32
28	Third-Party BK Virus-Specific Cytotoxic T Lymphocyte Therapy for Hemorrhagic Cystitis Following Allotransplantation. Journal of Clinical Oncology, 2021, 39, 2710-2719.	0.8	32
29	Autologous/Allogeneic Hematopoietic Cell Transplantation versus Tandem Autologous Transplantation for Multiple Myeloma: Comparison of Long-Term Postrelapse Survival. Biology of Blood and Marrow Transplantation, 2018, 24, 478-485.	2.0	31
30	Third party, umbilical cord blood derived regulatory T-cells for prevention of graft versus host disease in allogeneic hematopoietic stem cell transplantation: feasibility, safety and immune reconstitution. Oncotarget, 2018, 9, 35611-35622.	0.8	31
31	Outcomes Among High-Risk and Standard-Risk Multiple Myeloma Patients Treated With High-Dose Chemotherapy and Autologous Hematopoietic Stem-Cell Transplantation. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 687-693.	0.2	29
32	Autologous stem cell transplantation after anti-PD-1 therapy for multiply relapsed or refractory Hodgkin lymphoma. Blood Advances, 2021, 5, 1648-1659.	2.5	28
33	Prolonged survival with a longer duration of maintenance lenalidomide after autologous hematopoietic stem cell transplantation for multiple myeloma. Cancer, 2016, 122, 3831-3837.	2.0	27
34	Hematopoietic cell transplantation utilization and outcomes for primary plasma cell leukemia in the current era. Leukemia, 2020, 34, 3338-3347.	3.3	27
35	High-dose chemotherapy for high-risk primary and metastatic breast cancer: is another look warranted?. Current Opinion in Oncology, 2009, 21, 150-157.	1.1	24
36	Clofarabine Plus Busulfan is an Effective Conditioning Regimen for Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Acute Lymphoblastic Leukemia: Long-Term Study Results. Biology of Blood and Marrow Transplantation, 2017, 23, 285-292.	2.0	24

Yago Nieto

#	Article	IF	CITATIONS
37	Predictors of Hypothyroidism in Hodgkin Lymphoma Survivors After Intensity Modulated Versus 3-Dimensional Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2018, 101, 530-540.	0.4	23
38	Fludarabine with a higher versus lower dose of myeloablative timed-sequential busulfan in older patients and patients with comorbidities: an open-label, non-stratified, randomised phase 2 trial. Lancet Haematology,the, 2018, 5, e532-e542.	2.2	23
39	Phase-I and randomized phase-II trial of panobinostat in combination with ICE (ifosfamide, carboplatin,) Tj ETQq1 863-870.	1 0.78431 0.6	.4 rgBT /O₩ 22
40	The Development of a Myeloablative, Reduced-Toxicity, Conditioning Regimen for Cord Blood Transplantation. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, e1-e5.	0.2	21
41	Outcome of Multiple Myeloma with Chromosome 1q Gain and 1p Deletion after Autologous Hematopoietic Stem Cell Transplantation: Propensity Score Matched Analysis. Biology of Blood and Marrow Transplantation, 2020, 26, 665-671.	2.0	21
42	Gemcitabine, Fludarabine, and Melphalan for Reduced-Intensity Conditioning and Allogeneic Stem CellÂTransplantation for Relapsed and Refractory HodgkinÂLymphoma. Biology of Blood and Marrow Transplantation, 2016, 22, 1333-1337.	2.0	19
43	High-dose gemcitabine, busulfan, and melphalan for autologous stem-cell transplant in patients with relapsed or refractory myeloma: a phase 2 trial and matched-pair comparison with melphalan. Lancet Haematology,the, 2017, 4, e283-e292.	2.2	19
44	Maintenance versus Induction Therapy Choice on Outcomes after Autologous Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2017, 23, 269-277.	2.0	19
45	Allogeneic hematopoietic cell transplantation for patients with blastic plasmacytoid dendritic cell neoplasm (BPDCN). Bone Marrow Transplantation, 2022, 57, 51-56.	1.3	19
46	A Randomized Phase II Trial of Fludarabine/Melphalan 100 versus Fludarabine/Melphalan 140 Followed by Allogeneic Hematopoietic Stem Cell Transplantation for Patients with Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2013, 19, 1453-1458.	2.0	18
47	A multiâ€institutional analysis of peritransplantation radiotherapy in patients with relapsed/refractory Hodgkin lymphoma undergoing autologous stem cell transplantation. Cancer, 2017, 123, 1363-1371.	2.0	18
48	Revised International Staging System Is Predictive and Prognostic for Early Relapse (<24 months) after Autologous Transplantation for Newly Diagnosed Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2019, 25, 683-688.	2.0	18
49	Eltrombopag for Post-Transplantation Thrombocytopenia: Results of Phase II Randomized, Double-Blind, Placebo-Controlled Trial. Transplantation and Cellular Therapy, 2021, 27, 430.e1-430.e7.	0.6	18
50	Allogeneic Transplantation for Relapsed Waldenström Macroglobulinemia and Lymphoplasmacytic Lymphoma. Biology of Blood and Marrow Transplantation, 2017, 23, 60-66.	2.0	17
51	Management of Advanced and Relapsed/Refractory Extranodal Natural Killer T-Cell Lymphoma: An Analysis of Stem Cell Transplantation and Chemotherapy Outcomes. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, e41-e50.	0.2	17
52	Optimizing the Conditioning Regimen for Hematopoietic Cell Transplant in Myelofibrosis: Long-Term Results of a Prospective Phase II Clinical Trial. Biology of Blood and Marrow Transplantation, 2020, 26, 1439-1445.	2.0	17
53	Effect of nonpermissive HLA-DPB1 mismatches after unrelated allogeneic transplantation with in vivo T-cell depletion. Blood, 2018, 131, 1248-1257.	0.6	16
54	Differential effects of histone deacetylase inhibitors on cellular drug transporters and their implications for using epigenetic modifiers in combination chemotherapy. Oncotarget, 2016, 7, 63829-63838.	0.8	16

#	Article	IF	CITATIONS
55	Pure Red Cell Aplasia in Major ABO-Mismatched Allogeneic Hematopoietic Stem Cell Transplantation Is Associated with Severe Pancytopenia. Biology of Blood and Marrow Transplantation, 2016, 22, 961-965.	2.0	15
56	Phase II Trial of High-Dose Gemcitabine/Busulfan/Melphalan with Autologous Stem Cell Transplantation for Primary Refractory or Poor-Risk Relapsed Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2018, 24, 1602-1609.	2.0	15
57	Radiation Therapy as an Effective Salvage Strategy for Secondary CNS Lymphoma. International Journal of Radiation Oncology Biology Physics, 2018, 100, 1146-1154.	0.4	15
58	A phase I study of romidepsin and ifosfamide, carboplatin, etoposide for the treatment of patients with relapsed or refractory peripheral T-cell lymphoma. Haematologica, 2018, 103, e416-e418.	1.7	15
59	High-risk myeloma and minimal residual disease postautologous-HSCT predict worse outcomes. Leukemia and Lymphoma, 2019, 60, 442-452.	0.6	15
60	Allotransplants for Patients 65 Years or Older with High-Risk Acute Myeloid Leukemia. Biology of Blood and Marrow Transplantation, 2019, 25, 505-514.	2.0	15
61	African Americans with translocation t(11;14) have superior survival after autologous hematopoietic cell transplantation for multiple myeloma in comparison with Whites in the United States. Cancer, 2021, 127, 82-92.	2.0	15
62	Melphalan dose intensity for autologous stem cell transplantation in multiple myeloma. Haematologica, 2021, 106, 3211-3214.	1.7	13
63	Phase I and Pharmacokinetic Study of Gemcitabine Administered at Fixed-Dose Rate, Combined with Docetaxel/Melphalan/Carboplatin, with Autologous Hematopoietic Progenitor-Cell Support, in Patients with Advanced Refractory Tumors. Biology of Blood and Marrow Transplantation, 2007, 13, 1324-1337	2.0	12
64	Doxorubicin-Based Chemotherapy and Radiation Therapy Produces Favorable Outcomes in Limited-Stage Plasmablastic Lymphoma: A Single-Institution Review. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 122-128.	0.2	12
65	A randomized phase <scp>II</scp> study of standardâ€dose <i>versus</i> highâ€dose rituximab with <scp>BEAM</scp> in autologous stem cell transplantation for relapsed aggressive Bâ€cell nonâ€hodgkin lymphomas: long term results. British Journal of Haematology, 2017, 178, 561-570.	1.2	12
66	Autologous Hematopoietic Stem Cell Transplantation for Male Germ Cell Tumors: Improved Outcomes Over 3 Decades. Biology of Blood and Marrow Transplantation, 2019, 25, 1099-1106.	2.0	12
67	Vedolizumab for Steroid Refractory Lower Gastrointestinal Tract Graft-Versus-Host Disease. Transplantation and Cellular Therapy, 2021, 27, 272.e1-272.e5.	0.6	12
68	Stem cell transplantation outcomes in lymphoblastic lymphoma. Leukemia and Lymphoma, 2017, 58, 366-371.	0.6	11
69	Outcome of autologous hematopoietic stem cell transplantation in refractory multiple myeloma. Cancer, 2017, 123, 3568-3575.	2.0	11
70	Outcomes of autologous hematopoietic cell transplantation in myeloma patients aged ≥75 years. Leukemia and Lymphoma, 2019, 60, 3536-3543.	0.6	11
71	Hepatitis B Virus-associated Liver Failure in a Patient With B-cell Non-Hodgkin Lymphoma After Anti-cancer Therapy Including Ibrutinib. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e124-e127.	0.2	11
72	Busulfan and melphalan conditioning is superior to melphalan alone in autologous stem cell transplantation for high-risk MM. Blood Advances, 2020, 4, 4834-4837.	2.5	11

#	Article	IF	CITATIONS
73	Impact of Autologous Transplantation in Patients with Multiple Myeloma with t(11;14): A Propensity-Score Matched Analysis. Clinical Cancer Research, 2019, 25, 6781-6787.	3.2	10
74	Bone Marrow versus Peripheral Blood Grafts for Haploidentical Hematopoietic Cell Transplantation with Post-Transplantation Cyclophosphamide. Transplantation and Cellular Therapy, 2021, 27, 1003.e1-1003.e13.	0.6	10
75	Impact of Polymorphic Variations of Gemcitabine Metabolism, DNA Damage Repair, and Drug-Resistance Genes on the Effect of High-Dose Chemotherapy for Relapsed or Refractory Lymphoid Malignancies. Biology of Blood and Marrow Transplantation, 2016, 22, 843-849.	2.0	9
76	Response-adapted radiation therapy for newly diagnosed primary diffuse large B-cell lymphoma of the CNS treated with methotrexate-based systemic therapy. Advances in Radiation Oncology, 2018, 3, 639-646.	0.6	9
77	Minimal Residual Disease Negativity Does Not Overcome Poor Prognosis in High-Risk Multiple Myeloma: A Single-Center Retrospective Study. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e221-e238.	0.2	9
78	Outcome of relapsed and refractory nodular lymphocyteâ€predominant Hodgkin lymphoma: a North American analysis. British Journal of Haematology, 2021, 192, 560-567.	1.2	9
79	Improved outcomes of high-risk relapsed Hodgkin lymphoma patients after high-dose chemotherapy: a 15-year analysis. Haematologica, 2022, 107, 899-908.	1.7	9
80	Phase II Study of the Combination of Ixazomib with Lenalidomide As Maintenance Therapy Following Autologous Stem Cell Transplant in Patients with Multiple Myeloma. Blood, 2015, 126, 3155-3155.	0.6	9
81	Panobinostat and venetoclax enhance the cytotoxicity of gemcitabine, busulfan, and melphalan in multiple myeloma cells. Experimental Hematology, 2020, 81, 32-41.	0.2	8
82	Real-world long-term outcomes in multiple myeloma with VRD induction, Mel200-conditioned auto-HCT, and lenalidomide maintenance. Leukemia and Lymphoma, 2022, 63, 710-721.	0.6	8
83	Cladribine, gemcitabine, busulfan, and SAHA combination as a potential pretransplant conditioning regimen for lymphomas: A preclinical study. Experimental Hematology, 2016, 44, 458-465.	0.2	7
84	Synergistic cytotoxicity of busulfan, melphalan, gemcitabine, panobinostat, and bortezomib in lymphoma cells. Leukemia and Lymphoma, 2016, 57, 2644-2652.	0.6	7
85	Impact of Donor Type and Melphalan Dose on Allogeneic Transplantation Outcomes for Patients with Lymphoma. Biology of Blood and Marrow Transplantation, 2019, 25, 1340-1346.	2.0	7
86	Idiopathic refractory ascites after allogeneic stem cell transplantation: a previously unrecognized entity. Blood Advances, 2020, 4, 1296-1306.	2.5	7
87	Comparative Review of 30 Day Non-Relapse Mortality (NRM) in B-Cell Lymphomas Associated with Anti-CD19 Chimeric Antigen Receptor T-Cells (CAR-T) from FDA Database, Clinical Studies, and MD Anderson. Blood, 2019, 134, 1931-1931.	0.6	7
88	Immune Reconstitution following High-Dose Chemotherapy and Autologous Stem Cell Transplantation with or without Pembrolizumab Maintenance Therapy in Patients with Lymphoma. Transplantation and Cellular Therapy, 2022, 28, 32.e1-32.e10.	0.6	7
89	KRD vs. VRD as induction before autologous hematopoietic progenitor cell transplantation for high-risk multiple myeloma. Bone Marrow Transplantation, 2022, 57, 1142-1149.	1.3	7
90	The Emerging Role of Gemcitabine in Conditioning Regimens for Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1382-1389.	2.0	6

#	Article	IF	CITATIONS
91	Patient age and number of apheresis days may predict development of secondary myelodysplastic syndrome and acute myelogenous leukemia after highâ€dose chemotherapy and autologous stem cell transplantation for lymphoma. Transfusion, 2017, 57, 1052-1057.	0.8	6
92	The PARP inhibitor olaparib enhances the cytotoxicity of combined gemcitabine, busulfan and melphalan in lymphoma cells. Leukemia and Lymphoma, 2017, 58, 2705-2716.	0.6	6
93	Predictors of inferior clinical outcome in patients with standardâ€risk multiple myeloma. European Journal of Haematology, 2017, 98, 263-268.	1.1	6
94	Outcomes of autologous stem cell transplantation in Waldenström's macroglobulinemia. Annals of Hematology, 2019, 98, 2233-2235.	0.8	6
95	Myeloablative Fractionated Busulfan With Fludarabine in Older Patients: Long Term Disease-Specific Outcomes of a Prospective Phase II Clinical Trial. Transplantation and Cellular Therapy, 2021, 27, 913.e1-913.e12.	0.6	6
96	Rituximab Combined with BEAM and Autologous Stem Cell Transplantation for Older Patients with Relapsed Aggressive B-Cell Lymphomas. Blood, 2016, 128, 2270-2270.	0.6	6
97	Autologous stem cell transplantation for large B-cell lymphoma with secondary central nervous system involvement. Blood Advances, 2022, 6, 2267-2274.	2.5	6
98	ABT199/venetoclax potentiates the cytotoxicity of alkylating agents and fludarabine in acute myeloid leukemia cells. Oncotarget, 2022, 13, 319-330.	0.8	6
99	Haploidentical versus Matched Unrelated versus Matched Sibling Donor Hematopoietic Cell Transplantation with Post-Transplantation Cyclophosphamide. Transplantation and Cellular Therapy, 2022, 28, 395.e1-395.e11.	0.6	6
100	Progressive Multifocal Leukoencephalopathy After Allogeneic Bone Marrow Transplantation for Acute Myeloid Leukemia. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 1660-1664.	2.3	5
101	Romidepsin enhances the cytotoxicity of fludarabine, clofarabine and busulfan combination in malignant T-cells. Leukemia Research, 2016, 47, 100-108.	0.4	5
102	Ifosfamide, carboplatin, etoposide with or without bortezomib in patients with relapsed/refractory Hodgkin lymphoma: results of a randomized phase II trial. Leukemia and Lymphoma, 2016, 57, 445-447.	0.6	5
103	Prognostic Analysis of Absolute Lymphocyte and Monocyte Counts after Autologous Stem Cell Transplantation in Children, Adolescents, and Young Adults with Refractory or Relapsed Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2017, 23, 1276-1281.	2.0	5
104	Long-Term Outcome of Inflammatory Breast Cancer Compared to Non-Inflammatory Breast Cancer in the Setting of High-Dose Chemotherapy with Autologous Hematopoietic Cell Transplantation. Journal of Cancer, 2017, 8, 1009-1017.	1.2	5
105	Melphalanâ€based autologous transplant in octogenarian multiple myeloma patients. American Journal of Hematology, 2019, 94, E2-E5.	2.0	5
106	A Matched Controlled Analysis of Post-Transplant Cyclophosphamide (CY) Versus Tacrolimus and Mini-Dose Methotrexate in Matched Sibling and Unrelated Donor Transplant Recipients Receiving Reduced-Intensity Conditioning: Post-Transplant CY Is Associated with Higher Rates of Acute Gvhd. Blood 2012, 120, 4200-4200	0.6	5
107	Reduced-Intensity Conditioning (RIC) and Allogeneic Stem Cell Transplantation (allo-SCT) For Relapsed/Refractory Hodgkin Lymphoma (HL) In The Brentuximab Vedotin Era: Favorable Overall and Progression-Free Survival (OS/PFS) With Low Transplant-Related Mortality (TRM). Blood, 2013, 122, 410-410	0.6	5
108	Circulating Plasma Cells By Routine Complete Blood Count Identify Patients With Similar Outcome As Plasma Cell Leukemia. Blood, 2013, 122, 5356-5356.	0.6	5

#	Article	IF	CITATIONS
109	A Bayesian, Phase II Randomized Trial of Extracorporeal Photopheresis (ECP) Plus Steroids Versus Steroids-Alone in Patients with Newly Diagnosed Acute Graft Vs. Host Disease (GVHD): The Addition of ECP Improves Gvhd Response and the Ability to Taper Steroids. Blood, 2015, 126, 854-854.	0.6	5
110	High-Dose Chemotherapy with Autologous Stem Cell Transplant for Breast Cancer: What Have We Learned 25 Years Later?. Biology of Blood and Marrow Transplantation, 2012, 18, 3-5.	2.0	4
111	Hematopoietic Progenitor Cell Harvesting Is Feasible after Treatment with Brentuximab Vedotin in CD30+ Lymphoma Patients Who Received Multiple Prior Lines of Treatment. Biology of Blood and Marrow Transplantation, 2015, 21, 1529-1531.	2.0	4
112	Longâ€ŧerm durable efficacy of autologous stem cell transplantation in POEMS syndrome. American Journal of Hematology, 2018, 94, E72-E74.	2.0	4
113	Age Is a Prognostic Factor for the Overall Survival of Patients with Multiple Myeloma Undergoing Upfront Autologous Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 1077-1083.	2.0	4
114	Plasmablastic Lymphoma: 28 Patient Single Institution Experience. Blood, 2013, 122, 4310-4310.	0.6	4
115	Prognostic Value of Circulating Tumor DNA (ctDNA) in Autologous Stem Cell Graft and Post-Transplant Plasma Samples Among Patients with Diffuse Large B-Cell Lymphoma. Blood, 2020, 136, 22-23.	0.6	4
116	Vorinostat Combined with Busulfan, Fludarabine, and Clofarabine Conditioning Regimen for Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Acute Leukemia: Long-Term Study Outcomes. Transplantation and Cellular Therapy, 2022, 28, 501.e1-501.e7.	0.6	4
117	Age over Fifty-Five Years at Diagnosis Increases Risk of Second Malignancies after Autologous Transplantation for Patients with Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2017, 23, 1059-1063.	2.0	3
118	Gene expression profiling predicts relapseâ€free and overall survival in newly diagnosed myeloma patients treated with novel therapies. British Journal of Haematology, 2021, 192, e115-e120.	1.2	3
119	Impact of Cell of Origin Classification on Survival Outcomes after Autologous Transplantation in Relapsed/Refractory Diffuse Large B Cell Lymphoma. Transplantation and Cellular Therapy, 2021, 27, 404.e1-404.e5.	0.6	3
120	Black multiple myeloma patients undergoing upfront autologous stem cell transplant have similar survival outcomes compared to Whites: A propensityâ€score matched analysis. American Journal of Hematology, 2021, 96, E455-E457.	2.0	3
121	Gene Expression Profiling Predicts Clinical Outcomes in Newly Diagnosed Multiple Myeloma Patients in a Standard of Care Setting. Blood, 2016, 128, 5628-5628.	0.6	3
122	A randomized phase III study of pretransplant conditioning for AML/MDS with fludarabine and once daily IV busulfan ± clofarabine in allogeneic stem cell transplantation. Bone Marrow Transplantation, 0, , .	1.3	3
123	Graft-versus-host disease after radiation therapy in patients who have undergone allogeneic stem cell transplantation: two case reports. Journal of Medical Case Reports, 2016, 10, 209.	0.4	2
124	Cytogenetics and Blast Count Determine Transplant Outcomes in Patients with Active Acute Myeloid Leukemia. Acta Haematologica, 2021, 144, 74-81.	0.7	2
125	Enhanced cytotoxicity of bisantrene when combined with venetoclax, panobinostat, decitabine and olaparib in acute myeloid leukemia cells. Leukemia and Lymphoma, 2022, 63, 1634-1644.	0.6	2
126	Phase II study of umbilical cord blood–derived natural killer (CB-NK) cells with elotuzumab, lenalidomide, and high-dose melphalan followed by autologous stem cell transplantation (ASCT) for patients with high-risk multiple myeloma (HRMM) Journal of Clinical Oncology, 2022, 40, 8009-8009.	0.8	2

Yago Nieto

#	Article	IF	CITATIONS
127	Transplantation for Refractory Germ Cell Tumors: Does it Really Make a Difference?. Current Oncology Reports, 2013, 15, 232-238.	1.8	1
128	Incidence and predictors of Lhermitte's sign among patients receiving mediastinal radiation for lymphoma. Radiation Oncology, 2015, 10, 206.	1.2	1
129	Letter to the Editor Regarding "Harmonization of Busulfan Plasma Exposure Unit (BPEU): A Community-Initiated Consensus Statement― Biology of Blood and Marrow Transplantation, 2020, 26, e232-e234.	2.0	1
130	Prolonged neurotoxicity in a lymphoma patient after CD19â€directed CAR Tâ€cell therapy: A case report and brief review of the literature. Advances in Cell and Gene Therapy, 2021, 4, e104.	0.6	1
131	Influence of Overlapping Genetic Abnormalities on Treatment Outcomes of Multiple Myeloma. Transplantation and Cellular Therapy, 2021, 27, 243.e1-243.e6.	0.6	1
132	Polyoma (BK) Viruria Prior to Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) from Donors Other Than Matched Siblings: A Prospective Evaluation of Hemorrhagic Cystitis (HC) Incidence. Blood, 2008, 112, 50-50.	0.6	1
133	Increased Bone Marrow Plasma Cell Infiltration Pre-Transplant Is Associated with Worse Outcomes in Patients Undergoing High Dose Chemotherapy and Autologous Stem Cell Transplantation for Multiple Myeloma,. Blood, 2011, 118, 4135-4135.	0.6	1
134	The Easix (Endothelial Activation and Stress Index) Score Predicts for CAR T Related Toxicity in Patients Receiving Axicabtagene Ciloleucel (axi-cel) for Non-Hodgkin Lymphoma (NHL). Blood, 2020, 136, 17-18.	0.6	1
135	African-Americans Multiple-Myeloma Patients Undergoing Upfront Autologous Stem Cell Transplant Have Similar Survival Outcomes Compared to Whites: A Propensity-Score Matched Analysis. Blood, 2020, 136, 9-10.	0.6	1
136	Survival Trends in Multiple Myeloma after Autologous Hematopoietic Stem Cell Transplantation. Blood, 2020, 136, 24-25.	0.6	1
137	Real-world analysis of safety and efficacy of CAR T-cell therapy in patients with lymphoma with decreased renal function Journal of Clinical Oncology, 2022, 40, 7536-7536.	0.8	1
138	Mismatches in Low Expression HLA Class II Loci and MIC-A in Unrelated Donor Hematopoietic Stem Cell Transplantation (HSCT) Blood, 2007, 110, 3050-3050.	0.6	0
139	Hepatitis C (HC) Virus Infection Is Associated with Worse Survival after Allogeneic Hematopoietic Stem Cell Transplantation (alloSCT) for Hematological Malignancies Blood, 2007, 110, 48-48.	0.6	Ο
140	Busulfan and Fludarabine Conditioning Regimen Negates the Impact of Comorbidity Score on Nonrelapse Mortality in Patients with AML/MDS. Blood, 2008, 112, 799-799.	0.6	0
141	Early Mixed Chimerism After Allogeneic Stem Cell Transplantation with the Reduced-Toxicity IV Busulfan-Fludarabine (BuFlu) Regimen Does Not Independently Affect Long-Term Prognosis for Patients with AML/MDS Blood, 2010, 116, 3446-3446.	0.6	Ο
142	Reduced Intensity Conditioning Combined with Post-Transplant Cyclophosphamide for Graft Vs. Host Disease Prophylaxis In Older-Aged or Medically Frail Patients with Advanced Hematological Malignancies. Blood, 2010, 116, 2341-2341.	0.6	0
143	Allogeneic Hematopoietic Stem Cell Transplantation for Myelofibrosis: PK Guided IV Busulfan Dose Intensity Results in Improved Event Free Survival. Blood, 2011, 118, 2006-2006.	0.6	0
144	Comparable Outcomes After Sibling and Matched Unrelated Donor Allogeneic Hematopoietic Cell Transplantations (HCT) In Adult Acute Lymphoblatic Leukemia (ALL) With First Complete Remission (CR). Blood, 2013, 122, 2142-2142.	0.6	0

#	Article	IF	CITATIONS
145	Outcomes Among High Risk and Standard Risk Multiple Myeloma Patients Treated With High Dose Therapy and Autologous Hematopoietic Stem Cell Transplantation. Blood, 2013, 122, 3358-3358.	0.6	Ο
146	Phase 2 trial of bevacizumab (BEV)/high-dose chemotherapy (HDC) with autologous stem-cell transplant (ASCT) for refractory germ-cell tumors (GCT) Journal of Clinical Oncology, 2014, 32, 4517-4517.	0.8	0
147	Autologous stem cell transplantation in dialysis-dependent myeloma patients Journal of Clinical Oncology, 2014, 32, 8601-8601.	0.8	0
148	Randomized phase III trial of busulfan plus melphalan versus melphalan alone for multiple myeloma Journal of Clinical Oncology, 2014, 32, 8538-8538.	0.8	0
149	The Survival Outcome of the Patients with Relapsed/Refractory PTCL-NOS and AITL. Blood, 2015, 126, 3984-3984.	0.6	0
150	Comparable Outcomes of Therapy-Related and De Novo Myelodysplastic Syndrome after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2016, 128, 2276-2276.	0.6	0
151	Allotransplants for Patients 65 Years or Older with High-Risk Acute Myeloid Leukemia. Blood, 2018, 132, 4667-4667.	0.6	0
152	Impact of t(11;14) on the Outcome of Autologous Transplantation in Multiple Myeloma: A Matched-Pair Analysis. Blood, 2018, 132, 4607-4607.	0.6	0
153	Optimizing Myeloablative Fractionated Busulfan, Fludarabine and Thiotepa Regimen: Results of Two Parallel Cohorts in a Phase 2 Prospective Clinical Trial. Blood, 2021, 138, 1802-1802.	0.6	0
154	Incidence and Outcomes of Toxoplasma Reactivation in Patients with Hematologic Diseases after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2021, 138, 1779-1779.	0.6	0
155	A Prospective Phase I/II Trial to Jointly Optimize the Administration Schedule and Dose of Melphalan for Injection (Evomela) As a Preparative Regimen for Autologous Hematopoietic Stem Cell Transplantation in Newly Diagnosed Multiple Myeloma. Blood, 2021, 138, 3941-3941.	0.6	0
156	Factors Associated with the Improvement of Outcomes of High-Risk Relapsed Hodgkin Lymphoma (HL) Patients Receiving High-Dose Chemotherapy (HDC) and Autologous Stem-Cell Transplantation (ASCT): The MD Anderson Cancer Center Experience. Blood, 2020, 136, 17-18.	0.6	0
157	Long-Term Survival for Myeloma after Autologous Stem Cell Transplantation. Blood, 2020, 136, 23-24.	0.6	0
158	Autologous Stem Cell Transplantation for Angioimmunoblastic T-Cell Lymphoma. Blood, 2020, 136, 40-41.	0.6	0
159	Hematopoietic Cell Transplantation for Breast Cancer. , 0, , 931-947.		0
160	Lenalidomide: Based maintenance after autologous hematopoietic stem cell transplant for patients with high-risk multiple myeloma Journal of Clinical Oncology, 2022, 40, e20024-e20024.	0.8	0