

Erkan Baysal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/495187/publications.pdf>

Version: 2024-02-01

33
papers

401
citations

933447

10
h-index

794594

19
g-index

33
all docs

33
docs citations

33
times ranked

815
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of Coronary Artery Disease Severity Using CHADS2 and CHA2DS2-VASc Scores and a Newly Defined CHA2DS2-VASc-HS Score. <i>American Journal of Cardiology</i> , 2014, 113, 950-956.	1.6	74
2	Increased Platelet Distribution Width Is Associated With ST-Segment Elevation Myocardial Infarction and Thrombolysis Failure. <i>Angiology</i> , 2014, 65, 737-743.	1.8	50
3	Asymmetric dimethylarginine plasma concentrations and L-arginine/asymmetric dimethylarginine ratio in patients with slow coronary flow. <i>Coronary Artery Disease</i> , 2007, 18, 545-551.	0.7	42
4	Evaluation of left ventricular diastolic functions in patients with frequent premature ventricular contractions from right ventricular outflow tract. <i>Heart and Vessels</i> , 2007, 22, 328-334.	1.2	28
5	Value of serial platelet indices measurements for the prediction of pulmonary embolism in patients with deep venous thrombosis. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 1243.	2.0	23
6	Predictors of atrial fibrillation recurrence after cryoballoon ablation. <i>Journal of Blood Medicine</i> , 2015, 6, 211.	1.7	16
7	The effect of favipiravir on QTc interval in patients hospitalized with coronavirus disease 2019. <i>Journal of Electrocardiology</i> , 2020, 63, 115-119.	0.9	16
8	The neutrophil to lymphocyte ratio is associated with severity of rheumatic mitral valve stenosis. <i>Journal of Blood Medicine</i> , 2015, 6, 151.	1.7	14
9	Roles of the red cell distribution width and neutrophil/lymphocyte ratio in predicting thrombolysis failure in patients with an ST-segment elevation myocardial infarction. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 274-278.	1.0	14
10	The Effect of Hemodialysis on Electrocardiographic Parameters. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 253-257.	1.1	14
11	Prolonged P wave peak time is associated with the severity of coronary artery disease in patients with non-ST segment elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2019, 55, 138-143.	0.9	11
12	Neutrophil/lymphocyte ratio is associated with right ventricular dysfunction in patients with acute inferior ST-segment elevation myocardial infarction. <i>Cardiology Journal</i> , 2016, 23, 100-106.	1.2	11
13	The relationship between eosinophilia and slow coronary flow. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 1187.	2.0	10
14	Relationship between cobalamin deficiency and delirium in elderly patients undergoing cardiac surgery. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2033.	2.2	9
15	Relationship between thyroid function and carotid artery plaque ulceration. <i>Acta Neurologica Belgica</i> , 2015, 115, 581-587.	1.1	9
16	The effect of idiopathic premature ventricular complexes on left ventricular ejection fraction. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12702.	1.1	9
17	Role of diclofenac in the prevention of postpericardiotomy syndrome after cardiac surgery. <i>Vascular Health and Risk Management</i> , 2015, 11, 373.	2.3	8
18	The effect of ticagrelor based dual antiplatelet therapy on development of late left ventricular thrombus after acute anterior ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2019, 287, 19-26.	1.7	8

#	ARTICLE	IF	CITATIONS
19	The relationship between coronary slow-flow and frontal QRS-T angle. <i>Journal of Electrocardiology</i> , 2021, 66, 43-47.	0.9	8
20	Relationship between Nadir Hematocrit during Cardiopulmonary Bypass and Postoperative Hyperglycemia in Nondiabetic Patients. <i>Heart Surgery Forum</i> , 2014, 17, 302.	0.5	7
21	Selective right atrial cardioneuroablation in functional atrioventricular block. <i>Europace</i> , 2017, 19, euv413.	1.7	5
22	Woven right coronary artery: A rare coronary anomaly. <i>Indian Heart Journal</i> , 2015, 67, 611-612.	0.5	4
23	The effects of hyperoxaemia on tissue oxygenation in patients with a nadir haematocrit lower than 20% during cardiopulmonary bypass. <i>Perfusion (United Kingdom)</i> , 2016, 31, 232-239.	1.0	4
24	Effects of permanent cardiac pacing on ventricular repolarization when compared to cardioneuroablation. <i>Journal of Electrocardiology</i> , 2021, 67, 13-18.	0.9	3
25	Severe pulmonary hypertension secondary to giant chronic dissecting aortic aneurysm presenting as chronic right heart failure. <i>Journal of Cardiology Cases</i> , 2013, 7, e57-e59.	0.5	2
26	Fragmented QRS is associated with ventricular tachycardia in patients with apical aneurysm with hypertrophic cardiomyopathy. <i>Indian Heart Journal</i> , 2016, 68, 199.	0.5	2
27	OP-106 [AJC Â» Electrocardiography and Non invasive electrocardiology] Assessment Of The Relationship Between Fragmented QRS Complexes In V4-V6 Leads And Left Ventricular Apical Thrombus Formation In Patients With A First Acute Anterior ST-segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, e31.	1.6	0
28	Evaluation of myocardial dispersion of repolarization in patients with heart transplantation. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 212-216.	0.9	0
29	The Association of Fractional Pulse Pressure with Acute Kidney Injury in Patients Undergoing Coronary Intervention due to ST-Segment Elevated Myocardial Infarction. <i>Medical Principles and Practice</i> , 2020, 29, 572-579.	2.4	0
30	Pregnancy-related atypical hemolytic uremic syndrome with renal, cardiac and obstetric complications and a satisfactory recovery: a case report. <i>Renal Failure</i> , 2021, 43, 460-462.	2.1	0
31	Response to the letter regarding the article "Neutrophil/lymphocyte ratio is associated with right ventricular dysfunction in patients with acute inferior ST-elevation myocardial infarction": <i>Cardiology Journal</i> , 2016, 23, 584-585.	1.2	0
32	Electrolyte Imbalance and Its Effect on QTc Interval in Patients Hospitalized with COVID-19. <i>Acta Medica</i> , 2020, 51, 1-9.	0.2	0
33	Myocardial strain assessment by 2D speckle-tracking echocardiography in patients with congenital myopathy. <i>Journal of Cardiovascular Echography</i> , 2021, 31, 214.	0.4	0