

Leontios G Kostrikis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4952658/leontios-g-kostrikis-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

6,381

citations

38

h-index

79

g-index

90

ext. papers

7,025

ext. citations

7.1

avg, IF

4.83

L-index

#	Paper	IF	Citations
88	A Comprehensive Molecular Epidemiological Analysis of SARS-CoV-2 Infection in Cyprus from April 2020 to January 2021: Evidence of a Highly Polyphyletic and Evolving Epidemic. <i>Viruses</i> , 2021 , 13,	6.2	5
87	Development of a new comprehensive HIV-1 genotypic drug resistance assay for all commercially available reverse transcriptase, protease and integrase inhibitors in patients infected with group M HIV-1 strains. <i>Infection, Genetics and Evolution</i> , 2020 , 81, 104243	4.5	0
86	Extensive Testing and Public Health Interventions for the Control of COVID-19 in the Republic of Cyprus between March and May 2020. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	9
85	Methodologies of Primary HPV Testing Currently Applied for Cervical Cancer Screening. <i>Life</i> , 2020 , 10,	3	3
84	Global and regional epidemiology of HIV-1 recombinants in 1990-2015: a systematic review and global survey. <i>Lancet HIV,the</i> , 2020 , 7, e772-e781	7.8	14
83	The development of inovirus-associated vector vaccines using phage-display technologies. <i>Expert Review of Vaccines</i> , 2019 , 18, 913-920	5.2	5
82	HCV Phylogeography of the General Population and High-Risk Groups in Cyprus Identifies the Island as a Global Sink for and Source of Infection. <i>Scientific Reports</i> , 2019 , 9, 10077	4.9	1
81	Global and regional molecular epidemiology of HIV-1, 1990-2015: a systematic review, global survey, and trend analysis. <i>Lancet Infectious Diseases, The</i> , 2019 , 19, 143-155	25.5	135
80	HIV-1 Infection in Cyprus, the Eastern Mediterranean European Frontier: A Densely Sampled Transmission Dynamics Analysis from 1986 to 2012. <i>Scientific Reports</i> , 2018 , 8, 1702	4.9	8
79	Restrictions for reimbursement of interferon-free direct-acting antiviral drugs for HCV infection in Europe. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 125-133	18.8	98
78	Cervical Cancer Screening Programs in Europe: The Transition Towards HPV Vaccination and Population-Based HPV Testing. <i>Viruses</i> , 2018 , 10,	6.2	88
77	HIV-1 transmission networks across Cyprus (2010-2012). <i>PLoS ONE</i> , 2018 , 13, e0195660	3.7	1
76	Re-analysis of unassigned hepatitis C virus (HCV) strain CYHCV025: Evidence of a highly divergent lineage within genotype 1. <i>Molecular Phylogenetics and Evolution</i> , 2017 , 109, 362-366	4.1	1
75	Targeting Pattern Recognition Receptors (PRR) for Vaccine Adjuvantation: From Synthetic PRR Agonists to the Potential of Defective Interfering Particles of Viruses. <i>Viruses</i> , 2017 , 9,	6.2	40
74	The global spread of HIV-1 subtype B epidemic. <i>Infection, Genetics and Evolution</i> , 2016 , 46, 169-179	4.5	32
73	Transmission of HIV Drug Resistance and the Predicted Effect on Current First-line Regimens in Europe. <i>Clinical Infectious Diseases</i> , 2016 , 62, 655-663	11.6	117
72	Primary resistance to integrase strand-transfer inhibitors in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 2885-8	5.1	47

71	Global Dispersal Pattern of HIV Type 1 Subtype CRF01_AE: A Genetic Trace of Human Mobility Related to Heterosexual Sexual Activities Centralized in Southeast Asia. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1735-44	7	50
70	Cellular HIV type 1 DNA levels are equivalent among drug-sensitive and drug-resistant strains in newly diagnosed and antiretroviral naive patients. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 266-71	1.6	4
69	Increase in transmitted resistance to non-nucleoside reverse transcriptase inhibitors among newly diagnosed HIV-1 infections in Europe. <i>BMC Infectious Diseases</i> , 2014 , 14, 407	4	38
68	Trends and predictors of transmitted drug resistance (TDR) and clusters with TDR in a local Belgian HIV-1 epidemic. <i>PLoS ONE</i> , 2014 , 9, e101738	3.7	30
67	Hepatitis C virus infection epidemiology among people who inject drugs in Europe: a systematic review of data for scaling up treatment and prevention. <i>PLoS ONE</i> , 2014 , 9, e103345	3.7	160
66	Short communication: molecular epidemiology of HIV type 1 infection in northern Greece (2009-2010): evidence of a transmission cluster of HIV type 1 subtype A1 drug-resistant strains among men who have sex with men. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 225-32	1.6	19
65	Architectural insight into inovirus-associated vectors (IAVs) and development of IAV-based vaccines inducing humoral and cellular responses: implications in HIV-1 vaccines. <i>Viruses</i> , 2014 , 6, 5047-76	6.2	5
64	Patterns of transmitted HIV drug resistance in Europe vary by risk group. <i>PLoS ONE</i> , 2014 , 9, e94495	3.7	28
63	Limited cross-border infections in patients newly diagnosed with HIV in Europe. <i>Retrovirology</i> , 2013 , 10, 36	3.6	39
62	HIV-1 subtype distribution and its demographic determinants in newly diagnosed patients in Europe suggest highly compartmentalized epidemics. <i>Retrovirology</i> , 2013 , 10, 7	3.6	103
61	HIV-1 vaccine strategies utilizing viral vectors including antigen- displayed inoviral vectors. <i>Current HIV Research</i> , 2013 , 11, 610-22	1.3	2
60	Molecular epidemiology and drug resistance prevalence of strains from newly diagnosed HIV-1 patients in Northern Greece during 2009-2010. <i>Retrovirology</i> , 2012 , 9, P30	3.6	78
59	Molecular epidemiology and genetic analysis of HCV infection in Cyprus within an intravenous drug user study cohort. <i>Retrovirology</i> , 2012 , 9,	3.6	78
58	Influx of uncommon HIV-1 strains from Eastern Europe and identification of a new unique recombinant strain among young Cypriot MSM in Cyprus. <i>Retrovirology</i> , 2012 , 9,	3.6	78
57	Treatment-associated polymorphisms in protease are significantly associated with higher viral load and lower CD4 count in newly diagnosed drug-naive HIV-1 infected patients. <i>Retrovirology</i> , 2012 , 9, 81	3.6	21
56	Molecular characterization of HIV type 1 strains from newly diagnosed patients in Cyprus (2007-2009) recovers multiple clades including unique recombinant strains and lack of transmitted drug resistance. <i>AIDS Research and Human Retroviruses</i> , 2011 , 27, 1183-99	1.6	12
55	Molecular epidemiology of hepatitis C infection in Cyprus within the general population and high-risk cohorts. <i>BMC Research Notes</i> , 2011 , 4, 468	2.3	4
54	Development of a molecular-beacon-based multi-allelic real-time RT-PCR assay for the detection of human coronavirus causing severe acute respiratory syndrome (SARS-CoV): a general methodology for detecting rapidly mutating viruses. <i>Archives of Virology</i> , 2011 , 156, 671-80	2.6	25

53	Near-full genome characterization of unclassified hepatitis C virus strains relating to genotypes 1 and 4. <i>Journal of Medical Virology</i> , 2011 , 83, 2119-27	19.7	7
52	Near-full genome characterisation of two natural intergenotypic 2k/1b recombinant hepatitis C virus isolates. <i>Advances in Virology</i> , 2011 , 2011, 710438	1.9	16
51	Hepatitis C infection among intravenous drug users attending therapy programs in Cyprus. <i>Journal of Medical Virology</i> , 2010 , 82, 263-70	19.7	24
50	Implications of hcv natural genetic diversity on HCV NS5B inhibitor NM283. <i>Retrovirology</i> , 2010 , 7,	3.6	78
49	Cellular HIV-1 DNA levels in drug sensitive strains are equivalent to those in drug resistant strains in newly-diagnosed patients in Europe. <i>PLoS ONE</i> , 2010 , 5, e10976	3.7	8
48	Near full-length genetic analysis of HIV sequences derived from Cyprus: evidence of a highly polyphyletic and evolving infection. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 727-40	1.6	12
47	Transmission of drug-resistant HIV-1 is stabilizing in Europe. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1503-8	7	186
46	Molecular beacon-based real-time PCR detection of primary isolates of Salmonella Typhimurium and Salmonella Enteritidis in environmental and clinical samples. <i>BMC Microbiology</i> , 2009 , 9, 97	4.5	55
45	Molecular epidemiology of hepatitis C infection in Cyprus: evidence of polyphyletic infection. <i>Journal of Medical Virology</i> , 2009 , 81, 238-48	19.7	27
44	Analysis of binding parameters of HIV-1 integrase inhibitors: correlates of drug inhibition and resistance. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 4806-18	3.4	14
43	Implications of HIV-1 M group polymorphisms on integrase inhibitor efficacy and resistance: genetic and structural in silico analyses. <i>Biochemistry</i> , 2009 , 48, 4-6	3.2	25
42	Use of molecular beacons and multi-allelic real-time PCR for detection of and discrimination between virulent Bacillus anthracis and other Bacillus isolates. <i>Journal of Microbiological Methods</i> , 2009 , 78, 45-53	2.8	23
41	Genetic analysis of HIV type 1 strains from newly infected untreated patients in cyprus: high genetic diversity and low prevalence of drug resistance. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 23-35	1.6	22
40	HIV-1 integrase: from biology to chemotherapeutics. <i>Current HIV Research</i> , 2007 , 5, 365-88	1.3	28
39	Global genetic variation of HIV-1 infection. <i>Current HIV Research</i> , 2006 , 4, 365-73	1.3	11
38	Viral correlates of HIV-1 disease. <i>Current HIV Research</i> , 2005 , 3, 113-32	1.3	4
37	Cellular HIV-1 DNA load predicts HIV-RNA rebound and the outcome of highly active antiretroviral therapy. <i>Aids</i> , 2004 , 18, 2261-7	3.5	37
36	Changes in T cell receptor excision DNA circle (TREC) levels in HIV type 1-infected subjects pre- and post-highly active antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 47-54	1.6	9

35	Emergence of minor populations of human immunodeficiency virus type 1 carrying the M184V and L90M mutations in subjects undergoing structured treatment interruptions. <i>Journal of Infectious Diseases</i> , 2003 , 188, 1433-43	7	114
34	The impact of human allelic variation on HIV-1 disease. <i>Current HIV Research</i> , 2003 , 1, 185-203	1.3	27
33	Recent thymic emigrants and prognosis in T- and B-cell childhood hematopoietic malignancies. <i>International Journal of Cancer</i> , 2002 , 101, 74-7	7.5	17
32	Quantitation of human immunodeficiency virus type 1 DNA forms with the second template switch in peripheral blood cells predicts disease progression independently of plasma RNA load. <i>Journal of Virology</i> , 2002 , 76, 10099-108	6.6	75
31	Persistent HIV-1 infection of natural killer cells in patients receiving highly active antiretroviral therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7015-20	11.5	119
30	Emergence of drug-resistant HIV-1 variants in patients undergoing structured treatment interruptions. <i>Aids</i> , 2002 , 16, 2342-4	3.5	41
29	Effects of CCR5-Delta32, CCR2-64I, and SDF-1 3SA alleles on HIV-1 disease progression: An international meta-analysis of individual-patient data. <i>Annals of Internal Medicine</i> , 2001 , 135, 782-95	8	225
28	CCR5 promoter polymorphisms in a Kenyan perinatal human immunodeficiency virus type 1 cohort: association with increased 2-year maternal mortality. <i>Journal of Infectious Diseases</i> , 2001 , 184, 89-92	7	39
27	T cell receptor excision circles and HIV-1 2-LTR episomal DNA to predict AIDS in patients not receiving effective therapy. <i>Aids</i> , 2001 , 15, 2245-50	3.5	10
26	Contrasting frequencies of CCR5delta32 and CCR2-64I alleles in the Tunisian population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 26, 298-9	3.1	3
25	HIV-specific cytotoxic T lymphocytes, HLA-A11, and chemokine-related factors may act synergistically to determine HIV resistance in CCR5 delta32-negative female sex workers in Chiang Rai, northern Thailand. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 719-34	1.6	69
24	Evidence of two distinct subsubtypes within the HIV-1 subtype A radiation. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 675-88	1.6	73
23	Contrasting Frequencies of CCR5Δ32 and CCR2-64I Alleles in the Tunisian Population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 26, 298-299	3.1	8
22	Impact of natural chemokine receptor polymorphisms on perinatal transmission of human immunodeficiency virus type 1. <i>Teratology</i> , 2000 , 61, 387-90		12
21	Persistence of episomal HIV-1 infection intermediates in patients on highly active anti-retroviral therapy. <i>Nature Medicine</i> , 2000 , 6, 76-81	50.5	368
20	CXCR4 mediates entry and productive infection of syncytia-inducing (X4) HIV-1 strains in primary macrophages. <i>Virology</i> , 2000 , 269, 294-304	3.6	38
19	Global distribution of the CCR2-64I/CCR5-59653T HIV-1 disease-protective haplotype. <i>Aids</i> , 2000 , 14, 483-9	3.5	54
18	Effects of in vivo CD8(+) T cell depletion on virus replication in rhesus macaques immunized with a live, attenuated simian immunodeficiency virus vaccine. <i>Journal of Experimental Medicine</i> , 2000 , 191, 1921-31	16.6	135

17	Effect of recent thymic emigrants on progression of HIV-1 disease. <i>Lancet, The</i> , 2000 , 355, 599-604	40	87
16	Measuring recent thymic emigrants in blood of normal and HIV-1-infected individuals before and after effective therapy. <i>Journal of Experimental Medicine</i> , 1999 , 190, 725-32	16.6	302
15	Genetic analysis of human immunodeficiency virus type 1 strains in Kenya: a comparison using phylogenetic analysis and a combinatorial melting assay. <i>AIDS Research and Human Retroviruses</i> , 1999 , 15, 329-35	1.6	22
14	Dramatic rise in plasma viremia after CD8(+) T cell depletion in simian immunodeficiency virus-infected macaques. <i>Journal of Experimental Medicine</i> , 1999 , 189, 991-8	16.6	1218
13	A polymorphism in the regulatory region of the CC-chemokine receptor 5 gene influences perinatal transmission of human immunodeficiency virus type 1 to African-American infants. <i>Journal of Virology</i> , 1999 , 73, 10264-71	6.6	111
12	Use of real-time PCR and molecular beacons to detect virus replication in human immunodeficiency virus type 1-infected individuals on prolonged effective antiretroviral therapy. <i>Journal of Virology</i> , 1999 , 73, 6099-103	6.6	186
11	A chemokine receptor CCR2 allele delays HIV-1 disease progression and is associated with a CCR5 promoter mutation. <i>Nature Medicine</i> , 1998 , 4, 350-3	50.5	377
10	Spectral genotyping of human alleles. <i>Science</i> , 1998 , 279, 1228-9	33.3	283
9	Genotyping HIV-1 and HCV Strains by a Combinatorial DNA Melting Assay (COMA). <i>Molecular Medicine</i> , 1998 , 4, 443-453	6.2	15
8	Use of coreceptors other than CCR5 by non-syncytium-inducing adult and pediatric isolates of human immunodeficiency virus type 1 is rare in vitro. <i>Journal of Virology</i> , 1998 , 72, 9337-44	6.6	120
7	An isolate of human immunodeficiency virus type 1 originally classified as subtype I represents a complex mosaic comprising three different group M subtypes (A, G, and I). <i>Journal of Virology</i> , 1998 , 72, 10234-41	6.6	74
6	Low frequency of CCR5delta32 allele among Greeks in Cyprus. <i>AIDS Research and Human Retroviruses</i> , 1997 , 13, 1373-4	1.6	15
5	Determining neutralization serotypes of HIV type 1 by neural networks. <i>AIDS Research and Human Retroviruses</i> , 1996 , 12, 1667-9	1.6	14
4	C2, and unusual filamentous bacterial virus: protein sequence and conformation, DNA size and conformation, and nucleotide/subunit ratio. <i>Biochemistry</i> , 1995 , 34, 4077-87	3.2	5
3	Genetic analysis of human immunodeficiency virus type 1 strains from patients in Cyprus: identification of a new subtype designated subtype I. <i>Journal of Virology</i> , 1995 , 69, 6122-30	6.6	121
2	Ultraviolet absorbance and circular dichroism of Pf1 virus: nucleotide/subunit ratio of unity, hyperchromic tyrosines and DNA bases, and high helicity in the subunits. <i>Biochemistry</i> , 1994 , 33, 1694-703 ²	3.2	34
1	Export of infectious particles by Escherichia coli transfected with the RF DNA of Pf1, a virus of Pseudomonas aeruginosa strain K. <i>Molecular Microbiology</i> , 1991 , 5, 2641-7	4.1	5