

Connie J Chang-Hasnain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4953088/publications.pdf>

Version: 2024-02-01

422
papers

12,257
citations

34016

52
h-index

32761

100
g-index

427
all docs

427
docs citations

427
times ranked

6108
citing authors

#	ARTICLE	IF	CITATIONS
1	A surface-emitting laser incorporating a high-index-contrast subwavelength grating. Nature Photonics, 2007, 1, 119-122.	15.6	537
2	Nanolasers grown on silicon. Nature Photonics, 2011, 5, 170-175.	15.6	469
3	High-contrast gratings for integrated optoelectronics. Advances in Optics and Photonics, 2012, 4, 379.	12.1	443
4	Slow-light optical buffers: capabilities and fundamental limitations. Journal of Lightwave Technology, 2005, 23, 4046-4066.	2.7	438
5	Ultrabroadband Mirror Using Low-Index Cladded Subwavelength Grating. IEEE Photonics Technology Letters, 2004, 16, 518-520.	1.3	388
6	Dynamic, polarization, and transverse mode characteristics of vertical cavity surface emitting lasers. IEEE Journal of Quantum Electronics, 1991, 27, 1402-1409.	1.0	369
7	Tunable VCSEL. IEEE Journal of Selected Topics in Quantum Electronics, 2000, 6, 978-987.	1.9	346
8	Slow light in semiconductor quantum wells. Optics Letters, 2004, 29, 2291.	1.7	291
9	Broad-Band Mirror ($1.12 \times 10^{-1} \mu\text{m}$) Using a Subwavelength Grating. IEEE Photonics Technology Letters, 2004, 16, 1676-1678.	1.3	270
10	Theoretical analysis of subwavelength high contrast grating reflectors. Optics Express, 2010, 18, 16973.	1.7	270
11	Critical diameter for III-V nanowires grown on lattice-mismatched substrates. Applied Physics Letters, 2007, 90, 043115.	1.5	211
12	Planar high-numerical-aperture low-loss focusing reflectors and lenses using subwavelength high contrast gratings. Optics Express, 2010, 18, 12606.	1.7	202
13	A nanoelectromechanical tunable laser. Nature Photonics, 2008, 2, 180-184.	15.6	198
14	Strong optical injection-locked semiconductor lasers demonstrating $>$ 100-GHz resonance frequencies and 80-GHz intrinsic bandwidths. Optics Express, 2008, 16, 6609.	1.7	176
15	Multiple wavelength tunable surface-emitting laser arrays. IEEE Journal of Quantum Electronics, 1991, 27, 1368-1376.	1.0	169
16	Injection locking of VCSELs. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 1386-1393.	1.9	148
17	Transverse mode characteristics of vertical cavity surface-emitting lasers. Applied Physics Letters, 1990, 57, 218-220.	1.5	142
18	Flexible photonic metastructures for tunable coloration. Optica, 2015, 2, 255.	4.8	140

#	ARTICLE	IF	CITATIONS
19	Surface-normal emission of a high-Q resonator using a subwavelength high-contrast grating. Optics Express, 2008, 16, 17282.	1.7	126
20	Physics of near-wavelength high contrast gratings. Optics Express, 2012, 20, 10888.	1.7	126
21	High-Index-Contrast Grating (HCG) and Its Applications in Optoelectronic Devices. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 1485-1499.	1.9	119
22	Recent advances in high-contrast metastructures, metasurfaces, and photonic crystals. Advances in Optics and Photonics, 2018, 10, 180.	12.1	119
23	Slow and Fast Light in Semiconductor Quantum-Well and Quantum-Dot Devices. Journal of Lightwave Technology, 2006, 24, 4642-4654.	2.7	118
24	GaAs micromachined widely tunable Fabry-Perot filters. Electronics Letters, 1995, 31, 228-229.	0.5	117
25	Tunable micromachined vertical cavity surface emitting laser. Electronics Letters, 1995, 31, 1671-1672.	0.5	115
26	Octave bandwidth photonic fishnet-achromatic-metalens. Nature Communications, 2020, 11, 3205.	5.8	108
27	Microwave performance of optically injection-locked VCSELs. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 788-796.	2.9	104
28	Atomically sharp catalyst-free wurtzite GaAs ^{1-x} AlGaAs nanoneedles grown on silicon. Applied Physics Letters, 2008, 93, 023116.	1.5	103
29	1550 nm high contrast grating VCSEL. Optics Express, 2010, 18, 15461.	1.7	97
30	GaAs-Based Nanoneedle Light Emitting Diode and Avalanche Photodiode Monolithically Integrated on a Silicon Substrate. Nano Letters, 2011, 11, 385-390.	4.5	97
31	Room temperature slow light in a quantum-well waveguide via coherent population oscillation. Optics Express, 2005, 13, 9909.	1.7	95
32	Slow light using semiconductor quantum dots. Journal of Physics Condensed Matter, 2004, 16, S3727-S3735.	0.7	89
33	Top-emitting micromechanical VCSEL with a 31.6-nm tuning range. IEEE Photonics Technology Letters, 1998, 10, 18-20.	1.3	84
34	Long-Wavelength VCSEL Using High-Contrast Grating. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1701311-1701311.	1.9	84
35	High-Contrast Grating VCSELs. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 869-878.	1.9	82
36	High-contrast gratings as a new platform for integrated optoelectronics. Semiconductor Science and Technology, 2011, 26, 014043.	1.0	79

#	ARTICLE	IF	CITATIONS
37	High power with high efficiency in a narrow single-lobed beam from a diode laser array in an external cavity. Applied Physics Letters, 1987, 50, 1465-1467.	1.5	78
38	Tunable ultraslow light in vertical-cavity surface-emitting laser amplifier. Optics Express, 2005, 13, 7899.	1.7	75
39	Matrix Fabry-Perot resonance mechanism in high-contrast gratings. Optics Letters, 2011, 36, 1704.	1.7	71
40	Vertical-cavity surface-emitting InGaAs/GaAs lasers with planar lateral definition. Applied Physics Letters, 1990, 56, 2384-2386.	1.5	70
41	A novel ultra-low loss hollow-core waveguide using subwavelength high-contrast gratings. Optics Express, 2009, 17, 1508.	1.7	70
42	Heterogeneously integrated long-wavelength VCSEL using silicon high contrast grating on an SOI substrate. Optics Express, 2015, 23, 2512.	1.7	67
43	Optical phased array using high contrast gratings for two dimensional beamforming and beamsteering. Optics Express, 2013, 21, 12238.	1.7	66
44	Novel cascaded injection-locked 1.55- μ m VCSELs with 66 GHz modulation bandwidth. Optics Express, 2007, 15, 14810.	1.7	63
45	Monolithically integrated multi-wavelength VCSEL arrays using high-contrast gratings. Optics Express, 2010, 18, 694.	1.7	61
46	Growth mechanisms and crystallographic structure of InP nanowires on lattice-mismatched substrates. Journal of Applied Physics, 2008, 104, 044313.	1.1	59
47	50-GHz optically injection-locked 1.55- μ m VCSELs. IEEE Photonics Technology Letters, 2006, 18, 367-369.	1.3	58
48	Matrix addressable vertical cavity surface emitting laser array. Electronics Letters, 1991, 27, 437.	0.5	57
49	Nanophotonic integrated circuits from nanoresonators grown on silicon. Nature Communications, 2014, 5, 4325.	5.8	57
50	Widely and continuously tunable micromachined resonant cavity detector with wavelength tracking. IEEE Photonics Technology Letters, 1996, 8, 98-100.	1.3	56
51	Optoelectronic Oscillators Using Direct-Modulated Semiconductor Lasers Under Strong Optical Injection. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 572-577.	1.9	56
52	Optical beamsteering using an 8 \times 8 MEMS phased array with closed-loop interferometric phase control. Optics Express, 2013, 21, 2807.	1.7	56
53	Wavelength-Swept VCSELs. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 1-16.	1.9	54
54	Nano electro-mechanical optoelectronic tunable VCSEL. Optics Express, 2007, 15, 1222.	1.7	53

#	ARTICLE	IF	CITATIONS
55	Unconventional Growth Mechanism for Monolithic Integration of III-V on Silicon. ACS Nano, 2013, 7, 100-107.	7.3	53
56	Wavelength-selectable laser emission from a multistriple array grating integrated cavity laser. Applied Physics Letters, 1992, 61, 2750-2752.	1.5	52
57	Single-mode, passive antiguide vertical cavity surface emitting laser. IEEE Journal of Selected Topics in Quantum Electronics, 1995, 1, 629-637.	1.9	52
58	Second-harmonic generation from a single wurtzite GaAs nanoneedle. Applied Physics Letters, 2010, 96, 051110.	1.5	52
59	Broadband Modulation Performance of 100-GHz EO Polymer MZMs. Journal of Lightwave Technology, 2012, 30, 3647-3652.	2.7	51
60	Low threshold buried heterostructure vertical cavity surface emitting laser. Applied Physics Letters, 1993, 63, 1307-1309.	1.5	50
61	Large Fabrication Tolerance for VCSELs Using High-Contrast Grating. IEEE Photonics Technology Letters, 2008, 20, 434-436.	1.3	50
62	High-contrast grating resonators for label-free detection of disease biomarkers. Scientific Reports, 2016, 6, 27482.	1.6	50
63	Improved Semiconductor-Laser Dynamics From Induced Population Pulsation. IEEE Journal of Quantum Electronics, 2006, 42, 552-562.	1.0	49
64	Tunable VCSEL with ultra-thin high contrast grating for high-speed tuning. Optics Express, 2008, 16, 14221.	1.7	49
65	High speed optical phased array using high contrast grating all-pass filters. Optics Express, 2014, 22, 20038.	1.7	49
66	Ultraslow light ($<200\text{m}\hat{\text{a}}\text{s}$) propagation in a semiconductor nanostructure. Applied Physics Letters, 2005, 87, 171102.	1.5	48
67	Slow light in semiconductor heterostructures. Journal Physics D: Applied Physics, 2007, 40, R93-R107.	1.3	48
68	Study of long-wavelength VCSEL-VCSEL injection locking for 2.5-Gb/s transmission. IEEE Photonics Technology Letters, 2002, 14, 1635-1637.	1.3	46
69	Multistriple array grating integrated cavity (MAGIC) laser: a new semiconductor laser for WDM applications. Electronics Letters, 1992, 28, 1805.	0.5	46
70	Very high efficiency optical coupler for silicon nanophotonic waveguide and single mode optical fiber. Optics Express, 2017, 25, 18462.	1.7	45
71	Nanopillar quantum well lasers directly grown on silicon and emitting at silicon-transparent wavelengths. Optica, 2017, 4, 717.	4.8	45
72	Monolithic high-contrast metastructure for beam-shaping VCSELs. Optica, 2018, 5, 10.	4.8	45

#	ARTICLE	IF	CITATIONS
73	22-Gb/s Long Wavelength VCSELs. Optics Express, 2009, 17, 17547.	1.7	44
74	Long-Wavelength High-Contrast Grating Vertical-Cavity Surface-Emitting Laser. IEEE Photonics Journal, 2010, 2, 415-422.	1.0	44
75	Tailoring the Optical Characteristics of Microsized InP Nanoneedles Directly Grown on Silicon. Nano Letters, 2014, 14, 183-190.	4.5	44
76	High performance micromechanical tunable vertical cavity surface emitting lasers. Electronics Letters, 1996, 32, 1888.	0.5	43
77	THz-bandwidth tunable slow light in semiconductor optical amplifiers. Optics Express, 2007, 15, 747.	1.7	42
78	Single mode high-contrast subwavelength grating vertical cavity surface emitting lasers. Applied Physics Letters, 2008, 92, 171108.	1.5	42
79	Optics and Photonics: Key Enabling Technologies. Proceedings of the IEEE, 2012, 100, 1604-1643.	16.4	42
80	Optical properties of InP nanowires on Si substrates with varied synthesis parameters. Applied Physics Letters, 2008, 92, 013121.	1.5	41
81	Monolithic 2D-VCSEL array with >2 W CW and >5 W pulsed output power. Electronics Letters, 1998, 34, 2132.	0.5	40
82	Nonequilibrium model for semiconductor laser modulation response. IEEE Journal of Quantum Electronics, 2002, 38, 402-409.	1.0	40
83	A 32 Å— 32 optical phased array using polysilicon sub-wavelength high-contrast-grating mirrors. Optics Express, 2014, 22, 19029.	1.7	40
84	Surface-normal electro-optic spatial light modulator using graphene integrated on a high-contrast grating resonator. Optics Express, 2016, 24, 26035.	1.7	39
85	Diffraction-limited emission from a diode laser array in an apertured graded-index lens external cavity. Applied Physics Letters, 1986, 49, 614-616.	1.5	38
86	Slow and superluminal light in semiconductor optical amplifiers. Electronics Letters, 2005, 41, 922.	0.5	38
87	Fabrication and design of an integrable subwavelength ultrabroadband dielectric mirror. Applied Physics Letters, 2006, 88, 031102.	1.5	38
88	Bandwidth Enhancement by Master Modulation of Optical Injection-Locked Lasers. Journal of Lightwave Technology, 2008, 26, 2584-2593.	2.7	38
89	Core-shell InGaAs/GaAs quantum well nanoneedles grown on silicon with silicon-transparent emission. Optics Express, 2009, 17, 7831.	1.7	38
90	Photoluminescence properties of InAs nanowires grown on GaAs and Si substrates. Nanotechnology, 2010, 21, 335705.	1.3	38

#	ARTICLE	IF	CITATIONS
91	2-D WDM optical interconnections using multiple-wavelength VCSEL's for simultaneous and reconfigurable communication among many planes. IEEE Photonics Technology Letters, 1993, 5, 838-841.	1.3	37
92	Experimental demonstration of slow and superluminal light in semiconductor optical amplifiers. Optics Express, 2006, 14, 12968.	1.7	37
93	Size effect of high contrast gratings in VCSELs. Optics Express, 2009, 17, 24002.	1.7	37
94	Nanolasers grown on silicon-based MOSFETs. Optics Express, 2012, 20, 12171.	1.7	36
95	Spatial mode structure of broad-area semiconductor quantum well lasers. Applied Physics Letters, 1989, 54, 205-207.	1.5	35
96	Widely tunable torsional optical filter. IEEE Photonics Technology Letters, 2002, 14, 819-821.	1.3	35
97	Performance of a Multi-Cb/s 60 GHz Radio Over Fiber System Employing a Directly Modulated Optically Injection-Locked VCSEL. Journal of Lightwave Technology, 2010, 28, 2436-2444.	2.7	35
98	High-quality InP nanoneedles grown on silicon. Applied Physics Letters, 2013, 102, .	1.5	34
99	Multiple-wavelength vertical-cavity surface-emitting laser arrays with a record wavelength span. IEEE Photonics Technology Letters, 1996, 8, 4-6.	1.3	33
100	Enhancement of dynamic range in 1.55- μ m VCSELs using injection locking. IEEE Photonics Technology Letters, 2003, 15, 498-500.	1.3	33
101	GaAs nanoneedles grown on sapphire. Applied Physics Letters, 2011, 98, 123101.	1.5	33
102	Site-Controlled Growth of Monolithic InGaAs/InP Quantum Well Nanopillar Lasers on Silicon. Nano Letters, 2017, 17, 2697-2702.	4.5	33
103	Self-pulsating and bistable VCSEL with controllable intracavity quantum-well saturable absorber. Electronics Letters, 1997, 33, 1708.	0.5	33
104	Greatly enhanced modulation response of injection-locked multimode VCSELs. Optics Express, 2008, 16, 21582.	1.7	31
105	Low loss hollow-core waveguide on a silicon substrate. Nanophotonics, 2012, 1, 23-29.	2.9	31
106	Laser optomechanics. Scientific Reports, 2015, 5, 13700.	1.6	31
107	Multigigabit/s operations of 16-wavelength vertical-cavity surface-emitting laser array. IEEE Photonics Technology Letters, 1991, 3, 863-865.	1.3	30
108	Rastered, uniformly separated wavelengths emitted from a two-dimensional vertical-cavity surface-emitting laser array. Applied Physics Letters, 1991, 58, 31-33.	1.5	29

#	ARTICLE	IF	CITATIONS
109	Demonstration of piezoelectric actuated GaAs-based MEMS tunable VCSEL. IEEE Photonics Technology Letters, 2006, 18, 1197-1199.	1.3	29
110	Widely tunable 1.5 [μm] micromechanical optical filter using AlOx/AlGaAs DBR. Electronics Letters, 1997, 33, 1702.	0.5	28
111	Beyond-Bandwidth Electrical Pulse Modulation of a TO-Can Packaged VCSEL for 10 Gbit/s Injection-Locked NRZ-to-RZ Transmission. Journal of Lightwave Technology, 2011, 29, 830-841.	2.7	28
112	Optically Injection-Locked 1.55- μm VCSELs as Upstream Transmitters in WDM-PONs. IEEE Photonics Technology Letters, 2006, 18, 2371-2373.	1.3	27
113	Widely tunable 1060-nm VCSEL with high-contrast grating mirror. Optics Express, 2017, 25, 11844.	1.7	27
114	Characteristics of the off-axis centered apertured mirror external cavity laser array. Applied Physics Letters, 1989, 54, 484-486.	1.5	26
115	Elastic energy relaxation and critical thickness for plastic deformation in the core-shell InGaAs/GaAs nanopillars. Journal of Applied Physics, 2013, 113, .	1.1	26
116	Nanopillar Lasers Directly Grown on Silicon with Heterostructure Surface Passivation. ACS Nano, 2014, 8, 6833-6839.	7.3	26
117	Ultracompact Position-Controlled InP Nanopillar LEDs on Silicon with Bright Electroluminescence at Telecommunication Wavelengths. ACS Photonics, 2017, 4, 695-702.	3.2	26
118	MEMS-tunable VCSELs using 2D high-contrast gratings. Optics Letters, 2017, 42, 823.	1.7	26
119	Ultra-sensitive immunoassay using VCSEL detection system. Electronics Letters, 2004, 40, 649.	0.5	24
120	Compact Label-Free Biosensor Using VCSEL-Based Measurement System. IEEE Photonics Technology Letters, 2004, 16, 1712-1714.	1.3	24
121	Novel modulated-master injection-locked 1.55- μm VCSELs. Optics Express, 2006, 14, 10500.	1.7	24
122	Monolithic Integrated Piezoelectric MEMS-Tunable VCSEL. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 374-380.	1.9	24
123	Experimental and theoretical study of wide hysteresis cycles in 1550 nm VCSELs under optical injection. Optics Express, 2013, 21, 3125.	1.7	24
124	Illumination Angle Insensitive Single Indium Phosphide Tapered Nanopillar Solar Cell. Nano Letters, 2015, 15, 4961-4967.	4.5	24
125	Theory and design of two-dimensional high-contrast-grating phased arrays. Optics Express, 2015, 23, 24508.	1.7	24
126	Tunable electroabsorption in gallium arsenide doping superlattices. Applied Physics Letters, 1987, 50, 915-917.	1.5	22

#	ARTICLE	IF	CITATIONS
127	Polarization control of vertical-cavity surface-emitting lasers by electro-optic birefringence. Applied Physics Letters, 2000, 76, 813-815.	1.5	22
128	A New Amplifier Model for Resonance Enhancement of Optically Injection-Locked Lasers. IEEE Photonics Technology Letters, 2008, 20, 395-397.	1.3	22
129	Greatly increased fiber transmission distance with an optically injection-locked vertical-cavity surface-emitting laser. Optics Express, 2009, 17, 13785.	1.7	22
130	Ultrahigh Responsivity-Bandwidth Product in a Compact InP Nanopillar Phototransistor Directly Grown on Silicon. Scientific Reports, 2016, 6, 33368.	1.6	22
131	Modulation of a vertical-cavity surface-emitting laser using an intracavity quantum-well absorber. IEEE Photonics Technology Letters, 1998, 10, 319-321.	1.3	21
132	Low Birefringence and 2-D Optical Confinement of Hollow Waveguide With Distributed Bragg Reflector and High-Index-Contrast Grating. IEEE Photonics Journal, 2009, 1, 135-143.	1.0	21
133	Temperature dependence of light-current characteristics of 0.98- μm Al-free strained-quantum-well lasers. IEEE Photonics Technology Letters, 1994, 6, 1303-1305.	1.3	20
134	VCSEL Optoelectronic Biosensor for Detection of Infectious Diseases. IEEE Photonics Technology Letters, 2008, 20, 443-445.	1.3	20
135	Monolithic multiple wavelength surface emitting laser arrays. Journal of Lightwave Technology, 1991, 9, 1665-1673.	2.7	19
136	High performance and novel effects of micromechanical tunable vertical-cavity lasers. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 691-697.	1.9	19
137	Single Crystalline InGaAs Nanopillar Grown on Polysilicon with Dimensions beyond the Substrate Grain Size Limit. Nano Letters, 2013, 13, 5931-5937.	4.5	19
138	High Brightness InP Micropillars Grown on Silicon with Fermi Level Splitting Larger than 1 eV. Nano Letters, 2014, 14, 3235-3240.	4.5	19
139	Effect of facet roughness on etched-facet semiconductor laser diodes. Applied Physics Letters, 1996, 68, 1598-1600.	1.5	18
140	Inducing electron spin coherence in GaAs quantum well waveguides: Spin coherence without spin precession. Physical Review B, 2005, 72, .	1.1	18
141	Wurtzite-Phased InP Micropillars Grown on Silicon with Low Surface Recombination Velocity. Nano Letters, 2015, 15, 7189-7198.	4.5	18
142	Multiple-wavelength vertical cavity laser arrays on patterned substrates. IEEE Journal of Selected Topics in Quantum Electronics, 1995, 1, 624-628.	1.9	17
143	The physics of negative differential resistance of an intracavity voltage-controlled absorber in a vertical-cavity surface-emitting laser. Applied Physics Letters, 1998, 73, 1796-1798.	1.5	17
144	Injection-Locked 1.55- μm Tunable VCSEL for Uncooled WDM Transmitter Applications. IEEE Photonics Technology Letters, 2004, 16, 888-890.	1.3	17

#	ARTICLE	IF	CITATIONS
145	Surface-normal coupled four-wave mixing in a high contrast gratings resonator. Optics Express, 2015, 23, 29565.	1.7	17
146	A novel all-optical self-routed wavelength-addressable network (SWANET). IEEE Photonics Technology Letters, 1995, 7, 1066-1068.	1.3	16
147	Bandwidth enhancement of injection-locked distributed reflector lasers with wirelike active regions. Optics Express, 2010, 18, 16370.	1.7	16
148	Metastable Growth of Pure Wurtzite InGaAs Microstructures. Nano Letters, 2014, 14, 4757-4762.	4.5	16
149	Low threshold 0.98 μ m aluminium-free strained-quantum-well InGaAs/InGaAsP/InGaP lasers. Electronics Letters, 1993, 29, 1-2.	0.5	15
150	Beam steerable semiconductor lasers with large steering range and resolvable spots. Electronics Letters, 1994, 30, 2034-2035.	0.5	15
151	Transverse mode selection with a passive antiguide region in vertical cavity surface emitting lasers. IEEE Photonics Technology Letters, 1994, 6, 924-926.	1.3	15
152	Collimating diode laser beams from a large-area VCSEL-array using microlens array. IEEE Photonics Technology Letters, 1999, 11, 506-508.	1.3	15
153	Thermal oxidation of AlGaAs: modeling and process control. IEEE Journal of Quantum Electronics, 2003, 39, 577-585.	1.0	15
154	Long Distance Single-mode Fiber Transmission of Multimode VCSELs by Injection Locking. Optics Express, 2010, 18, 20552.	1.7	15
155	Use of a multiwavelength surface-emitting laser array in a four-channel wavelength-division-multiplexed system experiment. IEEE Photonics Technology Letters, 1991, 3, 268-269.	1.3	14
156	Polarisation and modal behaviour of low threshold oxide and airgap confined vertical cavity lasers. Electronics Letters, 1995, 31, 2014-2015.	0.5	14
157	A proposal of broad-bandwidth vertical-cavity laser amplifier. IEEE Photonics Technology Letters, 1995, 7, 1240-1242.	1.3	14
158	Vertical-cavity lasers with an intracavity resonant detector. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 416-421.	1.9	14
159	Multiple-wavelength vertical-cavity surface-emitting laser arrays. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 422-428.	1.9	14
160	Compact, integrated optical disk readout head using a novel bistable vertical-cavity surface-emitting laser. IEEE Photonics Technology Letters, 1999, 11, 245-247.	1.3	14
161	50 km error-free 10 Gbit/s WDM transmission using directly modulated long-wavelength VCSELs. Electronics Letters, 2000, 36, 1793.	0.5	14
162	Transmission performance of a 1.5- μ m 2.5-Gb/s directly modulated tunable VCSEL. IEEE Photonics Technology Letters, 2003, 15, 599-601.	1.3	14

#	ARTICLE	IF	CITATIONS
163	Chirp-enhanced fast light in semiconductor optical amplifiers. Optics Express, 2007, 15, 17631.	1.7	14
164	Reflection-mode optical injection locking. Optics Express, 2010, 18, 20887.	1.7	14
165	Breakthroughs in Photonics 2013: Advances in Nanoantennas. IEEE Photonics Journal, 2014, 6, 1-6.	1.0	14
166	Integrated external cavity quantum well laser array using single epitaxial growth on a patterned substrate. Applied Physics Letters, 1990, 56, 429-431.	1.5	13
167	Parasitics and design considerations on oxide-implant VCSELs. IEEE Photonics Technology Letters, 2001, 13, 1274-1276.	1.3	13
168	Dispersion properties of high-contrast grating hollow-core waveguides. Optics Letters, 2010, 35, 4099.	1.7	13
169	Spatial mode structure of index-guided broad-area quantum-well lasers. IEEE Journal of Quantum Electronics, 1990, 26, 1713-1716.	1.0	12
170	Buried heterostructure 0.98 μ m InGaAs/InGaAsP/InGaP lasers. Applied Physics Letters, 1993, 63, 2183-2185.	1.5	12
171	Slow light using spin coherence and V-type electromagnetically induced transparency in [110] strained quantum wells. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 849.	0.9	12
172	III-V Compound Semiconductor Nanopillars Monolithically Integrated to Silicon Photonics. ACS Photonics, 2017, 4, 1021-1025.	3.2	12
173	Effect of operating electric power on the dynamic behavior of quantum well vertical-cavity surface-emitting lasers. Applied Physics Letters, 1991, 58, 1247-1249.	1.5	11
174	High performance continuously tunable top-emitting vertical cavity laser with 20 nm wavelength range. Electronics Letters, 1997, 33, 1051.	0.5	11
175	A novel 4 x 8 single-mode independently addressable oxide-isolated VCSEL array. IEEE Photonics Technology Letters, 1997, 9, 1196-1198.	1.3	11
176	High-yield processing and single-mode operation of passive antiguide region vertical-cavity lasers. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 429-434.	1.9	11
177	Electrically tunable fast light at THz bandwidth using cascaded semiconductor optical amplifiers. Optics Express, 2007, 15, 15863.	1.7	11
178	Optical phase modulation based on directly modulated reflection-mode OIL-VCSEL. Optics Express, 2013, 21, 22114.	1.7	11
179	Accurate molecular beam epitaxial growth of vertical-cavity surface-emitting laser using diode laser reflectometry. IEEE Photonics Technology Letters, 1995, 7, 971-973.	1.3	10
180	Compact 2D laser beam scanner with fan laser array and Si micromachined microscanner. Electronics Letters, 1997, 33, 1143.	0.5	10

#	ARTICLE	IF	CITATIONS
181	Dynamic behavior and applications of a three-contact vertical-cavity surface-emitting laser. IEEE Journal of Selected Topics in Quantum Electronics, 1999, 5, 512-519.	1.9	10
182	Buried selectively-oxidized AlGaAs structures grown on nonplanar substrates. Optics Express, 2002, 10, 1003.	1.7	10
183	Variable optical buffer using slow light in semiconductor nanostructures. , 2004, , .		10
184	Design of a monolithic piezoelectrically actuated microelectromechanical tunable vertical-cavity surface-emitting laser. Optics Letters, 2005, 30, 896.	1.7	10
185	Rayleigh backscattering and extinction ratio study of optically injection-locked 1.55- μ m VCSELs. Electronics Letters, 2007, 43, 182.	0.5	10
186	Upstream vertical cavity surface-emitting lasers for fault monitoring and localization in WDM passive optical networks. Optics Communications, 2008, 281, 2218-2226.	1.0	10
187	Valence Band Splitting in Wurtzite InGaAs Nanoneedles Studied by Photoluminescence Excitation Spectroscopy. ACS Nano, 2014, 8, 11440-11446.	7.3	10
188	High speed operation of hybrid CMOS vertical cavity surface emitting laser array. Electronics Letters, 1991, 27, 1189.	0.5	9
189	Micromechanical tunable optical filters: general design rules for wavelengths from near-IR up to 10 μ m. Sensors and Actuators A: Physical, 2005, 119, 57-62.	2.0	9
190	Electron Spin Polarization Induced by Linearly Polarized Light in a (110) GaAs Quantum-Well Waveguide. Physical Review Letters, 2009, 102, 206604.	2.9	9
191	Analog Signal Transmission in a High-Contrast-Gratings-Based Hollow-Core-Waveguide. Journal of Lightwave Technology, 2012, 30, 3640-3646.	2.7	9
192	Comprehensive model of 1550 nm MEMS-tunable high-contrast-grating VCSELs. Optics Express, 2014, 22, 8541.	1.7	9
193	Three-dimensional whispering gallery modes in InGaAs nanoneedle lasers on silicon. Applied Physics Letters, 2014, 105, .	1.5	9
194	Composition Homogeneity in InGaAs/GaAs Core-Shell Nanopillars Monolithically Grown on Silicon. ACS Applied Materials & Interfaces, 2014, 6, 16706-16711.	4.0	9
195	Resonant-antiresonant coupled cavity VCSELs. Optics Express, 2019, 27, 1798.	1.7	9
196	Experimental demonstration of reconfigurable and simultaneous wavelength-division-multiplexed multiple-plane optical interconnections. IEEE Photonics Technology Letters, 1996, 8, 302-304.	1.3	8
197	VCSEL for Metro Communications. , 2002, , 666-698.		8
198	Ultrahigh-bandwidth electrically tunable fast and slow light in semiconductor optical amplifiers [Invited]. Journal of the Optical Society of America B: Optical Physics, 2008, 25, C46.	0.9	8

#	ARTICLE	IF	CITATIONS
199	Greatly enhanced slow and fast light in chirped pulse semiconductor optical amplifiers: Theory and experiments. Optics Express, 2009, 17, 2188.	1.7	8
200	Polarized zone-center phonon modes of wurtzite GaAs. Physical Review B, 2010, 81, .	1.1	8
201	An ellipse model for cavity mode behavior of optically injection-locked VCSELs. Optics Express, 2012, 20, 6980.	1.7	8
202	Novel high efficiency vertical to in-plane optical coupler. , 2012, , .		8
203	Intracavity resonant quantum-well photodetection of a vertical-cavity surface-emitting laser. Electronics Letters, 1997, 33, 597.	0.5	7
204	Experimental demonstration of a four-plane 2-D multiple-wavelength optical interconnection using integrated VCSEL arrays and MQW/DBR detectors. IEEE Photonics Technology Letters, 1997, 9, 1646-1648.	1.3	7
205	Optically Injection-Locked Optoelectronic Oscillators with Low RF Threshold Gain. , 2007, , .		7
206	Optoelectronic Oscillator Using Injection-Locked VCSELs. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	7
207	Tunable Optical Equalizer Using Diffraction Grating Filters. IEEE Photonics Technology Letters, 2008, 20, 1590-1592.	1.3	7
208	Adjustable Chirp Injection-Locked 1.55- μm VCSELs for Enhanced Chromatic Dispersion Compensation at 10-Gbit/s. , 2008, , .		7
209	Tunable 1550nm VCSELs using high-contrast grating for next-generation networks. Proceedings of SPIE, 2013, , .	0.8	7
210	Long-Wavelength Tunable Detector Using High-Contrast Grating. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 178-185.	1.9	7
211	High quality GaAs quantum well lasers grown on InP substrates by organometallic chemical vapor deposition. Applied Physics Letters, 1989, 54, 156-158.	1.5	6
212	Buried selectively oxidized AlGaAs structures grown on nonplanar substrates. IEEE Photonics Technology Letters, 2003, 15, 75-77.	1.3	6
213	Ultracompact high-sensitivity label-free biosensor using VCSEL. , 2004, 5328, 140.		6
214	Ultrahigh-speed laser modulation by injection locking. , 2008, , 145-182.		6
215	Growth kinetics of GaAs nanoneedles on silicon and sapphire substrates. Applied Physics Letters, 2011, 98, 153113.	1.5	6
216	Physics of high contrast gratings: a band diagram insight. Proceedings of SPIE, 2013, , .	0.8	6

#	ARTICLE	IF	CITATIONS
217	Integrated plasmonic refractive index sensor based on grating/metal film resonant structure. Proceedings of SPIE, 2016, , .	0.8	6
218	Tunable absorption and electroluminescence in GaAs doping superlattices. Superlattices and Microstructures, 1987, 3, 277-282.	1.4	5
219	Improved threshold characteristics of air-post vertical-cavity surface-emitting lasers using unique etching process. Electronics Letters, 1991, 27, 2243.	0.5	5
220	Comparative study of the analog performance of a vertical-cavity surface-emitting laser under gain and cavity loss modulation. Applied Physics Letters, 2000, 77, 2092-2094.	1.5	5
221	Bandwidth Enhancement by Optical Amplitude and Phase Modulation of Injection-Locked Semiconductor Lasers. , 2007, , .		5
222	High-Speed Modulation of Optical Injection-Locked Semiconductor Lasers. , 2008, , .		5
223	80-GHz intrinsic 3-dB bandwidth of directly modulated semiconductor lasers under optical injection locking. , 2008, , .		5
224	NEMO tunable VCSEL using ultra compact high contrast grating for high speed tuning. , 2008, , .		5
225	Multi-Gbps ASK and QPSK-modulated 60 GHz RoF Link using an Optically Injection Locked VCSEL. , 2010, , .		5
226	Low-loss slow light inside high contrast grating waveguide. Proceedings of SPIE, 2012, , .	0.8	5
227	Feasibility of Using High-Contrast Grating as a Point-of-Care Sensor for Therapeutic Drug Monitoring of Immunosuppressants. IEEE Journal of Translational Engineering in Health and Medicine, 2020, 8, 1-6.	2.2	5
228	Characteristics of a monolithically integrated doping superlattice optical circuit. Applied Physics Letters, 1988, 52, 1765-1767.	1.5	4
229	Lateral and longitudinal mode discrimination in index-guided circular ring semiconductor lasers. IEEE Photonics Technology Letters, 1993, 5, 975-978.	1.3	4
230	Reconfigurable Multifunctional Operation Using Optical Injection-Locked Vertical-Cavity Surface-Emitting Lasers. Journal of Lightwave Technology, 2009, 27, 2958-2963.	2.7	4
231	High Reflectivity Subwavelength Metal Grating for VCSEL Applications. , 2011, , .		4
232	High-speed avalanche photodiodes using III–V nanopillars monolithically grown on silicon. , 2012, , .		4
233	Slow-light high contrast metastructure hollow-core waveguides. , 2012, , .		4
234	High-Q and low-loss chalcogenide waveguide for nonlinear supercontinuum generation. , 2016, , .		4

#	ARTICLE	IF	CITATIONS
235	Room-temperature Fabry-Perot resonances in suspended InGaAs/InP quantum-well nanopillars on a silicon substrate. Optics Express, 2017, 25, 271.	1.7	4
236	VCSEL Array for 3D Sensing. , 2019, , .		4
237	Novel Inverse-tone High Contrast Grating Reflector. , 2010, , .		4
238	<title>Electronically and optically controllable vertical-cavity surface-emitting laser arrays for optical interconnect and signal processing applications (Invited Paper)</title>. , 1992, , .		3
239	Al-based thermal oxides in vertical cavity surface emitting lasers. , 1997, , .		3
240	Self-pulsations, bistability, and intracavity quantum well absorber modulation of VCSELs. , 1997, , .		3
241	Angle-etched facet laser arrays (fan laser arrays). IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 684-690.	1.9	3
242	Novel Fault Monitoring and Localization Scheme in WDM-PONs with Upstream VCSEL Transmitters. , 2007, , .		3
243	Multiwavelength HCG-VCSEL array. , 2010, , .		3
244	Optical phased array for far field beam steering with varied HCG. Proceedings of SPIE, 2012, , .	0.8	3
245	High speed, ultra-compact spectrometer using high contrast grating swept-wavelength detector. , 2013, , .		3
246	Sub-cycle QAM modulation for VCSEL-based optical fiber links. Optics Express, 2013, 21, 1830.	1.7	3
247	1550-nm wavelength-tunable HCG VCSELs. Proceedings of SPIE, 2014, , .	0.8	3
248	Progress and prospects of silicon-based design for optical phased array. Proceedings of SPIE, 2016, , .	0.8	3
249	High-efficiency aperiodic two-dimensional high-contrast-grating hologram. , 2016, , .		3
250	Ultra-low Loss Hollow-core Waveguides Using High-Contrast Gratings. , 2009, , .		3
251	Integration of III-V Nanopillar Resonator to In-Plane Silicon Waveguides. , 2016, , .		3
252	Tunable Pulse Delay Demonstration using Four-Wave Mixing in Semiconductor Optical Amplifiers. , 2006, , .		3

#	ARTICLE	IF	CITATIONS
253	Data inversion and adjustable chirp in 10-Gbps directly-modulated injection-locked 1.55- μm VCSELs. , 2008, , .		3
254	Novel Three-dimensional Hollow-core Waveguide Using High-contrast Sub-wavelength Grating. , 2011, , .		3
255	Location-resolvable optical monitored growth of multiple-wavelength vertical-cavity laser arrays. Electronics Letters, 1995, 31, 1840-1842.	0.5	3
256	Ultracompact Structured Light System of Vertical-Cavity Surface-Emitting Lasers Combining Metagratings. , 2020, , .		3
257	Single-transverse mode, low threshold current vertical-cavity surface-emitting laser. IEEE Transactions on Electron Devices, 1993, 40, 2116-2117.	1.6	2
258	Periodic mode shift in vertical cavities grown by molecular beam epitaxy. IEEE Photonics Technology Letters, 1995, 7, 235-237.	1.3	2
259	1.55- μm tunable VCSEL for metro-WDM applications. , 2001, , .		2
260	Electrically pumped directly modulated 1550-nm tunable VCSELs. , 2002, 4905, 198.		2
261	Demonstration of long-wavelength directly modulated VCSEL transmission using SOAs. IEEE Photonics Technology Letters, 2002, 14, 1369-1371.	1.3	2
262	Bandwidth Enhancement of Electro-absorption Modulated Lasers by Optical Injection Locking. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	2
263	Celebrating 25 Years of the IEEE/OSA Journal of Lightwave Technology. Journal of Lightwave Technology, 2008, 26, 990-993.	2.7	2
264	Polarization mode control in high contrast subwavelength grating VCSEL. , 2008, , .		2
265	A novel high-Q resonator using high contrast subwavelength grating. , 2008, , .		2
266	Analytical solution and design guideline for highly reflective subwavelength gratings. , 2008, , .		2
267	Novel 2D High-Contrast Grating Hollow-Core Waveguide. , 2009, , .		2
268	High contrast gratings for integrated optoelectronics. , 2010, , .		2
269	All-semiconductor nanolasers on silicon. , 2010, , .		2
270	Fast-Light to Slow-Light Switching in a Laser Cavity. IEEE Photonics Technology Letters, 2011, 23, 971-973.	1.3	2

#	ARTICLE	IF	CITATIONS
271	Double-Resonant Enhancement of Surface Enhanced Raman Scattering Using High Contrast Grating Resonators. , 2011, , .		2
272	Three-Dimensional Chirped High-Contrast Grating Hollow-Core Waveguide. IEEE Photonics Journal, 2012, 4, 1372-1380.	1.0	2
273	Quality factor for high contrast grating resonators. , 2012, , .		2
274	High quality InGaP micropillars directly grown on silicon. , 2013, , .		2
275	A Third of a Century of Lightwave Technology January 1983â€“April 2016 (Editorial). Journal of Lightwave Technology, 2016, 34, 2079-2084.	2.7	2
276	Novel Oxide Spacer High-Contrast Grating VCSELs. , 2018, , .		2
277	Half-cycle QAM modulation for VCSEL-based optical links. , 2012, , .		2
278	Ultra-compact Optical Coupler and Splitter using High-Contrast Grating Hollow-Core Waveguide. , 2010, , .		2
279	As-Grown InGaAs Nanolasers for Integrated Silicon Photonics. , 2010, , .		2
280	A â€œLinearâ€•High-Contrast Gratings Hollow-Core Waveguide and its System Level Performance. , 2010, , .		2
281	Beam-Shaping Single-Mode VCSEL With A High-Contrast Grating Mirror. , 2016, , .		2
282	Novel AlGaInAs/AlInAs lasers emitting at 1 $\frac{1}{4}$ μ m. Applied Physics Letters, 1990, 57, 2638-2640.	1.5	1
283	2-D MONOLITHIC MULTIPLE-WAVELENGTH DIODE LASER ARRAY. Optics and Photonics News, 1991, 2, 10.	0.4	1
284	A MAGIC laser for WDM applications. IEEE Transactions on Electron Devices, 1992, 39, 2653-2654.	1.6	1
285	Temperature-dependent behavior of 980-nm strained quantum well lasers. , 1995, , .		1
286	Independent phase and magnitude control of an optically carried microwave signal with a three-terminal vertical-cavity surface-emitting laser. IEEE Photonics Technology Letters, 1999, 11, 463-465.	1.3	1
287	Amplified stimulated emission of sub-wavelength gratings integrated VCSEL. , 2006, , .		1
288	Transverse Mode Control in High-Contrast Subwavelength Grating VCSEL. , 2007, , .		1

#	ARTICLE	IF	CITATIONS
289	High-Speed Nano Electromechanical Optoelectronic Tunable VCSEL. , 2007, , .		1
290	Tunable VCSEL with a ultra thin high contrast grating for fast tuning with large fabrication tolerance. , 2008, , .		1
291	Bandwidth enhancement of directly modulated DFB lasers and EML lasers using optical equalizers. , 2008, , .		1
292	Tunable optical equalizer based on 1.55 μm VCSEL for modulation bandwidth enhancement. , 2008, , .		1
293	Systematic study on locking stability and frequency response of injection-locked multimode VCSELs. , 2008, , .		1
294	107-GHz resonance frequency of 1.55- μm VCSELs under ultra-high optical injection locking. , 2008, , .		1
295	Multi-wavelength VCSEL array based on high contrast sub-wavelength grating. , 2009, , .		1
296	InGaAs QW Nanopillar Light Emitting Diodes Monolithically Grown on a Si Substrate. , 2010, , .		1
297	Single Crystalline GaAs Nanoneedles Grown on 46% Lattice-Mismatched Sapphire with Bright Luminescence. , 2010, , .		1
298	Chromatic dispersion variation and its effect on high-speed data signals due to structural parameter changes in a high-contrast-grating waveguide. , 2010, , .		1
299	Nanolasers grown on polycrystalline silicon. , 2010, , .		1
300	High-contrast gratings as new platform for integrated optoelectronics. , 2010, , .		1
301	1550 nm high contrast grating VCSEL using proton-implant-defined aperture. , 2010, , .		1
302	New Physics of Subwavelength High Contrast Gratings. , 2011, , .		1
303	Fast optical phased array with ultra-lightweight high-contrast-grating mirrors. , 2012, , .		1
304	Low-loss hollow-core waveguide using high-contrast sub-wavelength grating. Proceedings of SPIE, 2012, , .	0.8	1
305	Optical phase shifting based on high contrast grating waveguide. Proceedings of SPIE, 2012, , .	0.8	1
306	Characteristics of InP nanoneedles grown on silicon by low-temperature MOCVD. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
307	Experimental characterization on high contrast grating reflectivity. , 2012, , .		1
308	Optical phased array using single crystalline silicon high-contrast-gratings for beamsteering. , 2013, , .		1
309	Ultra-compact Optical Switch Using High Contrast Grating Hollow-core Waveguide. , 2013, , .		1
310	Heterogeneously Integrated Long-Wavelength VCSEL using High-Contrast Grating on Silicon. , 2014, , .		1
311	InP nanowire avalanche photodiode and bipolar junction phototransistor integrated on silicon substrate. , 2014, , .		1
312	Bifunctional 1550-nm Tunable Device and Its Transmission Characteristics. , 2014, , .		1
313	Heterogeneously-integrated VCSEL using high-contrast grating on silicon. , 2015, , .		1
314	Design Rule of 2D High Contrast Gratings and Engineering of Orbital Angular Momentum of Light. , 2015, , .		1
315	Bright LEDs using position-controlled MOCVD growth of InP nanopillar array on a silicon substrate. , 2016, , .		1
316	Compact On-Chip Optical Components Based on Multimode Interference Design Using High-Contrast Grating Hollow-Core Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 279-287.	1.9	1
317	Widely tunable 1060-nm high-contrast grating VCSEL. , 2016, , .		1
318	Air-Cavity Dominated HCG-VCSEL with a Wide Continuous Tuning. , 2018, , .		1
319	GaAs Nanoneedle Photodetector Monolithically Grown on a (111) Si Substrate by MOCVD. , 2009, , .		1
320	Planar, High Numerical-aperture Lens Using Sub-wavelength High Contrast Grating. , 2010, , .		1
321	Surface-normal Coupled Four-wave Mixing in a High Contrast Grating Resonator. , 2015, , .		1
322	Room-Temperature InGaAs/InP Quantum-Well-in-Nanopillar Laser Directly Grown on Silicon. , 2016, , .		1
323	Efficient Electroluminescence from III/V Quantum-Well-in-Nanopillar Light Emitting Diodes Directly Grown on Silicon. , 2016, , .		1
324	Hybrid microdisk laser on a silicon platform using lateral-field optoelectronic tweezers assembly. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
325	Physical Origin of Data Pattern Inversion in Optical Injection-locked VCSELs. , 2009, , .		1
326	Novel High Efficiency Vertical Optical Coupler Using Subwavelength High Contrast Grating. , 2011, , .		1
327	Linewidth Measurement of 1550 nm High Contrast Grating MEMS-VCSELs. , 2013, , .		1
328	High-Contrast Grating Resonator for Label-Free Biosensors. , 2015, , .		1
329	Effect of Transmission-Line Contact Length on the 50-Gbit/s Data Encoding Performance of a Multimode VCSEL. Photonics, 2022, 9, 114.	0.9	1
330	Resonant-cavity-enhanced p-i-n photodetector using a high-contrast-grating for 940nm. Optics Express, 2022, 30, 9298.	1.7	1
331	<title>Microlaser-based compact optical neuro-processors (Invited Paper)</title>. , 1992, , .		0
332	<title>SWANET: an all-optical self-routed wavelength-addressable network</title>. , 1995, 2524, 73.		0
333	<title>155-Mb/s three-plane reconfigurable wavelength-division-multiplexed optical interconnection</title>. , 1995, , .		0
334	Multiple-wavelength Vertical Cavity Laser Arrays with Wide Wavelength Span and High Uniformity. Optics and Photonics News, 1996, 7, 40.	0.4	0
335	<title>Multiple wavelength vertical-cavity laser arrays with wide wavelength span and high uniformity</title>. , 1996, , .		0
336	<title>High-wafer-yield, high-performance vertical cavity surface-emitting lasers</title>. , 1996, , .		0
337	Yield theory for diode laser fabrication. Electronics Letters, 1997, 33, 496.	0.5	0
338	<title>VCSELs with a novel integrated quantum-well absorber</title>. , 1998, , .		0
339	Introduction to the issue on semiconductor lasers. IEEE Journal of Selected Topics in Quantum Electronics, 1999, 5, 399-400.	1.9	0
340	High-speed injection-locked lasers. , 2004, , .		0
341	High-speed injection-locked lasers. , 2004, , .		0
342	Recent Progress of Semiconductor Slow Light Devices for Optical Communications. , 2006, , .		0

#	ARTICLE	IF	CITATIONS
343	Correction to "Demonstration of Piezoelectric Actuated GaAs-Based MEMS Tunable VCSEL". IEEE Photonics Technology Letters, 2006, 18, 1475-1475.	1.3	0
344	Electron spin coherence in (110) GaAs quantum well waveguides. , 2006, , .		0
345	Explanation for significantly improved VCSEL modulation bandwidth in strong optical injection experiments. , 2006, , .		0
346	Slow and superluminal light based on four-wave mixing in semiconductor optical amplifiers. , 2006, , .		0
347	Slow and Fast Light in Semiconductors. , 2006, , .		0
348	High-Speed Laser Transmitters Using Cascaded Optical Injection Locking. , 2007, , .		0
349	Epitaxial III-V Nanowires on Lattice-Mismatched Substrates by MOCVD. , 2007, , .		0
350	Effects of V/III Ratios on the Shape and Optical Properties of InP Nanowires Grown on Si Substrates. , 2007, , .		0
351	Time-Resolved Luminescence of Epitaxial InP Nanowires on (111)Si. , 2007, , .		0
352	Ultra High Bandwidth THz Tunable Delays using Cascaded Semiconductor Optical Amplifiers. , 2007, , .		0
353	Electrical Characteristics of GaAs Nanoneedles. , 2007, , .		0
354	High-Contrast Subwavelength Grating Integrated VCSELs with a Large Fabrication Tolerance. , 2007, , .		0
355	Nano Electromechanical Optoelectronic Tunable VCSEL. , 2007, , .		0
356	Effects of V/III Ratios for InP Nanowires Grown on Si Substrates. , 2007, , .		0
357	Applications of 1.55 μ m optically injection-locked VCSELs in wavelength division multiplexed passive optical networks. Proceedings of SPIE, 2007, , .	0.8	0
358	Relative effects of adatom diffusion and direct impingement on InP nanowires grown via MOCVD. , 2008, , .		0
359	Growth and micro-photoluminescence study of Si-doped GaAs nanoneedles grown on Si substrates. , 2008, , .		0
360	High speed modulation of semiconductor lasers. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
361	Spatial coupling of optically injection-locked multimode VCSELs. , 2008, , .		0
362	Whispering gallery modes in GaAs nanoneedles. , 2008, , .		0
363	Bright photoluminescence from GaAs and InGaAs nanoneedles grown on Si substrates. , 2008, , .		0
364	Ultra thin HCG in a NEMO tunable VCSEL. , 2008, , .		0
365	Observation of Strong Second Harmonic Generation from a Single Wurtzite GaAs Nanoneedle. , 2009, , .		0
366	On the Go to Reduce Time to Publication: A Message from the Editor-in-Chief. Journal of Lightwave Technology, 2009, 27, 1063-1063.	2.7	0
367	90-km Single-mode Fiber Transmission of 10-Gb/s Multimode VCSELs under Optical Injection Locking. , 2009, , .		0
368	Zero-dispersion Slow Light in Hollow Waveguide with High-contrast Grating. , 2010, , .		0
369	Robustness of VCSEL-based WDM-PON using Orthogonally Polarized Injection. , 2010, , .		0
370	A Message from the JLT Editor-in-Chief: "Raising the Bar for Publication" Journal of Lightwave Technology, 2010, 28, 989-989.	2.7	0
371	Tapped delay-line matched filtering using a high-contrast grating hollow-core waveguide. , 2011, , .		0
372	Nanopillar lasers on silicon. , 2011, , .		0
373	Helically Propagating Modes in InGaAs Nanoneedle Lasers Grown on Poly-Silicon and Silicon Substrates. , 2011, , .		0
374	FIR Analog Filter Dependence of HCG-Based Hollow-Core Waveguides upon Varying of Waveguide Parameters. , 2011, , .		0
375	Prolog to the Section on Optics and Photonics. Proceedings of the IEEE, 2012, 100, 1600-1603.	16.4	0
376	A Message From the JLT Editor-in-Chief: "State of the Journal" Journal of Lightwave Technology, 2012, 30, 2741-2742.	2.7	0
377	High-speed optical phased array using high-contrast grating all-pass filters. , 2012, , .		0
378	High brightness InP micropillars grown on silicon with Fermi-level splits larger than 1 eV. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
379	Farewell Editorial From the JLT Editor-in-Chief. Journal of Lightwave Technology, 2013, 31, 3-4.	2.7	0
380	Optical phased array using high-contrast grating all-pass filters for fast beam steering. , 2013, , .		0
381	Optical multiplexer using vertical coupler based on high contrast metastructure. Proceedings of SPIE, 2013, , .	0.8	0
382	High-contrast grating MEMS optical phase-shifters for two-dimensional free-space beam steering. Proceedings of SPIE, 2014, , .	0.8	0
383	High-speed 32Å–32 MEMS optical phased array. Proceedings of SPIE, 2014, , .	0.8	0
384	Design and fabrication of 3D high-contrast metastructure THz cage waveguides. , 2015, , .		0
385	Active coloration with flexible high contrast metastructures. Proceedings of SPIE, 2015, , .	0.8	0
386	Planar lens with a quasi-periodic circular design. , 2016, , .		0
387	Physics of Widely Tunable VCSELs with Coupled Cavities. , 2018, , .		0
388	Buried Tunnel Junction VCSEL with High Contrast Grating Top Reflector. , 2019, , .		0
389	Wavelength-Demultiplexed Laser Interferometry for Metrology. IEEE Photonics Journal, 2021, 13, 1-9.	1.0	0
390	Very Large Fabrication Tolerance of VCSELs Using High- Contrast Subwavelength Grating. , 2007, , .		0
391	Bandwidth enhancement with tunable optical equalizer for high speed intensity modulation. , 2008, , .		0
392	High-Q Resonance in Subwavelength High Contrast Gratings. , 2009, , .		0
393	Impact of High Contrast Grating Size in Tunable VCSELs. , 2009, , .		0
394	InGaAs Quantum Well Nanoneedles on Silicon with Long Wavelength Emission for Silicon Transparency. , 2009, , .		0
395	Anomalous Modulation Characteristics of Optical Injection-locked VCSELs. , 2009, , .		0
396	A Novel Ellipse Model for Optically Injection-locked VCSELs. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
397	Bandwidth Enhancement of Distributed Reflector Lasers at Low Bias Current by Optical Injection Locking. , 2010, , .		0
398	MPSK Modulation by Optical Injection Locked VCSEL. , 2010, , .		0
399	Spatially Resolved, Polarized Photoluminescence from Wurtzite InGaAs/GaAs Nanoneedles. , 2010, , .		0
400	Novel Nanowire Cavity Using Cut-Off Mode Reflector. , 2010, , .		0
401	High Contrast Grating Based Saturable Absorber for Mode-locked Lasers. , 2010, , .		0
402	Hollow-Core-Waveguides using Adiabatically Chirped High-Contrast-Gratings for a $> 10\text{\AA}$ — Loss Reduction. , 2011, , .		0
403	Nanolasers on Si-MOSFET: A Monolithic Integration. , 2011, , .		0
404	Tunable Optical Coupling in a Low-Loss Hollow Core Waveguide Using Adiabatically Chirped High-Contrast-Gratings and MEMS Actuators. , 2011, , .		0
405	Nanolasers Directly Grown on Si. , 2012, , .		0
406	30-Gbit/s OFDM Intensity Modulation of 1550-nm VCSEL. , 2012, , .		0
407	RF Down-Conversion Based on Optically Injection-locked VCSEL. , 2012, , .		0
408	RF Down-Conversion Based on Optically Injection-locked VCSEL. , 2012, , .		0
409	Continuous Tunable 1550-nm High Contrast Grating VCSEL. , 2012, , .		0
410	Modeling of Long-Wavelength High Contrast Grating VCSELS and Comparison with Experiment. , 2013, , .		0
411	III-V Nanopillar Phototransistor Directly Grown on Silicon. , 2015, , .		0
412	Tunable Coloration with Flexible High-Contrast Metastructures. , 2015, , .		0
413	Hybrid long-wavelength VCSEL using high contrast metastructure on SOI. , 2015, , .		0
414	Broadband Self-Swept High Contrast Grating VCSEL. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
415	1060 nm HCG MEMS-VCSEL with 73 nm Tuning Range. , 2017, , .		0
416	Lasing of Site-Controlled InGaAs/InP Quantum Well Nanopillars Grown on Silicon. , 2017, , .		0
417	Large Bandwidth Silicon Nitride Spot-Size Converter for Efficient Supercontinuum Coupling to Chalcogenide Waveguide. , 2017, , .		0
418	Precise Two-step Growth of 940-nm VCSEL on a GaAsP-capped DBR Wafer. , 2018, , .		0
419	Wavelength Multiplexed Laser Interferometry for Ranging. , 2018, , .		0
420	Wide, Continuously Swept VCSEL Using a Novel Air-Cavity-Dominant Design. , 2018, , .		0
421	Single-Mode VCSEL with Double-Focusing High-Contrast Gratings. , 2020, , .		0
422	Transverse Mode Control in HCG-VCSELS. , 2020, , .		0